

Fichier log

Web Service testé

Service

Opération testée

GetUserInfo

Liste des requêtes et réponses

Requête 0

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.476965

Type de requête

NON-MALICIOUS

Attaque

/

Requête 1

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.414139

Type de requête

NON-MALICIOUS

Attaque

/

Requête 2**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57
c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.377551

Type de requête

NON-MALICIOUS

Attaque

/

Requête 3**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.226243

Type de requête

NON-MALICIOUS

Attaque

/

Requête 4

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.197431

Type de requête

NON-MALICIOUS

Attaque

/

Requête 5

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.246466

Type de requête

NON-MALICIOUS

Attaque

/

Requête 6

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.194536

Type de requête

NON-MALICIOUS

Attaque

/

Requête 7

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

1.737487

Type de requête

NON-MALICIOUS

Attaque

/

Requête 8

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>7.0126504119607845e+19</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='ddff06443c895282c857fad2f72d8001'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.397954

Type de requête

NON-MALICIOUS

Attaque

/

Requête 9

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.486853

Type de requête

NON-MALICIOUS

Attaque

/

Requête 10

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.449464

Type de requête

NON-MALICIOUS

Attaque

/

Requête 11

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.576132

Type de requête

NON-MALICIOUS

Attaque

/

Requête 12

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one

!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.530354

Type de requête

NON-MALICIOUS

Attaque

/

Requête 13

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57
c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.464534

Type de requête

NON-MALICIOUS

Attaque

/

Requête 14

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.540485

Type de requête

NON-MALICIOUS

Attaque

/

Requête 15

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.47101

Type de requête

NON-MALICIOUS

Attaque

/

Requête 16

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>YCpjQwjdhIVJISpcgliuoOHoFfwdRbfWtWAgJqQjmESQnuPeEuLUOOmXjxlZobQYIejhQXVDJUIWLXQISaJKVuqYfPWJBoLkngLlpyMsCVixPVSNDySftJxDQQdtXMBvbSilRtFvtJYVumJPIFJTLfPLDVHCWdzBcLueHjotvTjWrvliLncSYjbMdiXOOUObkEmeGbFCfGgAAAtMIHFAYyDapCqnRDUtTvmrASBTSpZFWaKIOqVTmmgHNdyOnxGEolROIQHgrzTwRJGwELSZYPULJmXRNlcoDNohFjyTEONPZMQjpvBCMRcVgXywOPsjvtXfoKncTPvwxkqvDEuouyXbeJlpgDvvTOvvDfXCazxclpevucoGqjNmlWupE</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='YCpjQwjdhIVJISpcgliuoOHoFfwdRbfWtWAgJqQjmESQnuPeEuLUOOmXjxlZobQYIejhQXVDJUIWLXQISaJKVuqYfPWJBoLkngLlpyMsCVixPVSNDySftJxDQQdtXMBvbSilRtFvtJYVumJPIFJTLfPLDVHCWdzBcLueHjotvTjWrvliLncSYjbMdiXOOUObkEmeGbFCfGgAAAtMIHFAYyDapCqnRDUtTvmrASBTSpZFWaKIOqVTmmgHNdyOnxGEolROIQHgrzTwRJGwELSZYPULJmXRNlcoDNohFjyTEONPZMQjpvBCMRcVgXywOPsjvtXfoKncTPvwxkqvDEuouyXbeJlpgDvvTOvvDfXCazxclpevucoGqjNmlWupE' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.576351

Type de requête

NON-MALICIOUS

Attaque

/

Requête 17

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Response></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

3.592316

Type de requête

NON-MALICIOUS

Attaque

/

Requête 18

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>2.8087256200331924e+18</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='2.8087256200331924e+18' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.72234

Type de requête

NON-MALICIOUS

Attaque

/

Requête 19

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>93664912547884995700</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='ec411e3eb0
0d42ab816ce5ae34bd856a'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUse
rInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.78996

Type de requête

NON-MALICIOUS

Attaque

/

Requête 20

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns
:ns0="http://tempuri.org/"><ns0:username>ufoKyglYrxIEfHfmYXlvzkvPTuwYqruVzPZxZNEWMYYhDuEMhnzeTdHCEJcG</ns
0:username><ns0:password>This is yet another
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE
username='ufoKyglYrxIEfHfmYXlvzkvPTuwYqruVzPZxZNEWMYYhDuEMhnzeTdHCEJcG' AND password='b58a4d6b80e12c2
e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoR
esponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.543683

Type de requête

NON-MALICIOUS

Attaque

/

Requête 21

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>7605579710299019700</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='8af7ee565fc82a2cfb875b33263854a5'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.777373

Type de requête

NON-MALICIOUS

Attaque

/

Requête 22

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>GRtdZOGsqdqOSLMzaUcnLYQhzVntUzysEmQtCjqOneSjlsWxeRrHglnpZbVNAhzCXwYFHdeAYpuGVoehyalDAXcEtTQLqgDSymaUumZUZGMgEGKvXozyDfWDvrlwRamysSvFsUMYhuPVMDrdqmBwHhfCVOtvQktpkwFwMMMdKsBEFDGesoZrRUHbmYUIIIExNoJJEOrBHdkgmCYwATKadLfOWPvEyjeWLppiPIMgvtnScIzShGeliSJJIPmJuSyCsVGvINikgkJQKTXZUWISOzWwgzJLcuzyrTfieAcEuLsOwnLaXTnMEXHnFjkwnNcSEJwYOELJtuJRSBlcEPzUbQHNpOzJepQyNoRdpITOIuPZzmMlbcgttlasZMsZPkHxYhrcRDAEziRVGglTmCgSOwUcdvasUGIEjcvuEOOwOkacxeARnOVmDJXhbpKjAdgMJrEAVXIkqrFUIFTAPbGbHacak</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='GRtdZOGsqdqOSLMzaUcnLYQhzVntUzysEmQtCjqOneSjlsWxeRrHglnpZbVNAhzCXwYFHdeAYpuGVoehyalDAXcEtTQLqgDSymaUumZUZGMgEGKvXozyDfWDvrlwRamysSvFsUMYhuPVMDrdqmBwHhfCVOtvQktpkwFwMMMdKsBEFDGesoZrRUHbmYUIIIExNoJJEOrBHdkgmCYwATKadLfOWPvEyjeWLppiPIMgvtnScIzShGeliSJJIPmJuSyCsVGvINikgkJQKTXZUWISOzWwgzJLcuzyrTfieAcEuLsOwnLaXTnMEXHnFjkwnNcSEJwYOELJtuJRSBlcEPzUbQHNpOzJepQyNoRdpITOIuPZzmMlbcgttlasZMsZPkHxYhrcRDAEziRVGglTmCgSOwUcdvasUGIEjcvuEOOwOkacxeARnOVmDJXhbpKjAdgMJrEAVXIkqrFUIFTAPbGbHacak' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.385107

Type de requête

NON-MALICIOUS

Attaque

/

Requête 23**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.352709

Type de requête

NON-MALICIOUS

Attaque

/

Requête 24**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>94414956367802061357</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='94414956367802061357' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.305662

Type de requête

NON-MALICIOUS

Attaque

/

Requête 25

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.243662

Type de requête

NON-MALICIOUS

Attaque

/
