

# Fichier log

## Web Service testé

Service

## Opération testée

GetUserInfo

## Liste des requêtes et réponses

### Requête 0

#### URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

#### Méthode HTTP

POST

#### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

#### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

#### Code HTTP

200

#### TTFB (Time To First Byte)

0.476965

#### Type de requête

NON-MALICIOUS

#### Attaque

/

---

### Requête 1

#### URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

#### Méthode HTTP

POST

#### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

#### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

**Code HTTP**

200

**TTFB (Time To First Byte)**

3.414139

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 2****URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

**Contenu de la réponse**

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57
c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

**Code HTTP**

200

**TTFB (Time To First Byte)**

3.377551

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 3****URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

**Méthode HTTP**

POST

#### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

#### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

#### Code HTTP

200

#### TTFB (Time To First Byte)

0.226243

#### Type de requête

NON-MALICIOUS

#### Attaque

/

-----

#### Requête 4

##### URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

##### Méthode HTTP

POST

#### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

#### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

#### Code HTTP

200

#### TTFB (Time To First Byte)

0.197431

#### Type de requête

NON-MALICIOUS

#### Attaque

/

-----

#### Requête 5

## URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

## Méthode HTTP

POST

### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

## Code HTTP

200

## TTFB (Time To First Byte)

0.246466

## Type de requête

NON-MALICIOUS

## Attaque

/

## Requête 6

## URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

## Méthode HTTP

POST

### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

## Code HTTP

200

## TTFB (Time To First Byte)

0.194536

## Type de requête

NON-MALICIOUS

## Attaque

/

---

## Requête 7

### URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

### Méthode HTTP

POST

### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

### Code HTTP

200

### TTFB (Time To First Byte)

1.737487

### Type de requête

NON-MALICIOUS

### Attaque

/

---

## Requête 8

### URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

### Méthode HTTP

POST

### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>7.0126504119607845e+19</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='ddff06443c895282c857fad2f72d8001'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

### Code HTTP

200

**TTFB (Time To First Byte)**

3.397954

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 9****URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

**Contenu de la réponse**

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

**Code HTTP**

200

**TTFB (Time To First Byte)**

0.486853

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 10****URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

**Contenu de la réponse**

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT \* FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

**Code HTTP**

200

**TTFB (Time To First Byte)**

0.449464

**Type de requête**

NON-MALICIOUS

**Attaque**

/

-----

**Requête 11**

**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

**Contenu de la réponse**

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT \* FROM users WHERE username='This is yet another string' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

**Code HTTP**

200

**TTFB (Time To First Byte)**

0.576132

**Type de requête**

NON-MALICIOUS

**Attaque**

/

-----

**Requête 12**

**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one

!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

#### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

#### Code HTTP

200

#### TTFB (Time To First Byte)

0.530354

#### Type de requête

NON-MALICIOUS

#### Attaque

/

---

#### Requête 13

##### URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

##### Méthode HTTP

POST

#### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

#### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57
c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

#### Code HTTP

200

#### TTFB (Time To First Byte)

0.464534

#### Type de requête

NON-MALICIOUS

#### Attaque

/

---

#### Requête 14

##### URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx



Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.540485

Type de requête

NON-MALICIOUS

Attaque

/



Requête 15

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.47101

Type de requête

NON-MALICIOUS

Attaque

/



## Requête 16

### URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

### Méthode HTTP

POST

### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>YCpjQwjdhIVJISpcgliuoOHoFfwdRbfWtWAgJqQjmESQnuPeEuLUOOmXjxlZobQYIejhQXVDJUIWLXQISaJKVuqYfPWJBoLkngLlpyMsCVixPVSNDySFtJxDQQdtXMBvbvSilRtFvtJYVumJPIFJTLfPLDVHCWdzBcLueHjotvTjWrvliLncSYjbMdiXOOUObkEmeGbFCfGgAAAtMIHFAYyDapCqnRDUtTvmrASBTSpZFWaKIOqVTmmgHNdyOnxGEolROIQHgrzTwRJGwELSZYPULJmXRNlcoDNohFjyTEONPZMQjpvBCMRcVgXywOPsjvtXfoKncTPvwxkqvDEuouyXbeJlpgDvvTOvvDfXCazclpevucoGqjNmlWupE</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='YCpjQwjdhIVJISpcgliuoOHoFfwdRbfWtWAgJqQjmESQnuPeEuLUOOmXjxlZobQYIejhQXVDJUIWLXQISaJKVuqYfPWJBoLkngLlpyMsCVixPVSNDySFtJxDQQdtXMBvbvSilRtFvtJYVumJPIFJTLfPLDVHCWdzBcLueHjotvTjWrvliLncSYjbMdiXOOUObkEmeGbFCfGgAAAtMIHFAYyDapCqnRDUtTvmrASBTSpZFWaKIOqVTmmgHNdyOnxGEolROIQHgrzTwRJGwELSZYPULJmXRNlcoDNohFjyTEONPZMQjpvBCMRcVgXywOPsjvtXfoKncTPvwxkqvDEuouyXbeJlpgDvvTOvvDfXCazclpevucoGqjNmlWupE' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

### Code HTTP

200

### TTFB (Time To First Byte)

0.576351

### Type de requête

NON-MALICIOUS

### Attaque

/

## Requête 17

### URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

### Méthode HTTP

POST

### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Response></soap:Body></soap:Envelope>

**Code HTTP**

200

**TTFB (Time To First Byte)**

3.592316

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 18**

**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>2.8087256200331924e+18</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

**Contenu de la réponse**

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='2.8087256200331924e+18' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

**Code HTTP**

200

**TTFB (Time To First Byte)**

0.72234

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 19**

**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>93664912547884995700</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

**Contenu de la réponse**

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='ec411e3eb0
0d42ab816ce5ae34bd856a'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUse
rInfoResponse></soap:Body></soap:Envelope>
```

#### Code HTTP

200

#### TTFB (Time To First Byte)

0.78996

#### Type de requête

NON-MALICIOUS

#### Attaque

/

---

#### Requête 20

##### URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

##### Méthode HTTP

POST

##### Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns
:ns0="http://tempuri.org/"><ns0:username>ufoKyglYrxIEfHfmYXlvzkvPTuwYqruVzPZxZNEWMYYhDuEMhnzeTdHCEJcG</ns
0:username><ns0:password>This is yet another
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

##### Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE
username='ufoKyglYrxIEfHfmYXlvzkvPTuwYqruVzPZxZNEWMYYhDuEMhnzeTdHCEJcG' AND password='b58a4d6b80e12c2
e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoR
esponse></soap:Body></soap:Envelope>
```

#### Code HTTP

200

#### TTFB (Time To First Byte)

0.543683

#### Type de requête

NON-MALICIOUS

#### Attaque

/

---

#### Requête 21

##### URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>7605579710299019700</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT \* FROM users WHERE username='Another one !' AND password='8af7ee565fc82a2cfb875b33263854a5'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.777373

Type de requête

NON-MALICIOUS

Attaque

/

-----

Requête 22

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>GRtdZOGsqdqOSLMzaUcnLYQhzVntUzysEmQtCjqOneSjlsWxeRrHglnpZbVNAhzCXwYFHdeAYpuGVoehyalDAXcEtTQLqgDSymaUumZUZGMgEGKvXozyDfWDvrlwRamysSvFsUMYhuPVMdRdqmBwHhfCVOtvQktpkwFwMMMdKsBEFDGesoZrRUHbmYUIIIExNoJJEOrBHdkgmCYwATKadLfOWPvEyjeWLppiPIMgvtnScIzShGeliSJJIPmJuSyCsVGvINikgkJQKTXZUWISOzWwgzJLcuzyrTfieAcEuLsOwnLaXTnMEXHnFjkwnNcSEJwYOELJtuJRSBlcEPzUbQHNpOzJepQyNoRdpITOIuPZzmMlbcgttlasZMsZPkHxYhrcRDAEziRVGglTmCgSOwUcdvasUGIEjcvuEOOwOkacxeARnOVmDJXhbpKjAdgMJrEAVXIkqrFUIFTAPbGbHacak</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT \* FROM users WHERE username='GRtdZOGsqdqOSLMzaUcnLYQhzVntUzysEmQtCjqOneSjlsWxeRrHglnpZbVNAhzCXwYFHdeAYpuGVoehyalDAXcEtTQLqgDSymaUumZUZGMgEGKvXozyDfWDvrlwRamysSvFsUMYhuPVMdRdqmBwHhfCVOtvQktpkwFwMMMdKsBEFDGesoZrRUHbmYUIIIExNoJJEOrBHdkgmCYwATKadLfOWPvEyjeWLppiPIMgvtnScIzShGeliSJJIPmJuSyCsVGvINikgkJQKTXZUWISOzWwgzJLcuzyrTfieAcEuLsOwnLaXTnMEXHnFjkwnNcSEJwYOELJtuJRSBlcEPzUbQHNpOzJepQyNoRdpITOIuPZzmMlbcgttlasZMsZPkHxYhrcRDAEziRVGglTmCgSOwUcdvasUGIEjcvuEOOwOkacxeARnOVmDJXhbpKjAdgMJrEAVXIkqrFUIFTAPbGbHacak' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

**TTFB (Time To First Byte)**

0.385107

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 23****URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

**Contenu de la réponse**

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

**Code HTTP**

200

**TTFB (Time To First Byte)**

0.352709

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 24****URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>94414956367802061357</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

**Contenu de la réponse**

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT \* FROM users WHERE username='94414956367802061357' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

**Code HTTP**

200

**TTFB (Time To First Byte)**

0.305662

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---

**Requête 25**

**URL**

http://testaspnet.vulnweb.com/acuservice/service.asmx

**Méthode HTTP**

POST

**Contenu de la requête**

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

**Contenu de la réponse**

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

**Code HTTP**

200

**TTFB (Time To First Byte)**

0.243662

**Type de requête**

NON-MALICIOUS

**Attaque**

/

---