

课程 > Unit 6: Further topi... > Lec. 12: Sums of in... > 9. Exercise: Covaria...

9. Exercise: Covariance calculation

Exercise: Covariance calculation

1/1 point (graded)

Suppose that X,Y, and Z are independent random variables with unit variance. Furthermore, ${\bf E}[X]=0$ and ${\bf E}[Y]={\bf E}[Z]=2$. Then,

$$Cov(XY, XZ) = \boxed{4}$$
 Answer: 4

Solution:

Because of independence and the zero-mean assumption, it follows that $\mathbf{E}[XY] = \mathbf{E}[X] \cdot \mathbf{E}[Y] = 0$ and similarly, $\mathbf{E}[XZ] = 0$. Thus,

$$\mathsf{Cov}(XY,XZ) = \mathbf{E}[XYXZ] = \mathbf{E}[X^2YZ] = \mathbf{E}[X^2] \cdot \mathbf{E}[Y] \cdot \mathbf{E}[Z] = \mathsf{Var}(X) \cdot \mathbf{E}[Y] \cdot \mathbf{E}[Z] = 4.$$

提交

You have used 3 of 3 attempts

1 Answers are displayed within the problem



Topic: Unit 6 / Lec. 12 / 9. Exercise: Covariance calculation

显示讨论