PageSpeed Insights

Copy Link Docs

Report from Nov 4, 2026, 11:35:51 AM

https://agrofehyr.net/ Analyze

Mobile Desktop

Discover what your real users are experiencing

No Data

Diagnose performance issues


Performance	Accessibility	Best Practices	SEO	Agentic Browsing
100	100	100	100	3/3



Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100



METRICS

Expand view

- First Contentful Paint: 0.8 s
- Largest Contentful Paint: 1.2 s
- Total Blocking Time: 0 ms
- Cumulative Layout Shift: 0
- Speed Index: 0.8 s

Captured at Nov 4, 2026, 11:35 AM GMT+1


Initial page load

Emulated Moto G Power with Lighthouse 13.6.0

Slow 4G throttling

Single page session

Using HeadlessChromium 153.0.8010.36 with lr






Show audits relevant to: All FCP LCP


INSIGHTS

Improve image delivery — Est savings of 212 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size. LCP FCP Unscored

 Тепличні овочі та перець `<img src="/foliahaz.jpg" alt="Тепличні овочі та перець" class="produce-img" width="150" height="150" loading="lazy">`	/foliahaz.jpg (agrofehyr.net)	81.2 KiB	78.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size		33.9 KiB
	This image file is larger than it needs to be (536x542) for its displayed dimensions (142x137). Use responsive images to reduce the image download size.		75.8 KiB
 Вирощування полуниці на гребнях у Матійові `<img src="/szamoca.jpg" alt="Вирощування полуниці на гребнях у Матійові" class="produce-img" width="150" height="150" loading="lazy">`	/szamoca.jpg (agrofehyr.net)	80.4 KiB	77.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size		37.7 KiB
	This image file is larger than it needs to be (514x511) for its displayed dimensions (144x137). Use responsive images to reduce the image download size.		74.4 KiB
 Зернові культури Закарпаття `<img src="/szantofold.jpg" alt="Зернові культури Закарпаття" class="produce-img" width="150" height="150" loading="lazy">`	/szantofold.jpg (agrofehyr.net)	53.7 KiB	48.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size		32.4 KiB

(361x362) for its displayed dimensions (213x137). Use responsive images to reduce the image download size. 41.7 KiB




UA HU EN DE
`<div class="card-banner">`

/mezo_deliirany_falu.webp (agrofehyr.net) 84.5 KiB 7.5 KiB

Increasing the image compression factor could improve this image's download size 7.5 KiB

Optimize DOM size


A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size.
Unscored

Statistic	Element	Value
Total elements		110
DOM depth	 div.map-pills > a.map-pill > svg > path `<path d="M12 2C8.13 2 5 5.13 5 9c0 5.25 7 13 7 13s7-7.75 7-13c0-3.87-3.13-7-7-7zm0 …">`	10
Most children	 UA HU EN DE СІМЕЙНЕ ГОСПОДАРСТВО ФГ «АГРО ФЕГИР» 📍 с. Матійово (Матієво), Зака… `<main class="card-wrapper">`	6

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	0 ms
Resource load delay	120 ms
Resource load duration	100 ms
Element render delay	30 ms



UA HU EN DE

PASSED AUDITS (24) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

- Interactive controls are keyboard focusable
- Interactive elements indicate their purpose and state
- The page has a logical tab order
- Visual order on the page follows DOM order
- User focus is not accidentally trapped in a region
- The user's focus is directed to new content added to the page
- HTML5 landmark elements are used to improve navigation
- Offscreen content is hidden from assistive technology
- Custom controls have associated labels
- Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. Learn how to match ARIA attributes to their roles.

- `[aria-hidden="true"]` is not present on the document `<body>`

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document <body>. Learn how `aria-hidden` affects the document body.

- `[aria-*]` attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values for ARIA attributes.

- `[aria-*]` attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more about valid ARIA attributes.

- Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the `alt` attribute.

- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

- ARIA attributes are used as specified for the element's role

Some ARIA attributes are only allowed on an element under certain conditions. Learn more about conditional ARIA attributes.

- `[aria-hidden="true"]` elements do not contain focusable descendents

focusable elements.

- Elements use only permitted ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. Learn more about prohibited ARIA roles.

- Background and foreground colors have a sufficient contrast ratio

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

- `<html>` element has a `[lang]` attribute

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the `lang` attribute.

- `<html>` element has a valid value for its `[lang]` attribute

Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the `lang` attribute.

- Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible.

- Touch targets have sufficient size and spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.

Document has a main landmark.

One main landmark helps screen reader users navigate a web page. Learn more about landmarks.

NOT APPLICABLE (46) Show



Best Practices

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. Learn how to use a CSP to prevent XSS Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. Learn more about using a strong HSTS policy. Unscored

Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. Learn more about deploying the COOP header. Unscored

Description	Directive	Severity
No COOP header found		High

Mitigate clickjacking with XFO or CSP

The `X-Frame-Options` (XFO) header or the `frame-ancestors` directive in the `Content-Security-Policy` (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. Learn more about mitigating clickjacking. Unscored

Description	Severity
No frame control policy found	High

Mitigate DOM-based XSS with Trusted Types

The `require-trusted-types-for` directive in the `Content-Security-Policy` (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. Learn more about mitigating DOM-based XSS with Trusted Types. Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

BROWSER COMPATIBILITY

Baseline Features

Lists web features used on the page and their Baseline status as of 2026-10-22. Learn more about Baseline. Unscored

Web-features	Baseline Status	Source
agrofehyr.net 1st Party		
fetch-priority	Newly Available (2024-10-29)	https://agrofehyr.net:-1:-2
backdrop-filter	Newly Available (2024-09-16)	https://agrofehyr.net:-1:-2

logical-properties	Widely Available (2021-09-20)	https://agrofehyr.net:-1:-2
webp	Widely Available (2020-09-16)	https://agrofehyr.net:-1:-2
slot	Widely Available (2020-01-15)	https://agrofehyr.net:-1:-2
grid	Widely Available (2017-10-17)	https://agrofehyr.net:-1:-2
flexbox	Widely Available (2015-09-30)	https://agrofehyr.net:-1:-2

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Hide

- Structured data is valid

Run the Structured Data Testing Tool to validate structured data. Learn more about Structured Data.

Unscored

Run these additional validators on your site to check additional SEO best practices.

3/3

Agentic Browsing

These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

PASSED AUDITS (3) Hide

- Accessibility tree is well-formed — All audits passed
- Cumulative Layout Shift — 0
- llms.txt follows recommendations

NOT APPLICABLE (4) Hide

- WebMCP form coverage
- WebMCP tools registered
- WebMCP schemas are valid
- ARD manifest is valid

Terms and Privacy Policy

For details, see the Google Developers Site Policies.