Wordle for Good

This project allows you to create a Wordle game for your website, using web components.

How to use

You can generate your wordle game using the Wordle for Good Generator. Or you can follow this documentation to understand how it works.

1. Add the script below to your website:

```
<script
  defer
  src="https://apps.4sitestudios.com/wordle-for-good/wordle-for-good.js"
></script>
```

2. You need to add the wordle-for-good tag where you want to display the game:

```
<wordle-for-good
 word="104-101-97-114-116"
  bg-color="#fafafa"
  text-color="#333333"
  tile-border-color="#888888"
  tile-bg-color="#ffffff"
  tile-bg-wrong-color="#39393c"
  tile-bg-wrong-location-color="#b59f3b"
  tile-bg-correct-color="#538d4e"
  tile-text-color="#333333"
  key-bg-color="#818283"
  key-text-color="#ffffff"
  key-text-size="1.3rem"
  height="690px"
  title="Wordle For Good"
  success-selector="#success"
  failure-selector="#failure"
></wordle-for-good>
```

You have some options to customize the wordle game. See below for more information.

Attributes

The wordle game has one main attribute:

word - REQUIRED The value of this attribute is the result of a 5 letter word, separated by dashes. For
example, if you want to use the word "heart", you need to convert it to ASCII and separate each

(lowercase) letter with a dash. The result will be 104–101–97–114–116. You can use this ASCII Table to convert your word to ASCII. If not specified, the game will not render and will throw an error in the console. If you want an easy way to generate the word, you can use the Wordle for Good Generator.

Other Optional Attributes

- bg-color The background color of the game. If not specified, we will use #fafafa.
- text-color The text color of the game. If not specified, we will use #333333.
- tile-border-color The border color of the tiles. If not specified, we will use #888888.
- tile-bg-color The background color of the tiles. If not specified, we will use #fffffff.
- tile-bg-wrong-color The background color of the tiles when the user selects the wrong tile. If not specified, we will use #39393c.
- tile-bg-wrong-location-color The background color of the tiles when the user selects the right letter at the wrong location. If not specified, we will use #b59f3b.
- tile-bg-correct-color The background color of the tiles when the user selects the right letter at the right location. If not specified, we will use #538d4e.
- tile-text-color The text color of the tiles. If not specified, we will use #333333.
- key-bg-color The background color of the keyboard keys. If not specified, we will use #818283.
- key-text-color The text color of the keyboard keys. If not specified, we will use #ffffff.
- key-text-size The text size of the keyboard keys. If not specified, we will use 1.3 rem.
- height The height of the game. If not specified, we will use 690px.
- title The title of the game. If not specified, the game will have no Title, but the sharing title will be "Wordle For Good".
- success-selector The selector of the element that will be shown when the user wins the game. If not specified, we will use our own algorithm to guess the element: We will move up the DOM tree until we find an adjacent sibling of the game.
- failure-selector The selector of the element that will be shown when the user loses the game.

 If not specified, we will use the same element as the success-selector.

Merge Tags

You can use merge tags in your content to display the correct word, and the game tiles. You can also use special data attributes for links to trigger the "share" event and to open the game help.

Word

You can use the merge tag [[WFG-WORD]] to display the correct word.

Tiles

You can use the merge tag [[WFG-TILES]] to display the game tiles.

Share Link

You can use the data attribute data-wfq-share to trigger the "share" event. For example:

```
<a href="#" data-wfg-share>Share</a>
```

Help Link

You can use the data attribute data-wfg-help to open the game help. For example:

```
<a href="#" data-wfg-help>How to Play</a>
```

Development

Your code must be on the src folder. Style files must be on the src/styles folder. The ./index.html
file is used to test your code. The dist folder is generated automatically. When you are ready to deploy, run
npm run build to generate the dist folder, then use the dist/wordle-for-good.js file in your
website.

Install Dependencies

1. npm install

Deploy

1. npm run build - Builds the project

It's going to create a dist folder, where you can get the dist/wordle-for-good. js file and publish it.

Hot Module Reloading

1. npm run dev - Starts the server with hot reloading enabled

Recommended IDE Setup

VS Code + Volar

Type Support For . vue Imports in TS

Since TypeScript cannot handle type information for .vue imports, they are shimmed to be a generic Vue component type by default. In most cases this is fine if you don't really care about component prop types outside of templates. However, if you wish to get actual prop types in .vue imports (for example to get props validation when using manual h(...) calls), you can enable Volar's Take Over mode by following these steps:

- Run Extensions: Show Built-in Extensions from VS Code's command palette, look for TypeScript and JavaScript Language Features, then right click and select Disable (Workspace). By default, Take Over mode will enable itself if the default TypeScript extension is disabled.
- Reload the VS Code window by running Developer: Reload Window from the command palette.

You can learn more about Take Over mode here.

Demo

https://apps.4sitestudios.com/wordle-for-good/test/index.html

It's currently published on 4Site's APP AWS EC2 Server: https://apps.4sitestudios.com/wordle-for-good/wordle-for-good.js