

Cel:

Proszę skonfigurować urządzenie mikrotik zgodnie z informacjami:

1. CHR - 2 interfejsy:

1- BRIDGE

2- wew

po zalogowaniu sprawdź adres IP dla twojego mikrotika.

2. konfiguracja urządzenia:

nazwa: egzamin01

ip lan: 10.100.50.1/24 (gdzie X to numer stanowiska)

hasło na admina: 123g0ni5zTy

serwer DNS dla mikrotika: 1.1.1.1 i 8.8.8.8

serwer DHCP: nazwa puli: dhcp_egzamin, zakres: 10.100.50.50-10.100.50.80, dns dla dhcp: 172.19.0.200

dodaj użytkownika o swoim nazwisku (bez polskich znaków) oraz hasło z pełnym dostępem do mikrotika

zaloguj się via https na nowym użytkowniku

3. pobierz system debian net install i zainstaluj podłączając kartę sieciową do sieci

wewnętrznej, ustaw adres pobierany DHCP - należy wykonać po pełnej konfiguracji

mikrotika, sprawdź po zalogowaniu na system debian czy otrzymaliśmy adres z mikrotika,

wyświetl konfigurację adresu IP oraz przypisany serwer DNS.



Rozwiązanie:

```
MMM      MMM      KKK      TTTTTTTTTT      KKK
MMMM     MMMM     KKK      TTTTTTTTTT      KKK
MMM MMMM MMM III   KKK KKK RRRRRR      000000      TTT      III   KKK KKK
MMM MM  MMM III   KKKKK RRR RRR 000 000      TTT      III   KKKKK
MMM      MMM III   KKK KKK RRRRRR      000 000      TTT      III   KKK KKK
MMM      MMM III   KKK KKK RRR RRR      000000      TTT      III   KKK KKK

MikroTik RouterOS 7.23.5 (c) 1999-2026      https://www.mikrotik.com/

Press F1 for help

2026-09-09 13:19:05 system,error,critical router was rebooted without proper shutdown
admin@CHR] >
admin@CHR] > /ip address print
Flags: D - DYNAMIC
Columns: ADDRESS, NETWORK, INTERFACE, VRF
# ADDRESS      NETWORK      INTERFACE    VRF
# D 192.168.1.36/24 192.168.1.0 ether1      main
admin@CHR] > _
```





Address 10.100.50.1/24



Actions

NOT INVALID

NOT SLAVE

Enabled ☒

Comment LAN

Address 10.100.50.1/24

Network - 10.100.50.0

Interface ether2

VRF main

Cancel

Apply

OK

Settings

Configuration

Servers

1.1.1

-

+

8.8.8.8

-

+

Dynamic Servers

192.168.1.1

Use DoH Server

+

mDNS Repeater Interfaces

+

Allow Remote Requests

☐

VRF

main

▼

Max UDP Packet Size

4096

Query Server Timeout

2.000

s

Query Total Timeout

10.000

s

Max. Concurrent Queries

100

Max. Concurrent TCP Sessions

20

Cache Size

2048

KiB

Cache Max TTL

7d 00:00:00

Cache Used

43 KiB

Address List Extra Time

+

Apply

New IP Pool

Comment

/

Name

pool1

Addresses

10.100.50.50-10.100.50.80

-

+

Next Pool

-

none

▼

Total

0

Used

0

Available

0

Cancel

Apply

OK

New DHCP Server

NOT INVALID

Enabled

☒

Comment

General

Name

dhcp_egzamin

Interface

ether2

Relay

+

Lease Time

00:30:00

Bootp Lease Time

forever

Address Pool

pool1

Dynamic Lease Identifiers

☒ MAC Address

☒ Client ID

☐ Option 82

DHCP Option Set

+

Address List

+

New DHCP Network

Comment

Address

10.100.50.0/24

Gateway

10.100.50.1

-

+

Netmask

-

0

No DNS

☐

DNS Servers

172.19.0.22

-

+

Domain

+

WINS Servers

+

No NTP

☐

NTP Servers

+

CAPS Managers

+

Next Server

+

Boot File Name

+

DHCP Options

+

DHCP Option Set

+

Cancel

Apply

OK

New User

Actions

NOT EXPIRED

Enabled ☒

Comment

Name

Group

Allowed Address

Password

Confirm Password

Inactivity Timeout

Inactivity Policy

Cancel

Apply

OK

Login

Password

Login

zalogowane.

```

vbuser@debian:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:ca:68:69 brd ff:ff:ff:ff:ff:ff
    altname enx080027ca6869
    inet 10.100.50.79/24 brd 10.100.50.255 scope global dynamic noprefixroute enp0s3
        valid_lft 1782sec preferred_lft 1557sec
    inet6 fe80::f2f5:fe89:3bdb:be5f/64 scope link
        valid_lft forever preferred_lft forever
vbuser@debian:~$ _
    
```

tada!