Graph Theory Facts and Propositions

General:

- 1. Handshake Theorem: $\sum_{v \in V(G)} deg(v) = 2|E|$
- 2. Proposition: Every graph with ≥ 2 vertices has two vertices of the same degree
- 3. Proposition: the n-cube has 2^n vertices and $n*2^{n-1}$ edges
- 4. Theorem: if there is a walk from vertex x to vertex y in G then there is a path from x to y in G.
- 5. Corollary: if there is a path from x to y in G and a path from y to z in G then there is a path from x to z in G.
- 6. Theorem: let G be a graph and let v be a vertex in G. If for each w in G there is a path from v to w, then G is connected. For any vertex, you can get to any other vertex.
- 7. Theorem: a graph G is **not connected** iff there exists a property subset of x of V(G) such that the **cut** induced by x is empty.
- 8. Proposition: if every very has degree ≥ 2 then G has a cycle.
- 9. Theorem (Dirac): if G is a graph on n > 3 vertices where every vertex has degree $\geq \frac{n}{2}$, then G has a cycle containing every vertex. G is a **Hamiltonian Graph**.
- 10. Theorem (Chvtal '72): if G is a graph on n vertices with degree $d_1 \leq d_2 \leq d_3 \dots \leq d_n$ then if $d_i \geq i$ or $d_{n-i} \geq n-i$ for all $i \leq \frac{n}{2}$, then G is Hamiltonian.
- 11. Theorem (Tutte): Every 4-connected graph that can be drawn in the plane without crossings is Hamiltonian.
- 12. Theorem: Every connected graph in which every vertex has even degree is *Eulerian*. An Eulerian graph has an Euler tour, which is a closed walk that contains every edge once.
- 13. Lemma: if $e = \{x,y\}$ is a bridge of a connected graph G, then G-e has precisely two components. Furthermore, x and y are in different components.
- 14. Theorem: An edge is a bridge of a graph G iff it is not contained in a cycle of G
- 15. Corollary: If there are two distinct paths from u to v in G then G contains a cycle.

- 16. Lemma: There is a unique path between every pair of vertices u and v in a tree.
- 17. Lemma: Every edge of a tree T is a bridge.
- 18. Theorem: A tree with at least 2 vertices has at least two vertices of degree 1.
- 19. Theorem: if T is a tree, then |E(T)| = |V(T) 1|.
- 20. Proposition: Every edge of a tree is a bridge.
- 21. Proposition: If x,y are vertices of a tree T, then there is a unique path of T from x to y.
- 22. Theorem: if T is a tree, then |E(T)| = |V(T) 1|.
- 23. Proposition: Every edge of a tree is a bridge.
- 24. Proposition: If x,y are vertices of a tree T, then there is a unique path of T from x to y.
- 25. Proposition: A graph G has a spanning tree iff it is connected.
- 26. Corollary: Every connected graph on n vertices has $\geq n-1$ edges.
- 27. Corollary: Every connected graph on n vertices, n-1 edges is a tree.
- 28. Proposition: Every tree is bipartite.
- 29. Proposition: If G is a bipartite graph and $u,v \in V(G)$ then if u and v are in the same part of a bipartition, then every walk from u to v has even length. If u,v are in different parts, then every walk from u to v has odd length.
- 30. Proposition: If G is a graph with no odd cycles, then G is bipartite.
- 31. Theorem: Prim's algorithm outputs a min-weight spanning tree.
- 32. Proposition: A graph is planar iff it has a spherical embedding.
- 33. Theorem: if there is a planar embedding of 2-connected graph G with faces f_1, f_2, \dots then $\sum_{i=1} deg(f_i) = 2|E(G)|$
- 34. Corollary: If the connected graph G has a planar embedding with f faces, then average degree of a face is $\frac{2|E(G)|}{f}$.
- 35. Theorem: let G be a connected graph with |V| vertices and |E| edges. If G has a planar embedding with |F| faces, then |V| |E| + |F| = 2.
- 36. Theorem: There are exactly five non-isomorphic platonic solids.

- 37. Lemma: Let G be a planar embedding with |V| vertices, |E| edges and |F| faces. Then $\{d,k\}$ is one of the five pairs of faces and vertices: $\{3,3\}$, $\{3,4\}$, $\{4,3\}$, $\{5,3\}$, $\{3,5\}$
- 38. Lemma: If G is connected and not a tree then in a planar embedding of G, the boundary of each face contains a cycle.
- 39. Lemma: Let G be a planar embedding with |V| vertices and |E| edges. If each face has degree at least d, then $(d-2)|E| \le d(|V|-2)$ \$.
- 40. Corollary: In any planar embedding of a graph eith at least 2 edges, each face has degree ≥ 3 .
- 41. Lemma (Test 1): If G = (V,E) is a planar graph and $|E| \ge 2$, then $|E| \le 3|V|$ -6.
- 42. Corollary: K_5 is non-planar |V| = 5, |E| = 10.
- 43. Corollary: A planar graph has a vertex of degree at most 5.
- 44. Lemma (Test 2): If G = (V,E) is a planar graph and every cycle has length $\geq g$, where g is the girth, the length of the smallest cycle, and $|E| \geq \frac{1}{2}g$, then $|E| \leq \frac{g}{g-2}(|V|-2)$
- 45. Corollary: $K_{3,3}$ is non-planar because it has no triangles, so g=4 and it fails Test 2.
- 46. Kuratowski's Theorem: A graph is planar iff it has no subdivision of $K_{3,3}$ or K_5 as a subgraph.
- 47. Theorem: A graph is 2-colourable iff it is bipartite.
- 48. Theorem: K_n is n-colourable and not k-colourable for k < n.
- 49. Five-Colour-Theorem: Every planar graph is 5-colourable.
- 50. Theorem: Every planar graph is 4-colourable.
- 51. Lemma: M is not a maximum matching iff there exists an M-augmenting path.
- 52. Lemma: If M is a matching of G and C is a cover of G then $|M| \leq |C|$.
- 53. Lemma: If M is matching and C is a cover and |M| = |C| then M is a maximum matching and C is a minimum cover.
- 54. Theorem (Konig's Theorem): If G is bipartite, then the size of the maximum matching is equal to the size of the minimum cover.