

pysrim: Automation, Analysis, and Plotting of SRIM Calculations

18 April 2018

Summary

The behavior of ions traveling through a material is of great interest to many fields. For instance nuclear materials and ion beam modification are most concerned with the bulk of the material and understanding the damage formation and evolution of defects along the ion path (Was 2016). Some of the important properties that can be gleaned from investigating the initial damage from the ion include: number of vacancies produced, energy deposited per unit length, track diameter, and average implantation distance. These properties enables further simulations and allow computing a common radiation damage unit displacements per atom (DPA) which can be used to compare irradiation experiments (Stoller et al. 2013) (Backman et al. 2013). Additionally the ejection of materials near the surface due to incident ions is important to techniques such as RBS, SIMS, and sputtering. The interaction of ions with a material can be broken into two parts: electronic and nuclear stopping. Electronic stopping is the energy lost from the ion due to inelastic collisions with electrons along its path. While nuclear stopping is the energy lost due to collisions between the ion and atoms nuclei within the material.

The Stopping and Range of Ions in Matter (SRIM) is a well known software in nuclear community that allow the simulation via Monte Carlo of ions through a material through simulation of electronic and nuclear stopping (Ziegler, Ziegler, and Biersack 2010). SRIM was originally developed in 1985 and has had numerous updates on the electronic stopping powers since then with the nuclear stopping well explained by the ZBL potential (Ziegler 1988). The executable SRIM is free to use for non-commercial use but the source code is not available to the community despite requests. While SRIM is a scientifically accurate code it does not get updated frequently and has many bugs from a usability standpoint.

Pysrim

pysrim is a python library for automating srim calculations, analysis, and for publication quality plotting. It is a continuously delivered, tested, and fully-documented module. In addition, the documentation includes several jupyter notebooks for getting started.

The first pain point that **pysrim** aims to solve is running the SRIM calculation. SRIM has some well known limitations such as crashing with large simulations and bad input values, only running on Windows, and needing to be run interactively with user input. **pysrim** solves this by having an api compatible with windows, linux, and OS X, having support for chunking of large calculations, and recovering from SRIM crashes. All of these features allow SRIM to be fully automated via **pysrim**.

After running these calculations SRIM will produce many output files all of which are not convenient to parse. Traditionally research groups have copy and pasted sections into excel for analysis. **pysrim** hopes to solve this by providing parsers for all the major output files. These output files include: IONIZ.txt, VACANCY.txt, NOVAC.txt, E2RECOIL.txt, PHONON.txt, RANGE.txt, and COLLISON.txt. Once the output file is parsed the data is available in **numpy** arrays. From here the user is free to create plots of interesting relationships in their data. **pysrim** additionally provides plotting utilities for producing figures commonly needed in nuclear materials. This software has been used for the SRIM calculations, analysis, and plotting in two publications (Zhang et al. 2017) (Zhang et al. 2014).




Figure 1: Plots produced by **pysrim** of vacancies produced for ions traveling through *SiC* material. (top) *Si* ion (bottom) *Ni* ion

Acknowledgements

CO acknowledges support from the ...

References

- Backman, Marie, Marcel Toulemonde, Olli H Pakarinen, Niklas Juslin, Flyura Djurabekova, Kai Nordlund, Aurelien Debelle, and William J Weber. 2013. “Molecular Dynamics Simulations of Swift Heavy Ion Induced Defect Recovery in Sic.” *Computational Materials Science* 67. Elsevier:261–65.
- Stoller, Roger E, Mychailo B Toloczko, Gary S Was, Alicia G Certain, Shyam Dwaraknath, and Frank A Garner. 2013. “On the Use of Srim for Computing Radiation Damage Exposure.” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* 310. Elsevier:75–80.
- Was, Gary S. 2016. *Fundamentals of Radiation Materials Science: Metals and Alloys*. Springer.
- Zhang, Yanwen, Dilpuneet S Aidhy, Tamas Varga, Sandra Moll, Philip D Edmondson, Fereydoon Namavar, Ke Jin, Christopher N Ostrouchov, and William J Weber. 2014. “The Effect of Electronic Energy Loss on Irradiation-Induced Grain Growth in Nanocrystalline Oxides.” *Physical Chemistry Chemical Physics* 16 (17). Royal Society of Chemistry:8051–9.
- Zhang, Yanwen, Haizhou Xue, Eva Zarkadoula, Ritesh Sachan, Christopher Ostrouchov, Peng Liu, Xue-lin Wang, Shuo Zhang, Tie Shan Wang, and William J Weber. 2017. “Coupled Electronic and Atomic Effects on Defect Evolution in Silicon Carbide Under Ion Irradiation.” *Current Opinion in Solid State and Materials Science* 21 (6). Elsevier:285–98.
- Ziegler, James F. 1988. “The Stopping and Range of Ions in Solids.” In *Ion Implantation Science and Technology (Second Edition)*, 3–61. Elsevier.
- Ziegler, James F, Matthias D Ziegler, and Jochen P Biersack. 2010. “SRIM—the Stopping and Range of Ions in Matter (2010).” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* 268 (11-12). Elsevier:1818–23.