




- [Why Specter?](#)
- Step One: Install Tor on Windows.
- To install Tor and additionally setup Firefox to handle .onion addresses, see the following instructions:  
<https://start9labs.medium.com/setting-up-your-firefox-web-browser-to-handle-onion-urls-windows-c764716d6343>
- Step Two: Connect to Embassy, open Bitcoin Proxy, copy Tor address, create specter user
- Connect to your Embassy via browser on your Windows computer.
- Open the “Bitcoin Proxy” app




- (optional) Copy Tor address (this will be needed in upcoming steps)
- In the Bitcoin Proxy app, under General, select “Config”



- Click on “RPC Users”



- Click on the “+” symbol in the upper-right corner to add a new user



- Create a user for the Specter app
- Replace default user, bitcoin, with name of choice, ex: specter
- Save password (this will be needed in upcoming steps)

- Go back twice, then save
- Sidenote: usernames can be duplicated & having a default username pre-filled cause confusion and potential for multiple “bitcoin (default)” usernames
- There is also no logical confirmation that a user has been created. Instead, you have to go back and check the current list of users.
- Save button should be after username and password is created
- Whole user creation ux needs to be refreshed

← RPC Users

Description  
Credentials and permissions for each RPC User

● Username	bitcoin
● Password	....
● Allowed Calls	
● Fetch Blocks	true

- Download Specter-Setup-v[\*.\*.\*].exe:  
<https://github.com/cryptoadvance/specter-desktop/releases>
- Install Specter
- \*If “Microsoft Defender SmartScreen” blocks the install, select “More info”


# Windows protected your PC

Microsoft Defender SmartScreen prevented an unrecognized app from starting. Running this app might put your PC at risk.


[More info](#)

**Don't run**

- Then, select "Run Anyway"



- After installation, run Specter
- Connect 'Specter' to bitcoin proxy
- Click "Configure Node"



- Uncheck Auto-detect
- Insert the required information:
  - Username and password: created in previous steps (any user with bitcoin proxy access will work)
  - Host: Bitcoin proxy Tor address
  - Port:8332
- Save

- Click Test


## Bitcoin JSON-RPC configuration

Auto-detect: ☐

Username:

Password:

Host:

 Connect with QR

Port:

Default ports: **8332** for mainnet, **18332** for testnet, **18443** for Regtest, **38332** for signet

- Ensure all tests pass

**Test results:**

Connectable



Credentials



Version recent enough



Wallets enabled

