

DocID: EMAJ370L1EX.230

[illegible][illegible]

List of Non-Interactive Provider Examples

Non-Interactive Provider Example Name	Feature																			Structure								
	Streaming	Tunneling Connection	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Configurable Source Directory Programmatically	Submit Source Directory Message	Login Request	Dictionary Request	Directory Admin UserControl	Directory Admin ApiControl	UserDispatch	ApiDispatch	File Config	Programmatic Config	Status Closed Message	Connection Recovery	Authentication Token Handling	Channel Information	Login Reissue	Msg.ToString()	Map::add<>()	FieldList::add<>()	ElementList::add<>()	RefreshMsg::set<>()	UpdateMsg::set<>()	StatusMsg::set<>()	RefreshMsg::get<>()	StatusMsg::get<>()
ex100_MP_Streaming	X		X							X		X										X		X	X			
ex110_MBO_Streaming	X		X							X		X									X	X		X	X			
ex170_MP_ChannelInfo	X			X						X		X						X				X	X	X				
ex200_MP_Streaming	X			X						X		X	X									X	X	X				
ex201_MP_TunnelingConnection	X	X		X						X		X	X									X	X	X				
ex210_MBO_Streaming	X			X						X		X	X									X	X	X				
ex250_MP_Perf	X			X						X		X	X										X	X				
ex251_MP_Perf_KeyByServiceId	X			X						X		X	X										X	X				
ex300_MP_Streaming	X					X			X			X	X									X	X	X				
ex310_MBO_Streaming	X					X			X			X	X									X	X	X				
ex320_MP_Streaming_StatusClosed	X					X			X			X	X		X							X	X	X	X			
ex340_Login_Streaming	X			X			X			X	X		X								X		X	X				
ex350_Dictionary_Streaming	X			X				X		X		X	X										X	X		X	X	
ex360_MP_ConnectionRecovery	X			X			X			X	X		X			X							X	X		X	X	
ex421_MP_ProgrammaticCfg	X				X					X		X		X							X		X	X				
ex430_MP_Authentication	X			X						X		X	X				X		X									

Msg.ToString()							
Map::add<>()		X	X		X	X	
FieldList::add<>()			X		X	X	
ElementList::add<>()			X		X	X	
RefreshMsg::set<>()		X	X		X	X	
UpdateMsg::set<>()			X		X	X	
StatusMsg::set<>()			X		X	X	
RefreshMsg::get<>()							
StatusMsg::get<>()							

