

## List of Consumer Examples

[illegible]

Structure					
Msg.ToString()	X	X	X	X	
Msg->FieldList.ToString()		X	X	X	
Map->FieldList->ToString()			X		
Msg->FieldList				X	
Msg->Map->FieldList					X
Msg->Map(Action type,Key)->FieldList					X
Msg->Map(Sum,Key,Action)->FieldList					X
Msg->Map->FieldList->Primitive types					X
Msg-> FieldList or ElementList					
Msg->Map->FieldList, ElementList					
Msg->Msg->FieldList					
Msg->ElementList->Vector->ElementList					
Msg->Map->FilterList->ElementList or Map					
Msg->Series->ElementList					
Msg->Opaque					X

List of Non-Interactive Provider Examples

NiProv Example Name	Feature											
	Streaming	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Submit Source Directory Message	Login Request	Admin UserControl	Admin ApiControl	UserDispatch	ApiDispatch	File Config	Status Closed Message	Connection Recovery
100__MarketPrice__Streaming	X	X					X		X			
110__MarketByOrder__Streaming	X	X					X		X			
200__MarketPrice__Streaming	X		X				X		X	X		
210__MarketByOrder__Streaming	X		X				X		X	X		
250__MarketPrice__Performance	X		X				X		X	X		
251__MarketPrice__Performance__KeyByServiceId	X		X				X		X	X		
300__MarketPrice__Streaming	X			X			X		X	X		
310__MarketByOrder__Streaming	X			X			X		X	X		
320__MarketPrice__Streaming__StatusClosed	X			X			X		X	X	X	
340__Login__Streaming	X		X		X	X		X		X		
360__MarketPrice__ConnectionRecovery	X		X		X	X		X		X	X	

Structure											
Msg.ToString()	Map::add<>()	FieldList::add<>()	ElementList::add<>()	RefreshMsg::set<>()	UpdateMsg::set<>()	StatusMsg::set<>()	RefreshMsg::get<>()	StatusMsg::get<>()			
		X		X	X						
	X	X		X	X						
		X		X	X						
	X	X		X	X						
		X		X	X						
		X		X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X	X					
X		X		X	X						
X		X		X	X		X	X			

List of Interactive Provider Examples

IProv Example Name	Feature										Structure				
	Streaming	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Submit Source Directory Message	Login Request	Admin UserControl	Admin ApiControl	UserDispatch	ApiDispatch	File Config	Map::add<>()	FieldList::add<>()	ElementList::add<>()	RefreshMsg::set<>()	UpdateMsg::set<>()
100__MarketPrice__Streaming	X	X					X		X			X		X	X
102__MarketPrice__Snapshot	X	X					X		X			X		X	
130__MarketPrice__UserDispatch	X	X					X	X				X		X	X
140__MarketByOrder__Streaming	X	X					X		X		X	X		X	X
150__MarketByOrder__Snapshot	X	X					X		X		X	X		X	
160__Login__AcceptDeny		X			X		X		X					X	
200__MarketPrice__Streaming	X		X				X	X		X		X		X	X
210__MarketByPrice__Streaming	X		X				X	X		X	X	X		X	X
240__SourceDirectory__Fanout	X		X				X		X	X	X	X	X	X	X
250__GroupStatus__Fanout	X		X				X		X	X	X	X	X	X	X
260__Custom__NestedMsg	X		X				X	X		X		X		X	X
280__MarketPrice__Performance	X		X				X	X		X		X		X	X
300__MarketPrice__Close	X		X				X		X	X		X		X	X
301__MarketPrice__PriorityChange	X		X				X	X		X		X		X	X
320__Custom__GenericMsg	X		X				X	X		X		X	X	X	X
331__Directory__UserControl	X			X		X			X	X	X	X	X	X	X
380__MarketPrice__ConnectionLost	X		X				X		X	X	X	X		X	X