List of Consumer Examples DocID: EMAC361EX.210

| Consumer Example Name | | | | | | | | | | | | | | | | | | | Fea | ture | | | | | | | | | | | | | | | | | | |
|---------------------------------|-----------|-----------------------------|------------------|---------------|--------------|----------|----------|----------|----------|------------|----------------|--------------------|--------------------|-----|---------------------|------------------|---------------|--------------|---------------|---------------|--------------|------------------------|-------------|---------------------|------------------------|---------------|------------------|-------------------|---------------|---------------|--------------------|--------------------------------------|---------------|---------------------|-----------------------------|--------------------|--|---------------------------------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | e |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | Authentication Token Handling | | | _ | | | elp |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | lpu | | | tio | | | Ĭ |
| | | | | | | | | | | | | | | | | | | | ne | | | g) | | | es | | | | | | | Наі | | | nta | | | er) |
| | | uo | | | | | | | | | | | | | bo | | | | Resume | | | Sub Stream(Msg in Msg) | | <u>60</u> | Specify Admin messages | | | | | | | en l | | _ | Login Domain Representation | nt | | 8 |
| | st | cti | st | | | | | | | | | ing | Bu | | ms | | | | Re | | | .⊑ | | Juc | ess | | | (%) | | | 50 | oke | | tio | pre | mel | | Dis |
| | request | nue | Ine | ب | | | | | | | ے | stri | sti | | ij | ₹ | | | જ | | | lsg | | 2 | E | <u>_</u> | me | ata | _ | | l ië | n T | | ma | Re | geı | | int |
| | reo | S | reo | les | به | | | | | | ear | bo | Po | | nel | ori | tch | × | use | tch | ج | ڪ | | atic | ı <u>ğ</u> | bo | Nai | t D | an | g | Sca | tio | ne | for | ain | na | | od |
| | | gu | ot | be | Sur | | | | | List | Str | am | am | | ge | pri | pa | Ş | Pa | ba | ato | an | fig | Ĕ | Adi |)ec | pla | ons | stre | iel | tal | tica | siss | ľ | mc | M | E | Pu |
| | Streaming | Tunneling Connection | Snapshot request | Close request | Set Closure | | Priority | ۔ ا | | SymbolList | Private Stream | On Stream postring | Off Stream Posting | | Sending generic msg | Reissue priority | Reissue batch | Reissue View | Reissue Pause | User Dispatch | Api Dispatch | Stre | File Config | Programmatic Config | ify | Rmtes Decoder | forth(FieldName) | forth(const Data | Tunnel stream | Ripple Fields | Horizontal Scaling | ent | Login Reissue | Channel Information | DO | Session Management | HandleRTT | Se |
| | rea | ur | nag | los | et | Qos | | Batch | View | 핕 | į į | n S | ff S | VPI | bue | eiss | eiss | eiss | eiss | ser | pi [| q | <u>le</u> (| rog | эес | mte | rt | rth | ū | dd | oriż | uth | gir | han | gir | ssi | anc | ServiceEndpointDiscovery Helper |
| | | ĭ | S | Ö | ν N | Ŏ d | 2 6 | Š | > | S | ۵ | 0 | Ò | > | Š | Ž | ž | Ž. | R. | Ď | | Sı | 正 | Ы | S | 쥰 | و | fo | <u> </u> | Ri | Ĭ | A | Lc | Ö | ΓC | Se | Ï | S |
| 100_MP_Streaming | X | | | | _ | | _ | | | | | | | | | | | | | | X | | _ | | | | | | | | | | | | | | <u> </u> | <u> </u> |
| 101_MP_QosPriority | Х | | | | | X Z | K | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | <u> </u> | <u> </u> |
| 102_MP_Snapshot | | | Х | | | | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | <u> </u> | <u> </u> |
| 110_MP_FileCfg | Χ | | | | | | | | | | | | | | | | | | | | Х | | Х | | | | | | | | | | | | | | | |
| 111_MP_UserSpecifiedFileCfg | Χ | | | | | | | | | | | | | | T | | | | | | | | Х | | | | | | | | | | | | | | | |
| 112_MP_TunnelingConnection | Χ | Х | | | | | | | | | | | | | | | | | | | Х | | Х | | | | | | | | | | | | | | | |
| 113_MP_SessionMgmt | Х | Х | | | | | | | | | | | | | | | | | | | Х | | Х | | | | | | | | | | | | | Х | | |
| 120_MP_FieldListWalk | Х | | | | 1 | | | \neg | \neg | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | | |
| 121_MP_FieldListSrchByName | Х | | \dashv | | х | | \top | \neg | \neg | \neg | \dashv | | | | | | <u> </u> | | | | Х | - | _ | \neg | | | Х | | | | | | | | | | | |
| 130_MP_UserDisp | X | \vdash | \dashv | | + | - | \dashv | + | \dashv | + | \dashv | | | | | + | | | | Х | | - | \dashv | \dashv | | | | | | | | | | | | | | |
| 140_MBO_Streaming | X | | | | | | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | | \vdash |
| 170_MP_ChannelInfo | X | | | | | | - | | - | | | | | | | - | | | | | X | | х | | | | | | | | | | | Х | | | | \vdash |
| | X | | | | | | _ | _ | | + | - | | | | | + | | | | v | ^ | | X | | | | | | | | | | | ^ | | | | \vdash |
| 180_MP_Websocket | _ | | | | | | | | - | | | | | | | | | | | Х | V | | ^ | | | | | | | | | | | | | | | \vdash |
| 200_MP_Streaming | X | | | | | | | | _ | _ | | | | | | _ | | | | | X | | | | | | | | | | | | | | | | <u> </u> | ├ |
| 210_MBO_Streaming | X | | | | | | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | <u> </u> | ₽ |
| 220_MBP_PrivateStream | Χ | | | | | | | | | _ | Х | | | | | _ | | | | Х | | | | | | | | | | | | | | | | | <u> </u> | Щ |
| 230_MBO_SwitchEntryAction | Χ | | | | | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | | <u> </u> | Щ |
| 240_MP_RippleFields | Х | | | | Х | | | | | | | | | | | | | | | Х | | | | | | | | | | X | | | | | | | <u> </u> | <u> </u> |
| 250_Custom_Opaque | Х | | | | | | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | L' | <u> </u> |
| 260_MP_FieldListSearchByList | X | | | | | | | | | | | | | | | | | | | | Х | | | | | | | Χ | | | | | | | | | <u> </u> | <u> </u> |
| 270_SymbolList | Х | | | | | | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | <u> </u> | |
| 280_MP_Perf | X | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| 290_Custom_Decode | Х | | | | Х | | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | | |
| 291_Custom_DownCast | Х | | | | Х | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | | 1 | |
| 300_MP_Close | Х | | | Х | Х | | | | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | | |
| 301_MP_PriorityChange | Х | | | | х | | | | | | | | | | | х | | | | Х | | | | | | | | | | | | | | | | | | |
| 310_MP_Rmtes | Х | | | | | | | | | | | | | | | | | | | | х | | | | | Х | | | | | | | | | | | | |
| 320_Custom_GenericMsg | X | H | \dashv | | х | - | \dashv | \neg | \dashv | + | \dashv | | | | Х | + | | | | Х | | $-\dagger$ | \dashv | \dashv | | | | | | | | | | | | | | |
| 330_Login_Streaming | X | \vdash | + | -+ | * | \dashv | + | \dashv | \dashv | | \dashv | | | | | | | | | X | | -+ | \dashv | -+ | | | | | | | | | | | | | | |
| 331_Directory_Streaming | X | | | + | \dashv | | + | \dashv | \dashv | -+ | \dashv | | | | - | - | - | | | ^ | Х | - | \dashv | | | | | | | | | | | | | | | \vdash |
| | | \vdash | \dashv | -+ | + | - | + | \dashv | \dashv | \dashv | \dashv | + | | | \dashv | | | \dashv | | | | \dashv | \dashv | \dashv | + | | | | | | - | | | \vdash | \dashv | | | \vdash |
| 332_Dictionary_Streaming | X | \vdash | | _ | \dashv | | + | - | \dashv | _ | \dashv | - | | | - | _ | | | | | Х | | \dashv | | - | | | | | | | | | \vdash | V | | <u> </u> | |
| 333_Login_Streaming_DomainRep | X | | | | , | | - | _ | _ | | _ | Ţ | | | | | _ | | | Х | | | _ | | | | | | | | | | | | Х | | <u> </u> | |
| 340_MP_OnStreamPost | X | | | | X | | _ | _ | _ | _ | _ | Х | | | | | | | | | X | | \dashv | _ | | | | | | | | | | | | | <u> </u> | |
| 341_MP_OffStreamPost | X | | | | Х | | _ | _ | _ | | _ | | Х | Х | | | | | | | Х | | _ | | | | | | | | | | | | | | <u> </u> | <u> </u> |
| 350_MP_PauseAll | Χ | \sqcup | | | | | _ | \bot | | | _ | | | | | | | | Х | | Х | | _ | | | | | | | | | | | | | | <u> </u> | <u> </u> |
| 360_MP_View | Х | Ш | | | | | | | Х | | | | | | | | | | | Χ | | | | | | | | | | | | | | | | | <u> </u> | <u> </u> |
| 370_MP_Batch | Χ | | | | | | | Х | | | | | | | | | | | | | Х | | | | | | | | | | | | | | | | L' | <u> </u> |
| 400_Custom_NestedMessaging | Χ | Ш | | | Х | | | | | | Х | | | | | | | | | | Х | Х | | | | | | | | | | | | | | | L' | $ldsymbol{oxed}$ |
| 410_MP_HorizontalScaling | Χ | <u> </u> | | | Х | | | | | | | | | | | | | | | Χ | | | | | | | | | | | X | | | | | | | |
| 420_MP_AdminDomainCfg | Х | | T | | | | | | | | | | | | | | | | | Х | | | | | X | | | | | | | | | | | | | |
| 421_MP_ProgrammaticCfg | Х | | | | | | | | | | | | | | | | | | | | Х | | | Х | | | | | | | | | | | | | | |
| 422_MP_ErrorClient | Х | | | \neg | T | | 1 | T | \neg | | \neg | | | | | | | | | | Х | | \neg | | | | | | | | | | | | | | | |
| 423_MP_AdminDomainCfg_DomainRep | Х | | | - | \top | | | \neg | | | | | | | | | | | | Х | | | | | Х | | | | | | | | | | Х | | | |
| 430_MP_Authentication | X | | | | \dashv | | | | \neg | | 1 | | | | | | | | | | Х | | 1 | | | | | | | | | Х | Х | | | | | |
| 440_System_TunStrm | X | H | \dashv | | \dashv | - | \dashv | \neg | \dashv | + | \dashv | | | | | + | | | | | X | Х | \dashv | \dashv | | | | | Х | | | - | - ` | | | | | |
| 450_MP_QueryServiceDiscovery | X | Х | | -+ | \dashv | \dashv | + | \dashv | \dashv | | \dashv | | | | | | | | | | X | ^ | \dashv | Х | | | | | ^ | | | | | | | Х | | Х |
| | X | ^ | | | - | | + | - | \dashv | | \dashv | | | | | | | | | | <u>х</u> | | (| ^ | | | | | | | | | | \vdash | | | X | _ |
| 460_MP_RTT | Λ | | | | | | | | | | | | | | | | | | | | ^ | / | ` | | | J | J | | | | | | | | | | ^ | |

| | | | | | | Stı | ructu | ıre | | | | | | |
|------------------|---------------------------|----------------------------|----------------|---------------------|--------------------------------------|-------------------------------------|--------------------------------------|--------------------------------|----------------------------------|---------------------|---------------------------------------|--|--------------------------|-------------|
| × Msg.ToString() | Msg->FieldList.ToString() | Map->FieldList->ToString() | Msg->FieldList | Msg->Map->FieldList | Msg->Map(Action type,Key)->FieldList | Msg->Map(Sum,Key,Action)->FieldList | Msg->Map->FieldList->Primitive types | Msg-> FieldList or ElementList | Msg->Map->FieldList, ElementList | Msg->Msg->FieldList | Msg->ElementList->Vector->ElementList | Msg->Map->FilterList->ElementList or Map | Msg->Series->ElementList | Msg->Opaque |
| X | | | | | | | | | | | | | | |
| Х | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | |
| Х | | | | | | | | | | | | | | |
| | X | | | | | | | | | | | | | |
| | X | | | | | | | | | | | | | |
| | | Х | | | | | | | | | | | | |
| Х | | | | | | | | | | | | | | |
| Х | | | | | | | | | | | | | | |
| | | | X | Х | | | | | | | | | | |
| | | | | X | | | | | | | | | | |
| | | | | | Х | | | | | | | | | |
| | | | | X | | | | | | | | | | |
| | | | Х | | | | | | | | | | | Х |
| | | | ^ | Х | | | | | | | | | | |
| | | | Х | | | | | | | | | | | |
| | | | | | | X | | | | | | | | |
| | | | Х | | | | Х | | | | | | | |
| | | | X | | | | | | | | | | | |
| | | | Х | | | | | | | | | | | |
| | | | | | | | | Х | | | | | | |
| | | | X | | | | | | | | Х | Х | | |
| | | | X | | | | | | | | | ^ | Х | |
| | | | X | | | | | | | | Х | | | |
| | | | | | | | | | Х | | | | | |
| | | | v | | | | | | Х | | | | | |
| | | | X | | | | | | | | | | | |
| | | | X | | | | | | | | | | | |
| | | | X | | | | | | | X | | | | |
| | | | X | | | | | | | | | | | |
| | | | X | | | | | | | | | | | |
| | | | X | | | | | | | | | | | |
| | | | X | | | | | | | | | | | |
| Х | | | X | | | | | | | | | | | |
| Х | | | X | | | | | | | | | | | |
| X | | | | | | | | Х | | | | | | |
| | | | | | | | | | 1 | | | | | |

List of Non-Interactive Provider Examples

| NiProv Example Name | | | | | | | | | Fe | eatui | re | | | | | | | | |
|-------------------------------|-----------|----------------------|----------------------------|--|--|---------------------------------|---------------|--------------------|-----------------------------|----------------------------|--------------|-------------|-------------|---------------------|-----------------------|---------------------|-------------------------------|---------------------|---------------|
| | Streaming | Tunneling Connection | Hardcoded Source Directory | Configurable Source Directory from EmaConfig.xml | Configurable Source Directory Programmatically | Submit Source Directory Message | Login Request | Dictionary Request | Directory Admin UserControl | Directory Admin ApiControl | UserDispatch | ApiDispatch | File Config | Programmatic Config | Status Closed Message | Connection Recovery | Authentication Token handling | Channel Information | Login Reissue |
| 100_MP_Streaming | Х | | Χ | | | | | | | Χ | | X | | | | | | | |
| 110_MBO_Streaming | Х | | Х | | | | | | | Х | | Х | | | | | | | |
| 170_MP_ChannelInfo | Х | | Х | Х | | | | | | Х | | Х | Х | | | | | Х | |
| 200_MP_Streaming | Х | | | Х | | | | | | Х | | Х | Х | | | | | | |
| 201_MP_TunnelingConnection | Х | Х | | Х | | | | | | Χ | | Х | Х | | | | | | |
| 210_MBO_Streaming | Х | | | Х | | | | | | X | | X | X | | | | | | |
| 250_MP_Perf | Х | | | Х | | | | | | X | | X | X | | | | | | |
| 251_MP_Perf_KeyByServiceId | Х | | | X | | | | | | X | | X | X | | | | | | |
| 300_MP_Streaming | Х | | | | | Х | | | Χ | | | X | X | | | | | | |
| 310_MBO_Streaming | Х | | | | | X | | | Χ | | | X | X | | | | | | |
| 320_MP_Streaming_StatusClosed | Х | | | | | X | | | X | | | X | X | | X | | | | |
| 340_Login_Streaming | X | | | X | | | Х | | | X | X | | X | | | | | | |
| 350_Dictionary_Streaming | Х | | | X | | | | X | | X | | X | X | | | | | | |
| 360_MP_ConnectionRecovery | X | | | Χ | | | Х | | | X | X | | X | | | X | | | |
| 421_MP_ProgrammaticCfg | X | | | | Χ | | | | | X | | X | | Χ | | | | | |
| 430_MP_Authentication | X | | | X | | | X | | | X | | X | X | | | | X | | X |

| | | | | Stı | ructu | ıre | | | |
|--------|--|--------------|---|----------------------|---|---|--------------------|---------------------|--------------------|
| : | Msg.ToString() | Map::add<>() | ieldList::add<>() | ElementList::add<>() | RefreshMsg::set<>() | JpdateMsg::set<>() | StatusMsg::set<>() | RefreshMsg::get<>() | StatusMsg::get<>() |
| | | | | | | | | | |
| r | _ | J | Х | | X | X | 0, | | S |
| F | _ | X | X | | X | X | | | S |
| - | | | X | | X X X | X X X | | | S |
| - | _ | | X X X | | X X X | X X X | | | <u>S</u> |
| | | | X X X X | | X X X X | X X X X | | | <u>S</u> |
| | | | X X X X X | | X X X X X | X X X X X | | | 5 |
| | | X | X X X X X X | | X X X X X X | X X X X X X | | | |
| | | X | X X X X X X | | X X X X X X X | X X X X X X | | | |
| | | x x x | X X X X X X X | X | X X X X X X X X | X X X X X X X | | | <u>S</u> |
| | <u>" </u> | x x x | X X X X X X X X | X | X X X X X X X X | x x x x x x x x | | | <u>S</u> |
| | | X | X X X X X X X X X | | X X X X X X X X X | X X X X X X X X | x | | <u>S</u> |
| | X | x x x | X X X X X X X X X X X X X X X X X X X | X | X X X X X X X X X | X X X X X X X X X | | | |
| | x | x x x | | X | X X X X X X X X X X X X X X X X X X X | X X X X X X X X X X DpdateMsg::set<>() | | X | X |
| | | x x x | Х | X | X X X X X X X X X X X X X X | X X X X X X X X X X X X X X X | | | |
| | x | x x x | | X | X X X X X X X X X X X X X X X X X X X | X X X X X X X X X X X X X X X X X X X | | X | X |

List of Interactive Provider Examples

| IProv Example Name | | | | | | | | | Fea | ture | | | | | | | | | | Structure | | | | | | | | | | |
|--------------------------------|-----------|----------------------------|--|---------------------------------------|---------------------------------|--------------------|-----------------------------|----------------------------|------------------------------|-----------------------------|--------------|-------------|-------------|---------------------|------------------------------|---------------------|-----------|---------|----------------|-----------|--------------|---------------------|----------------------|---------------------|--------------------|---------------------|------------------|-----------------|---------------------|--------------------|
| IProv Example Name | no. | Hardcoded Source Directory | Configurable Source Directory from EmaConfig.xml | ble Source Directory Programmatically | Submit Source Directory Message | Dictionary Request | Directory Admin UserControl | Directory Admin ApiControl | Dictionary Admin UserControl | Dictionary Admin ApiControl | | ch | | Programmatic Config | Connected Client Information | nain Representation | - | | client channel | | ()<> | add<>() | ElementList::add<>() | RefreshMsg::set<>() | UpdateMsg::set<>() | RefreshMsg::get<>() | get<>() | set<>() | GenericMsg::get<>() | UpdateMsg::get<>() |
| | Streaming | _ | Configura | Configurable | Submit So | Dictionary | Directory | | Dictionary | _ | UserDispatch | ApiDispatch | File Config | Programm | Connected | Login Domain | HandleRTT | Posting | Closing cli | | Map::add<>() | FieldList::add<>>() | ElementLi | | | RefreshM | PostMsg::get<>() | AckMsg::set<>() | GenericM | UpdateMs |
| 100_MP_Streaming | Х | Х | | | | | | Х | | Х | _ | Х | | | | | | | |] [| | Χ | | | Х | Ш | | \perp | \perp | |
| 102_MP_Snapshot | Х | Х | | | | | | Х | | Х | | Х | | | | | | | | 1 | | Χ | | X | | | | ightharpoonup | \perp | |
| 130_MP_UserDispatch | Х | Х | | | | | | Х | | Х | X | | | | | | | | |] [| | X | | X | | Ш | | \perp | | |
| 140_MBO_Streaming | Х | Х | | | | | | Х | | Х | | Х | | | | | | | | | Х | Χ | | X | Х | | | | | |
| 150_MBO_Snapshot | Х | Х | | | | | | Х | | Х | | Х | | | | | | | | | Х | Х | | X | | | | | | |
| 160_Login_AcceptDeny | | Х | | | | | | Х | | Х | | Х | | | | | | | | | | | | X | | | | | | |
| 161_Login_AcceptDeny_DomainRep | | Х | | | | | | Х | | Х | | Х | | | | Х | | | | | | | | Χ | | | | | | |
| 170_MP_ConnectedClientInfo | Х | Х | | | | | | Х | | Х | | Х | Х | | Х | | | | | 1 [| | Х | Χ | Χ | Х | | | | | |
| 180_MP_Websocket | Х | | Х | | | | | Х | | Х | Х | | Х | | | | | | Х | 1 [| | Х | | Χ | Х | | | \Box | | |
| 200_MP_Streaming | Х | | Х | | | | | Х | | Х | Х | | Х | | | | | | | 1 [| | Х | | Х | Х | | | | | |
| 210_MBP_Streaming | Х | | Х | | | | | Х | | Х | Х | | Х | | | | | | | 1 [| Х | Х | | Х | Х | | | | | |
| 240_SourceDirectory_Fanout | Х | | Х | | Χ | | | Х | | Х | | Х | Х | | | | | | | 1 [| Х | Х | Χ | Χ | Х | | | \Box | | |
| 250_GroupStatus_Fanout | Х | | Х | | Х | | | Х | | Х | | Х | Х | | | | | | |] [| Х | Х | Х | Х | Х | | \neg | 丁 | | |
| 260_Custom_NestedMsg | Х | | Х | | | | | Х | | Х | Х | | Х | _ | | | | П | |] | | Х | | | х | | 一 | 丁 | 丁 | |
| 280_MP_Perf | Х | | Х | | | | | Х | | Х | Х | | Х | 1 | | | | П | |] | | Х | | Х | х | П | | 丁 | 丁 | |
| 300_MP_Close | Х | | Х | | | | | Х | | Х | | Х | Х | | | | | | |] | | Х | | Х | х | | \neg | 丁 | 丁 | |
| 301_MP_PriorityChange | Х | | Х | | | | | Х | | Х | Х | | Х | | | | | | | 1 t | | Х | | Х | х | | 一 | 丁 | 丁 | |
| 320_Custom_GenericMsg | Х | | Х | | | | | Х | | Х | Х | | Х | | | | | | |] | | Х | Х | Х | х | | \neg | 丁 | 丁 | |
| 331_Directory_UserControl | Х | | | | Х | | Х | | | Х | | Х | Х | 1 | | | | П | |] | Х | Х | Х | Х | х | | 一 | 丁 | 丁 | |
| 332_Dictionary_UserControl | Х | | | | | | | Х | Х | | | Х | Х | 1 | | | | П | |] | Х | Х | | Х | х | П | | 丁 | 丁 | |
| 340_MP_Posting | Х | | Х | | | | | | | | Х | | Х | | | | | Х | |] [| | Х | Χ | Х | Х | | Х | Х | | |
| 350_Dictionary_Streaming | Х | | Х | | | Х | | Х | | Х | | Х | Х | | | | | | |] [| Х | Х | | Х | Х | Х | | | Х | |
| 380_MP_ConnectionLost | Х | | Х | | | | | Х | | Х | | Х | Х | | | | | | |] [| | Х | | Х | Х | П | \neg | 丁 | \Box | |
| 421_MP_ProgrammaticCfg | Х | | | Х | | | | Х | | Х | Х | | | Х | | | | | |] [| | Х | | Х | Х | | | 丁 | | |
| 460_MP_RTT | Х | | Χ | | | | | | | | | Х | Х | | | | Х | | |] [| | Χ | Х | Χ | Х | | | | Х | |