

List of Consumer Examples

DocID: EMAJ368L1EX.230

[illegible]

Structure					
Msg->ToString()	X	X	X	X	X
Msg->FieldList.ToString()		X	X		
Map->FieldList->ToString()					
Msg->FieldList					
Msg->Map->FieldList					
Msg->Map(Action type,Key)->FieldList					
Msg->Map(Sum, Key Action)->FieldList					
Msg->Map->FieldList->Primitive types					
Msg-> FieldList or ElementList					
Msg->Map->FieldList, ElementList					
Msg->Msg->FieldList					
Msg->ElementList->Vector->ElementList					

List of Consumer Examples

DocID: EMAJ368L1EX.230

[illegible]

List of Non-Interactive Provider Examples

Non-Interactive Provider Example Name	Feature															
	Streaming	Tunneling Connection	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Configurable Source Directory Programmatically	Submit Source Directory Message	Login Request	Dictionary Request	Directory Admin UserControl	Directory Admin ApiControl	UserDispatch	ApiDispatch	File Config	Programmatic Config	Status Closed Message	Connection Recovery
ex100_MP_Streaming	X		X							X		X				
ex110_MBO_Streaming	X		X							X		X				
ex170_MP_ChannelInfo	X			X						X		X				X
ex200_MP_Streaming	X			X						X		X	X			
ex201_MP_TunnelingConnection	X	X		X						X		X	X			
ex210_MBO_Streaming	X			X						X		X	X			
ex250_MP_Perf	X			X						X		X	X			
ex251_MP_Perf_KeyByServiceId	X			X						X		X	X			
ex300_MP_Streaming	X					X			X			X	X			
ex310_MBO_Streaming	X					X			X			X	X			
ex320_MP_Streaming_StatusClosed	X					X			X			X	X		X	
ex340_Login_Streaming	X			X			X			X	X		X			
ex350_Dictionary_Streaming	X			X				X		X		X	X			
ex360_MP_ConnectionRecovery	X			X			X			X	X		X		X	
ex421_MP_ProgrammaticCfg	X				X					X		X		X		
ex430_MP_Authentication	X			X						X		X	X			X

Structure									
Msg.ToString()									
Map::add<>()		X							
FieldList::add<>()		X	X						
ElementList::add<>()		X		X	X				
RefreshMsg::set<>()		X		X	X				
UpdateMsg::set<>()		X	X		X	X			
StatusMsg::set<>()		X	X		X	X			
RefreshMsg::get<>()		X	X	X	X	X			
StatusMsg::get<>()		X	X	X	X	X	X		

List of Interactive Provider Examples

Interactive Provider Example Name	Feature																		
	Streaming	Tunneling Connection	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Configurable Source Directory Programmatically	Submit Source Directory Message	Dictionary Request	Directory Admin UserControl	Directory Admin ApiControl	Dictionary Admin UserControl	Dictionary Admin ApiControl	UserDispatch	ApiDispatch	File Config	HandleRTT	Connected Client Information	Login Domain Representation	Posting	Programmatic Config
ex100_MP_Streaming	X		X						X		X		X						
ex102_MP_Snapshot	X		X						X		X		X						
ex130_MP_UserDispatch	X		X						X		X	X							
ex140_MBO_Streaming	X		X						X		X		X						
ex150_MBO_Snapshot	X		X						X		X		X						
ex160_Login_AcceptDeny			X						X		X		X						
ex161_Login_AcceptDeny_DomainRep			X						X		X		X				X		
ex170_MP_ConnectedClientInfo	X			X					X		X	X				X			
ex180_MP_Websocket	X			X					X		X	X		X					X
ex200_MP_Streaming	X			X					X		X	X		X					
ex201_MP_Encrypted	X	X		X					X		X		X	X					
ex210_MBP_Streaming	X			X					X		X	X		X					
ex240_SourceDirectory_Fanout	X			X		X			X		X		X	X					
ex250_GroupStatus_Fanout	X			X		X			X		X		X	X					
ex260_Custom_NestedMsg	X			X					X		X	X		X					
ex280_MP_Perf	X			X					X		X	X		X					
ex300_MP_Close	X			X					X		X		X	X					X
ex301_MP_PriorityChange	X			X					X		X	X		X					
ex320_Custom_GenericMsg	X			X					X		X	X		X					
ex331_Directory_UserControl	X					X		X			X		X	X					
ex332_Dictionary_UserControl	X			X					X	X			X	X					
ex340_MP_Posting	X			X									X	X				X	
ex350_Dictionary_Streaming	X			X			X		X		X		X	X					
ex380_MP_ConnectionLost	X			X					X		X		X	X					
ex421_MP_ProgrammaticCfg	X				X				X		X	X							X
ex460_MP_RTT	X			X								X		X	X				

Map::add<>()	X	
FieldList::add<>()	X	
ElementList::add<>()	X	

List of Interactive Provider Examples

[illegible]