List of Consumer Examples

DocID: EMAC365L1EX.220

Consumer Example Name																			Fe	eatur	е																	
																																					-	
																															Handling			ے			elp	
																															lb l			을			Ť	
																			πe		15	۵		es							На			uts			/er	
		ou										_			ρΩ				Resume		Ž	<u> </u>	<u>;</u>	sag							en		ے	ese	t l		0	
	est	ecti	st									ring	ing		ms				Re		2.		Juo	nes			a &)			gu	Tok		atio	epr	me		Öis	
) jb	, u	request	št							Ε	osti	ost		ric	iţ	_		a Ø	اء	100		000	u u	er	Ĕ	Dat	ε		ali	· uo		Ĕ	Ž	age		Ë	ρ
	re	8	re	nes	<u>e</u>					ی	rea	ď	n P		ene	ij	atcl	ew	ans	atc	다. 다.	,,	nati	l m	роз	ية ا	st I	eal	lds	I Sc	ati	Sue	釒	nai	au	L١	형	pu
	ing	ling	hot	req	nsc					ii	St	ean	ear		88	Б	e b	e V	e P	isp	pa	nfii	E	/ Ac	De	ie	no l	sti	Fie	nta	ıtic	eis	=	ا ق	2	Ž	띪	Sta
	an	ne	sdt	se	อั	,	ŧΙ	5	3	<u></u>	ate	Str	Str		din	SSU	ssu	ssu	ssu	<u>ا</u>		<u>ا 3</u>	gra	cif	tes	j.) H	ne	ple	izo	her	Ë	Ĕ	in I	siol	藚	Vice	Ē
	Streaming request	Tunneling Connection	Snapshot	Close request	Set Closure	Qos	Priority	Batch	View	SymbolList	Private Stream	On Stream postring	Off Stream Posting	VPI	Sending generic msg	Reissue priority	Reissue batch	Reissue View	Reissue Pause	User Dispatch	Api Dispatch	File Config	Programmatic Config	Specify Admin messages	Rmtes Decoder	forth(FieldName)	forth(const Data	Tunnel stream	Ripple Fields	Horizontal Scaling	Authentication Token	Login Reissue	Channel Information	Login Domain Representation	Session Management	HandleRTT	ServiceEndpointDiscovery Helper	Warm Standby
100_MP_Streaming	Х		-		-			_		<u> </u>											Х	- -		<u> </u>	_			·							<u> </u>		-	
101_MP_QosPriority	Х					х	х														х															一	\neg	
102_MP_Snapshot			Х			\neg	一	寸		一										_	х	\top				\neg						一	\neg	一	\neg	一	一	
110_MP_FileCfg	Х				\dashv	\neg	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv				\dashv		\Box	\neg	_	х	х										\neg	\dashv	\dashv	\dashv	\dashv	\dashv	
111_MP_UserSpecifiedFileCfg	Х				_		\top	\top	\dashv	\top	_	\dashv				\neg		\Box		$\neg \dagger$	\dashv	х	_									$\neg \dagger$	\top	\top	\top		\dashv	
112_MP_TunnelingConnection	Х	х			\dashv	\neg	\dashv	\dashv	\dashv	十	\dashv	\dashv				\dashv		-	\dashv	\dashv	x	X										十	\dashv	\dashv	\dashv	\dashv	十	
113_MP_SessionMgmt	Х	X			\dashv	\neg	\dashv	\dashv	十	十	\dashv	\dashv				\dashv			\dashv	-	x	X	_									十	\dashv	\dashv	х	\dashv	十	
120_MP_FieldListWalk	Х				\dashv	\neg	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv				\dashv		-	\dashv	_	x	1	T									-	\dashv	\dashv	\dashv	\dashv	十	
121_MP_FieldListSrchByName	X	T			х	\neg	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv				\dashv		\Box	\dashv	_	x	\top	T			Х						\dashv	\dashv	\dashv	+	\dashv	一	
130_MP_UserDisp	Х	T				\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv				\neg		\Box	\dashv	х	\dashv	\top	T									$\neg \dagger$	\dashv	\dashv	\dashv	\dashv	十	
140_MBO_Streaming	Х				\dashv			\top	\dashv	\dashv										-	х	\top											\neg	_	\neg	\neg	\dashv	
170_MP_ChannelInfo	Х				\neg	-	\dashv	\top	\neg	\dashv	\neg							\vdash	\dashv	$\overline{}$	x	x	+			\dashv						\dashv	х	\dashv	$\neg \vdash$	\dashv	一	
180_MP_Websocket	X				\dashv		-	+	\dashv	\dashv	\dashv								_	х	$\stackrel{\sim}{+}$	$\frac{x}{x}$				-						-	$\stackrel{\sim}{+}$	\dashv		\dashv	\dashv	-
200_MP_Streaming	X				\dashv		_	\dashv	\dashv	_	\dashv	\neg							_	-	x	+~	+				\neg					_	-	_		\dashv	\dashv	\dashv
210_MBO_Streaming	X				\dashv		-	+	\dashv	\dashv	\dashv								_	-	x	+	1									-	\dashv	\dashv		\dashv	\dashv	-
220_MBP_PrivateStream	X				\dashv		-	+	\dashv	\dashv	х								_	х	$\stackrel{\sim}{+}$	+	1									-	\dashv	\dashv		\dashv	\dashv	-
230_MBO_SwitchEntryAction	X				\dashv		-	+	\dashv	\dashv	$\stackrel{\sim}{+}$								_	X	+	+	1			-						-	\dashv	\dashv		\dashv	\dashv	-
240_MP_RippleFields	X				х	-+	+	+	\dashv	\dashv	\dashv							\vdash	_	X	+	+	+			\dashv		-	х			\dashv	\dashv	\dashv	-+	\dashv	\dashv	-
250_Custom_Opaque	X				^	-+	+	+	_	_	_							\vdash		-	x	+	+						$\stackrel{\sim}{}$			\dashv	\dashv	\dashv	-+	\dashv	\dashv	\dashv
260_MP_FieldListSearchByList	X				\dashv	\dashv	\dashv	+	\dashv	\dashv	\dashv	\dashv		-				\vdash	\dashv	_	$\frac{x}{x}$	+	+			\dashv	х	\dashv	\dashv		-	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv
270_SymbolList	X		\vdash	\vdash	\dashv	\dashv	+	+	\dashv	\dashv	\dashv	\dashv				\dashv		\vdash	\dashv	-	$\frac{x}{x}$	+	+			\dashv	^	\dashv	\dashv		-	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv
280_MP_Perf	X				\dashv	\dashv	+	+	\dashv	\dashv	\dashv	\dashv				-+		\vdash	\dashv	_	$\frac{\lambda}{x}$	+	+			\dashv	\dashv	\dashv	\dashv			\dashv	+	\dashv	\dashv	\dashv	\dashv	\dashv
290_Custom_Decode	X				х		+	+	\dashv	\dashv	\dashv	\dashv							\dashv	-	$\frac{\lambda}{x}$	+	+			\dashv	\dashv					-+	+	\dashv		\dashv	\dashv	$\overline{}$
291_Custom_DownCast	X				x		-	+	\dashv	-	\dashv	\dashv						\vdash	\dashv	х	^	+	+				-					-	-+	-		\dashv	\dashv	-
300_MP_Close	X			х	x		+	+	\dashv	\dashv	\dashv	\dashv							\dashv	_	x	+	+			\dashv	\dashv					-	+	\dashv	_	\dashv	\dashv	
301_MP_PriorityChange	X			^	x		-	+	\dashv	-	\dashv	\dashv				х		\vdash	\dashv	х	^	+	+				-					-	-+	-		\dashv	\dashv	
310_MP_Rmtes	X				^	-+	+	+	\dashv	\dashv	\dashv	-				^		\vdash	_		х	+	+		Х	\dashv	-	-+	-+			\dashv	-+	-+	-+	\dashv	\dashv	
320_Custom_GenericMsg	X				х		-	+	-	+		\dashv			Х			\vdash	-+	х	^	+	 		^							-	-+	_		\dashv	\dashv	
330_Login_Streaming	X				^	-+	+	+	\dashv	\dashv	\dashv	\dashv			^			\vdash	_	<u>x</u>	+	+	+			\dashv	\dashv	-	-	-		\dashv	+	+	-+	\dashv	\dashv	
331_Directory_Streaming	X	\vdash		$\vdash\vdash$	\dashv	\dashv	\dashv	+	\dashv	\dashv	\dashv	\dashv	-			\dashv		$\vdash \vdash$	\dashv		x	+	+	\vdash		\dashv	-	-			\vdash	\dashv	+	\dashv	+	\dashv	\dashv	
332_Dictionary_Streaming	X	\vdash		\vdash	\dashv	\dashv	+	+	\dashv	\dashv	\dashv	\dashv				\dashv		$\vdash \vdash$	\dashv	_	<u>х</u>	+	+	\vdash		-	-				\vdash	\dashv	+	+	+	\dashv	\dashv	_
333_Login_Streaming_DomainRep	X	\vdash			\dashv	+	+	+	+	\dashv	\dashv	\dashv				\dashv		$\vdash \vdash$	\dashv	х	^	+	+	\vdash		_	-					+	+	х	+	\dashv	\dashv	
340_MP_OnStreamPost	X	\vdash		\vdash	Х	\dashv	+	+	\dashv	\dashv	\dashv	х				\dashv		$\vdash \vdash$	\dashv		x	+	+	\vdash		-	-				\vdash	\dashv	+	^	+	\dashv	\dashv	_
341_MP_OffStreamPost	X	\vdash			X	+	+	+	\dashv	\dashv	\dashv	^	Х	х		\dashv		$\vdash \vdash$	\dashv	_	X	+	+									_	+	+	+	\dashv	\dashv	
350_MP_PauseAll	X	\vdash		$\vdash\vdash$	^	\dashv	+	+	\dashv	\dashv	\dashv	\dashv	^	^		\dashv		$\vdash \vdash$	х		<u>х</u>	+	+			-	-				\vdash	\dashv	+	+	+	\dashv	\dashv	
360_MP_View	X	\vdash			\dashv	+	+	+	,	\dashv	\dashv	\dashv						$\vdash \vdash$	^	х	<u>^ </u>	+	+									_	+	+	+	+	\dashv	
370_MP_Batch	-	_			\dashv		\dashv	_	Х	\dashv	\dashv	\dashv				-		$\vdash \vdash \vdash$	\dashv		<u>, </u>	+	_										+	+	+	\dashv	\dashv	
	X	\vdash			.	+	+	Х	\dashv	\dashv	-	\dashv						$\vdash \vdash$	\dashv	_	х х х	, —	+									_	+	+	+	+	\dashv	
400_Custom_NestedMessaging	X	_		$\vdash\vdash$	X	-+	\dashv	+	\dashv	\dashv	Х	\dashv				\dashv		$\vdash \vdash \vdash$	\dashv		XX	+	+				-	-	-	Ţ	\vdash		+	+	+	\dashv	\dashv	
410_MP_HorizontalScaling	X	\vdash			Х	+	\dashv	+	\dashv	\dashv	\dashv	\dashv						$\vdash \vdash$	\dashv	X	+	+	-	Х						Х		_	+	+	+	+	\dashv	
420_MP_AdminDomainCfg	X	_		$\vdash\vdash$	\dashv	+	\dashv	+	\dashv	\dashv	\dashv	\dashv				\dashv		$\vdash \vdash$	\dashv	Х	X	+	X	^			-	-			\vdash		+	+	+	\dashv	\dashv	
421_MP_ProgrammaticCfg	-	_		$\vdash\vdash$	\dashv	+	\dashv	+	\dashv	\dashv	\dashv	\dashv				\dashv		$\vdash \vdash$	\dashv			+	 ^				-	-			\vdash		+	+	+	\dashv	\dashv	
422_MP_ErrorClient	X	\vdash		$\vdash \vdash$	\dashv	+	\dashv	+	\dashv	\dashv	\dashv	\dashv				\dashv		$\vdash \vdash$	\dashv		Х	+	+				-				\vdash		+	, 	+	\dashv	\dashv	
423_MP_AdminDomainCfg_DomainRep	X	_		$\vdash \vdash$	\dashv	\dashv	\dashv	+	\dashv	\dashv	\dashv	\dashv	\dashv			\dashv		$\vdash \vdash$	\dashv	Х	,	+	+	Х			-	-	_			. 	+	Х	+	\dashv	\dashv	
430_MP_Authentication	X	<u> </u>			-		+	+	\dashv	_		\dashv						$\vdash \vdash$	_	_	X	,—	+			_	_	V			Х	Х	+	_	+	+	\dashv	
440_System_TunStrm	X	v			_		+	+	\dashv	_	_	\dashv						$\vdash \vdash \mid$	_		XX	+	<u>, , , , , , , , , , , , , , , , , , ,</u>					Х					+	_	,	\perp	, 	
450_MP_QueryServiceDiscovery	X	X			-		+	+	\dashv	_		\dashv						$\vdash \vdash$	_	_	X	+	X				_					\dashv	+	_	Х	_	X	
451_MP_OAuth2Callback_V2	X	Х					\dashv	+	\dashv	\dashv	_	\dashv						$\vdash \vdash$	\dashv		X	+	X										+	+	_	_	Х	
460_MP_RTT	X	<u> </u>					+	+	+	_	_	\dashv						$\vdash \vdash$	_		X	X	+				_					\dashv	+	_	+	Х	\dashv	
470_MP_WarmStandby	X	1																			Х		X															X

	Structure													
× Msg.ToString()	Msg->FieldList.ToString()	Map->FieldList->ToString()	Msg->FieldList	Msg->Map->FieldList	Msg->Map(Action type,Key)->FieldList	Msg->Map(Sum,Key,Action)->FieldList	Msg->Map->FieldList->Primitive types	Msg-> FieldList or ElementList	Msg->Map->FieldList, ElementList	Msg->Msg->FieldList	Msg->ElementList->Vector->ElementList	Msg->Map->FilterList->ElementList or Map	Msg->Series->ElementList	Msg->Opaque
X		2	J			4	J	J	J	J	4	J	J	
Х														
X														
Х														
X														
Х	Х													
	Х													
	Х													
х		Х												
X														
			Х											
				X										
				Х	Х									
				Х										
														Х
			Х	Х										
			Х	^										
						Х								
			· ·				Х							
			X											
			X											
								Х						
			X								Х	Х		
			X									^	Х	
			Х								Х			
									X					
			Х						^					
			Х											
			X							.,				
			X							Х				
			X											
			Х											
			X											
Х			X											
			X											
X														
X								Х						
X								^						

List of Non-Interactive Provider Examples

NiProv Example Name									Fe	eatur	re								
	Streaming	Tunneling Connection	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Configurable Source Directory Programmatically	Submit Source Directory Message	Login Request	Dictionary Request	Directory Admin UserControl	Directory Admin ApiControl	UserDispatch	ApiDispatch	File Config	Programmatic Config	Status Closed Message	Connection Recovery	Authentication Token handling	Channel Information	Login Reissue
100_MP_Streaming	Х		Х							Х		Х							
110_MBO_Streaming	Х		Х							Х		Х							\Box
170_MP_ChannelInfo	Х		Х	Х						Х		Х	Х					Х	
200_MP_Streaming	Х			Х						Х		Х	Х						
201_MP_TunnelingConnection	Х	Х		Х						Х		Х	Х						
210_MBO_Streaming	Х			Х						Х		Х	Х						
250_MP_Perf	X			Х						Х		Χ	Χ						
251_MP_Perf_KeyByServiceId	Х			Х						Х		Х	Х						
300_MP_Streaming	Х					Х			Х			Х	Х						
310_MBO_Streaming	Х					Х			Х			X	Х						
320_MP_Streaming_StatusClosed	Х					Х			Х			Х	Х		Х				
340_Login_Streaming	Х			Х			Х			Х	X		X						
350_Dictionary_Streaming	Χ			Χ				Х		Х		X	X						
360_MP_ConnectionRecovery	Х			Х			Х			Х	X		X			X			
421_MP_ProgrammaticCfg	Х				Х					Х		Х		Х					
430_MP_Authentication	X			Х			Х			Х		X	X				X		Х

			St	ructu	ıre			
Msg.ToString()	Map::add<>()	x x x x x x x x x x x x x x x x x x x	ElementList::add<>()	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x DpdateMsg::set<>()	StatusMsg::set<>()	RefreshMsg::get<>()	StatusMsg::get<>()
		Χ		Χ	Х			
	Х	Х		Х	Х			
		X		X	X			
		X		X	X			
		X		X	X			
	X	X		X	X			
		Х		Х	Х			
		Х		Х	Х			
	X	Х	Х	Х	Х			
	X	X	X X	Х	X			
	Х	X	Х	X	X	Х		
Х		Х		X	X		.,	
Х		Х		X	X		X	X
٨		Λ V		Λ V	Λ V		٨	٨
Х		X		^ У	<u>х</u>			
^		^		^	^			

List of Interactive Provider Examples

IProv Example Name	Feature											Structure																		
	Streaming	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Configurable Source Directory Programmatically	Submit Source Directory Message	Dictionary Request	Directory Admin UserControl	Directory Admin ApiControl	lo	Dictionary Admin ApiControl	UserDispatch		File Config	Programmatic Config	Connected Client Information	Login Domain Representation	HandleRTT	Posting	Closing client channel		Map::add<>()	FieldList::add<>()	ElementList::add<>()	RefreshMsg::set<>()	UpdateMsg::set<>()	RefreshMsg::get<>()	PostMsg::get<>()	ACKIVISE::Set<>()	definer (Wiskinger)	UpdateMsg::get<>()
100_MP_Streaming	Х	Х						Х		Х		Х										X		X	X					
102_MP_Snapshot	Х	Х						Х		Х		Х										X		X						
130_MP_UserDispatch	Х	Х						Х		Х	X											X		X	X					
140_MBO_Streaming	Х	Х						Х		Х		Х									Х	X		Х	Х					
150_MBO_Snapshot	Х	Х						Х		Х		Х									Х	Χ		Х						
160_Login_AcceptDeny		Х						Х		Х		Х												Х	П					
161_Login_AcceptDeny_DomainRep		Х						Х		Х		Х				Х								Х						
170_MP_ConnectedClientInfo	Х	Х						Х		Х		Х	Х		Х							Х	Х	Х	Х					
180_MP_Websocket	Х		Х					Х		Х	Х		Х						Х			Х		Х	Х					
200_MP_Streaming	Х		Х					Х		Х	Х		Х									Х		Х	Х					
210_MBP_Streaming	Х		Х					Х		Х	Х		Х								Х	Х		Х	Х					
240_SourceDirectory_Fanout	Х		Х		Х			Х		Х		Х	Х								Х	Х	Х	Х	Х					
250_GroupStatus_Fanout	Х		Х		Х			Х		Х		Х	Х								Х	Х	Х	Х	Х					
260_Custom_NestedMsg	Х		Χ					Х		Х	Х		Х									Х		Х	Х					
280_MP_Perf	Х		Χ					Х		Х	Х		Х									Х		Х	Х					
300_MP_Close	Х		Х					Х		Х		Х	Х									Х		Х	Х					
301_MP_PriorityChange	Х		Х					Х		Х	Х		Х									Х		Х	Х					
320_Custom_GenericMsg	Х		Х					Х		Х	Х		Х									Х	Х	Х	Х					
331_Directory_UserControl	Х				Х		Х			Х		Х	Х								Х	Х	Х	Х	Х	\dashv	\top			
332_Dictionary_UserControl	Х							Х	Х			Х	Х								Х	Х		Х	Х					
340_MP_Posting	Х		Х								Х		Х					Х				Х	Х	Х	Х		x x	X		
350_Dictionary_Streaming	Х		X			Х		Х		Х		Х	Х								Х	X		Х	Х	Х			Х	
380_MP_ConnectionLost	Х		Х					Х		Х		х	Х								\neg	Х		Х	Х	\top	\top			
421_MP_ProgrammaticCfg	Х			X				Х		Х	Х			Х								Х		Х	Х					
460_MP_RTT	Х		Χ									Х	Х				Х					Χ	Х	Х	Х)	(