## List of Consumer Examples

DocID: EMAJ365L1EX.220

Consumer Example Name																	Fe	eatur	re																
																						_													<u></u>
																				2	:	naii							gu				۔ ا		ed i
																				i t		don							illpu				tio		Ŧ
															ne			(g		5	es es	in							Har				nta		ery
		uo											þū		Resume			Ms		20 <u>.</u>	age g	dm							en			L	sel	뉟	8
	st	cti	st							5	2 2	20	ms					₽.	٥	TU   40	ess	al a			(%			g	Token Handling			tio	Representation	me	Dis
	request	Tunneling Connection	Snapshot request Close request							eam	13C	VPI	Sending generic msg	it	<b>∞</b>			Sub Stream(Msg in Msg)		Programmatic Config	Specify Admin messages	Programatic Local admin domain	er	forth(FieldName)	forth( const Data	٦		Horizontal Scaling		_		Channel Information		Session Management	Service Endpoint Discovery Helper
	re	ပိ	rec	re					٠,	eal	7 9		ene	ior	Sne			u(N	50	fie	<u>E</u>	ic	b 0	Z Z	St D	ear	lds	Sc	atic	sue	_	ıfoı	air	ang	od R
	ing	ing	hot	nso					Lis	St   St	מום ב	<u> </u>	8 8	pr s	Pe	Sp	۵	ear	nfig		A	mat	Dec	ie	o	str	Fie	ıtal	tic	eis	RT	ıl lı	DO I	Σ	Enc
	am	nel	ps	S		ř.	ج	>	oq	ate			din	sue	sue	<u>Ö</u>	Dis	Str	Ö	יל ש		grai	es	누	) H	nel	ole	izoi	her	n R	dle	nne	n D	io	/ice
	Streaming	Ę.	Snapshot requ	Set Closure	Qos	Priority	Batch	View	SymbolList	Private Stream			en	Reissue priority	Reissue Pause	User Disp	Api Disp	qn	File Config		be	rog	Rmtes Decoder	t o	ort	Tunnel stream	Ripple Fields	lor	Authentication	Login Reissue	HandleRTT	ha	Login Domain	ess	er
ex100_MP_Streaming	X		0, 0	0,		-	ш		S				S		-	_	Х	S		<u>-                                    </u>	<u>,                                    </u>		-	<del>-</del>	<del>т</del>	_	-		7					<u> </u>	<u> </u>
ex101_MP_QosPriority	X				Х	Х			+	-	-	+				$\dashv$	X			+	-			$\dashv$											$\Box$
ex102_MP_Snapshot	<del>                                     </del>		Х						$\dashv$		$\top$	+		$\dagger$		+	х			+			$\dashv$	$\dashv$	1									$\longrightarrow$	$\Box$
ex110_MP_FileCfg	Х								$\dashv$			+	1	1 1		+	Х		х	+	1	$\dagger$	$\dashv$	+										,	$\Box$
ex111_MP_UserSpecifiedFileCfg	Х								$\dashv$			+	1	1 1		+	Х		х	X		$\dagger$	$\dashv$	+										,	
ex112_MP_TunnelingConnection	X	Х							$\dashv$		$\top$	+		T		+	X		X	+			$\dashv$	$\dashv$										$\longrightarrow$	
ex113_MP_SessionMgmt	Х	X				+			$\dashv$		$\top$	+		$\dagger$		+	х		X	+			$\dashv$	$\dashv$	1									х	
ex120_MP_FieldListWalk	X	<del>  ^`</del>				$\dashv$			-+	-	$\dashv$	+		+		$\dashv$	X	$\dashv$		+		$\dagger$		$\dashv$	$\dashv$									<del></del>	
ex130_MP_UserDisp	X					$\dashv$			-+	-	$\dashv$	+		+		Х		$\dashv$		+		$\dagger$		$\dashv$	$\dashv$									$\longrightarrow$	
ex140_MBO_Streaming	X					$\dashv$			-+	-	$\dashv$	+		+			х	$\dashv$		+		$\dagger$		$\dashv$	$\dashv$									$\longrightarrow$	
ex170_MP_ChannelInfo	Х											+					X		х	_				+								Х			
ex180_MP_Websocket	X											+				Х	_		X					1										$\longrightarrow$	
ex200_MP_Streaming	X											+					х							1										$\longrightarrow$	
ex210_MBO_Streaming	X											+					X							1										$\longrightarrow$	
ex220_MBP_PrivateStream	Х									Х		+				Х	$\stackrel{\sim}{-}$							1										$\longrightarrow$	$\Box$
ex230_MBO_SwitchEntryAction	X									_						Х								+										$\overline{}$	
ex240_MP_RippleFields	X			Х												X								+			Х							$\overline{}$	
ex250_Custom_Opaque	X																х							+										$\overline{}$	
ex270_SymbolList	X											+					X			_				+											
ex280_MP_Perf	X											+					X							1										$\longrightarrow$	$\Box$
ex290_Custom_Decode	X			Х								+					X							1										$\longrightarrow$	$\Box$
ex291_Custom_DownCast	X			Х								+				Х	$\stackrel{\sim}{-}$							1										$\longrightarrow$	
ex300_MP_Close	X		Х	Х												^	х							+										$\overline{}$	
ex301_MP_PriorityChange	Х			Х								+		х		Х	$\stackrel{\sim}{\dashv}$							+											
ex310 MP Rmtes	X																х						x	+										$\overline{}$	
ex320_Custom_GenericMsg	X			Х					+			+	Х	+		Х	$\stackrel{\sim}{-}$			-		1	$\stackrel{\sim}{-}$	+									1	$\rightarrow$	
ex330_Login_Streaming	X												<del>                                     </del>			X								+										$\overline{}$	
ex331_Directory_Streaming	X								+			+		+			Х			-		1	-+	+									1	$\rightarrow$	
ex332_Dictionary_Streaming	X					+			$\dashv$		$\top$	+		$\dagger$		+	X			+			$\dashv$	$\dashv$	1									$\longrightarrow$	
ex333_Login_Streaming_DomainRep	X					+			$\dashv$		$\top$	+		$\dagger$		Х				+			$\dashv$	$\dashv$	1								х	$\longrightarrow$	
ex340_MP_OnStreamPost	X			Х					$\dashv$	<b></b>	<b>,</b>	+		1 1			х			+	1	$\dagger$	$\dashv$	+											
ex341 MP_OffStreamPost	X			Х					-	+		<b>√</b> x				$\dashv$	Х			$\top$				$\dashv$									1	$\rightarrow$	
ex350_MP_PauseAll	Х			<u> </u>					-		十	+				Х				$\top$				$\dashv$									1	$\rightarrow$	
ex360 MP_View	х							Х	-		$\top$	+		H		X	_			+			$\dashv$	$\dashv$										$\longrightarrow$	
ex370_MP_Batch	X						Х		-		$\top$	+		H			х			+			$\dashv$	$\dashv$										$\longrightarrow$	
ex400_Custom_NestedMessaging	X			Х					-	х	$\top$	+		T		+	X	Х		+			$\dashv$	$\dashv$										$\longrightarrow$	
ex410_MP_HorizontalScaling	X			Х					+	-	$\top$	+		T		Х				+			$\dashv$	$\dashv$				Х						$\longrightarrow$	
ex420_MP_AdmDomainCfg	X			<u> </u>					$\dashv$		$\top$	+		$\Box$		X	$\dashv$			+	Х		$\dashv$	$\dashv$										$\longrightarrow$	
ex421_MP_ProgrammaticCfg	X								$\dashv$			+	1	1 1			х			ĸ	<del>  ^`</del>	$\dagger$	$\dashv$	+										,	
ex422 MP ErrorClient	X								$\dashv$		$\top$	+		1 1		+	X			+	1	$\dagger$	$\dashv$	+											
ex423_MP_AdmDomainCfg_DomainRep	X										$\top$	+				Х				$\top$	Х			$\dashv$									х	$\rightarrow$	
ex430_MP_Authentication	X								+		-	+					х			+	X	Х		+					Х	Х			X		
ex440_System_TunStrm	Х								-		$\top$	+		H		$\dashv$	х	Х		+	+		$\dashv$	$\dashv$		Х								$\longrightarrow$	
ex450_MP_QueryServiceDiscovery	X	Х							+	-	-	+				$\dashv$	X			ĸ	-			$\dashv$										х	Х
ex451_MP_OAuth2Callback_V2	X	Х							$\dashv$		$\top$	+		$\Box$		+	X			K			$\dashv$	$\dashv$										Х	
ex460_MP_RTT	X								$\dashv$		$\top$	+		$\Box$		+	X		X	+			$\dashv$	$\dashv$							Х			<del></del>	
RRT Market Data Viewer	Х		ХХ	Х			Х	Х	$\dashv$			+	1	1 1		+	X			ĸ	1	$\dagger$	$\dashv$	+										Х	Х
		ļ.												1						-	_														

	Structure													
× Msg.ToString()	Msg->FieldList.ToString()	Map->FieldList->ToString()	Msg->FieldList	Msg->Map->FieldList	Msg->Map(Action type,Key)->FieldList	Msg->Map(Sum,Key,Action)->FieldList	Msg->Map->FieldList->Primitive types	Msg-> FieldList or ElementList	Msg->Map->FieldList, ElementList	Msg->FieldList	Msg->ElementList->Vector->ElementList	Msg->Map->FilterList->ElementList or Map		
X			4		4	۷								
Х														
X														
X														
X														
Х														
	Х													
	Х	Х												
Х		^												
X														
			Х											
				X										
-				Χ	Х									
				Х										
			V	Х										
			Х			Х								
							Х							
			Χ											
			X											
			Х					Х						
			X					^			Х			
			Χ									Χ		
<u> </u>			X								.,			
			Х						Х		Х			
									X					
			Х											
			X											
_			X							Х				
			X											
			Х											
<u> </u>			X											
<u> </u>			X											
Х			X											
			Х											
X														
X								Х						
<del>  ^</del>			Х			Х		^						
Щ_			<i>^</i> \											

Msg->Series->ElementList



Non-Interactive Provider Example Name Feature																			
	Streaming	Tunneling Connection	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Configurable Source Directory Programmatically	Submit Source Directory Message	Login Request	Dictionary Request	Directory Admin UserControl	Directory Admin ApiControl	UserDispatch	ApiDispatch	File Config	Programmatic Config	Status Closed Message	Connection Recovery	Authentication Token Handling	Channel Information	Login Reissue
ex100_MP_Streaming	Х		Х							Χ		X							
ex110_MBO_Streaming	Х		Х							X		Χ							
ex170_MP_ChannelInfo	Х			Х						Х		Х						Х	
ex200_MP_Streaming	Х			Х						Х		Х	Х						
ex201_MP_TunnelingConnection	Х	Χ		Х						Х		Х	Х						
ex210_MBO_Streaming	Х			Χ						X		Х	Χ						
ex250_MP_Perf	Х			Χ						X		Х	Χ						
ex251_MP_Perf_KeyByServiceId	Х			Х						Х		Х	Х						
ex300_MP_Streaming	Х					Χ			Х			Х	Χ						
ex310_MBO_Streaming	Х					Х			Х			Х	Х						
ex320_MP_Streaming_StatusClosed	X					X			X			Х	Х		Χ				
ex340_Login_Streaming	Х			Х			Χ			Х	Х		Х						
ex350_Dictionary_Streaming	X			Х				Х		Х		Х	Х						
ex360_MP_ConnectionRecovery	Х			Х			Χ			X	X		Х			X			
ex421_MP_ProgrammaticCfg	Х				X					Х		Х		Х					
ex430_MP_Authentication	Х			Х						Х		X	Х				Х		Х

Structure														
Msg.ToString()	Map::add<>()	x x x x x x x x x x x x FieldList::add<>()	ElementList::add<>/()	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x DpdateMsg::set<>()	StatusMsg::set<>()	RefreshMsg::get<>()	StatusMsg::get<>()						
		Х		Χ	Х									
	Х	Х		Х	Х									
		Х		X	Х									
		X		X	X									
		X		X	X									
	X	Х		Х	Х									
		X		X	Х									
		Х		Х	Х									
	X	X	X	X	X									
	X X	X	X X	X	X									
		ı X	X	Х	X	X								
_	Х	~		<b>\</b>	V									
Х	<u>х</u>	X		X	X		<b>V</b>	<b>y</b>						
	<u> </u>			X X	X		X	X						
X	<u>*</u>	X X X		X X X	X X X		X	X						

## List of Interactive Provider Examples

Interactive Provider Example Name										Fea	ture										]		
	Streaming	Tunneling Connection	Hardcoded Source Directory	Configurable Source Directory from EmaConfig.xml	Configurable Source Directory Programmatically	Submit Source Directory Message	Dictionary Request	Directory Admin UserControl	Directory Admin ApiControl	Dictionary Admin UserControl	Dictionary Admin ApiControl	UserDispatch	ApiDispatch	File Config	HandleRTT	Connected Client Information	Login Domain Representation	Posting	Programmatic Config	Closing client channel		Map::add<>()	
ex100_MP_Streaming	X	-	X	0	0	S			X		X	<mark>ر</mark>	X		I	0		4	4	0			۲
ex102_MP_Snapshot	Х		Х						Х		Х		Х								1		t
ex130_MP_UserDispatch	Х		Х						Х		Х	Х									1		t
ex140_MBO_Streaming	Х		Х						Х		Х		Х								1	Х	t
ex150_MBO_Snapshot	Х		Х						Х		Х		Х								1	Х	
ex160_Login_AcceptDeny			Х						Х		Х		Х								1		t
ex161_Login_AcceptDeny_DomainRep			Х						Х		Х		Х				Х						T
ex170_MP_ConnectedClientInfo	Х			Х					Х		Х	Х				Х							T
ex180_MP_Websocket	Х			Х					Х		Х			Х						Х			T
ex200_MP_Streaming	Х			Х					Х		Х			Х									T
ex201_MP_Encrypted	Х	Х		Х					Х		Х		Х	Х									T
ex210_MBP_Streaming	Х			Χ					Х		Х	Х		Х							1	Х	T
ex240_SourceDirectory_Fanout	Х			Х		Х			Х		Х		Х	Х								Х	T
ex250_GroupStatus_Fanout	Х			Х		Х			Х		Х		Х	Х								Х	Γ
ex260_Custom_NestedMsg	Х			Х					Х		Х	Х		Х									Γ
ex280_MP_Perf	Х			X					Х		Х	Х		X									Γ
ex300_MP_Close	Х			X					Х		Х		Х	X					Х				ſ
ex301_MP_PriorityChange	Х			Х					Х		Х	Х		Х									Γ
ex320_Custom_GenericMsg	Х			Х					Х		Х	Х		Х									Ĺ
ex331_Directory_UserControl	Х					Х		Х			Х		Х	Х								Х	
ex332_Dictionary_UserControl	Х			X					Х	Х			Х	X								X	
ex340_MP_Posting	Х			X									X	Х				Х					Ĺ
ex350_Dictionary_Streaming	Х			X			Х		Х		Х		Х	Х								X	
ex380_MP_ConnectionLost	Х			X					X		X		X	X									Ĺ
ex421_MP_ProgrammaticCfg	Х				Х				Х		Х	Х							Х				Ĺ
ex460_MP_RTT	Х			X								X		X	Х								

Map::add<>()	x x x x FieldList::add<>()	ElementList::add<>()
_	Х	ш
	Х	
	Х	
X	X	
Х	Х	
	X X X	
Х	X	
X	Х	Х
Х	Х	Х
	X	
	X	
	X	
	X	Х
Х	X	X
X	X	
^	X	Х
Х	X	
	X	
	X	
	Х	Х

	Structure													
x x x x x x x x x x x x x x x x x x x	× UpdateMsg::set<>()	RefreshMsg::get<>()	PostMsg::get<>()	AckMsg:set<>()	GenericMsg::get<>()	UpdateMsg::get<>()								
X	×	Re	Pc	A	Ğ	ח								
X														
X	Х													
X	X													
X														
X														
Х														
Х	Х													
Х	Х													
Х	Х													
Х	Х													
Х	X X X X													
Х	Х													
Х	Х													
Х	Х													
Х	Х													
Х	Х													
Х	Х													
Х	Х													
Х	Х													
Х	Х													
Х			Х	Х										
Х	Х	Х				Х								
Х	Х													
Х	Х													
Х	Х				Х									