

Fully-automated Bulk Ink TIJ Printer



Built for high-volume production lines that demand speed, seamless integration, and the lowest cost per print.

Hx Ultra

Hx Ultra Fully-automated Bulk Ink TIJ Printer

The Hx Ultra fully-automated bulk ink delivery system is designed to lower operational costs, particularly for high-volume production lines. The bulk ink supply, available in various volumes and can also be integrated with the Advanced Ink System (AIS), minimizes operator intervention by reducing the need for frequent cartridge replacements, ensuring uninterrupted printing.



Solvent-based Ink



Water-based Ink



160ml / 250ml
Ink Cassette



PRINTER MODEL

Hx Ultra 600s

(High Resolution - Solvent-based)

Hx Ultra CodeMax

(Flexible Packaging Integration)

Hx Ultra 300s

(Long Throw Distance)

Hx Ultra 600w

(High Resolution - Water-based)

Hx Ultra 25w

(High Resolution - Water-based)

PRINT HEIGHT

12.7mm (½ inch)

12.7mm (½ inch)

12.7mm (½ inch)

12.7mm (½ inch)

25mm (1 inch)

MATERIAL COMPATIBILITY

Non-porous

Non-porous

Non-porous (fast drying)

Porous

Porous

KEY FEATURE

Ultra high-resolution
printing

Specialized bracket
seamless integration

High throw distance
(8-10mm)

High-resolution printing
for absorbent surfaces

Larger character printing
for branding & readability

BEST FOR

Clean, sharp prints on
glossy or flexible films

Clean, sharp prints on
glossy or flexible films

Printing on uneven
surfaces

Clean, detailed prints
on cartons/paperboard

Large logos, barcodes, and
product info packages

RECOMMENDED INDUSTRIES

Pharmaceuticals,
Cosmetics, Food in
flexible packaging

Pharmaceuticals,
Cosmetics, Food in
flexible packaging

Beverage (cans/bottles),
Ceramics, Cable & Wire,
Electronics

FMCG (cartons),
Agriculture (sacks),
Corrugated packagin

E-commerce, FMCG
(cartons/sacks), Warehousing,
Distribution Centers



Hx Manager - Easy-to-Use Interface for Message and Individual Printer Control



Web-Based Interface

No app installation required; access via any browser-enabled smart device.

Cross-Platform Compatibility

Works seamlessly on smartphones, tablets, laptops, and PCs.

Real-Time Monitoring

View printer status, ink levels, and production data instantly.

Quick Message Creation & Editing

Design, edit, and manage print messages with ease.

Secure Access

Password-protected user management to ensure safe and controlled operation.



Hx Console – Centralized Multi-Printer Monitoring and Control

CONTROLLER	
DISPLAY	Optional 7" or 10" HMI with Anti-theft Lock
MESSAGE DESIGN	1) Simple Message Editor 2) Advanced Message Editor
MESSAGE CAPACITY	Unlimited (within HMI/Windows)
START & STOP TIME	Immediate
PASSWORD PROTECTION	Yes
ALARM	Built in beacon, 128*64 pixel OLED, Buzzer
NUMBER OF PRINTHEAD	1
SYSTEM LANGUAGE	German, French, Japanese, Portuguese, Spanish, Thai, Turkish, Hindi, Arabic, Mandarin (other languages upon request)
PRODUCT CERTIFICATION	CE

CONNECTIONS & INTEGRATION

CONNECTIVITY	Easy connectivity based on customer needs: Wi Fi (Direct and Access Point connections) Isolated RS232 USB Cable
POWER SUPPLY	110 to 220 VAC
ENCODER	Optional
TWO OR THREE COLOR EXTERNAL BEACON	Optional
EXTERNAL SENSOR	Yes
MOUNTING & STAND	Stainless Steel T-bracket mounting or Tripod Stand

INK SOLUTION

TECHNOLOGY	Funai Cartridge, MapleJet Advanced Ink System (AIS)
INK TYPE	Porous & non-porous ink
COLOUR	Black (solvent-based & water-based ink)
CARTRIDGE DIMENSION	60mm x 74mm x 25.5mm
THROW DISTANCE	Hx Ultra-HR 600dpi up to 4mm Hx Ultra-HT 300dpi up to 10mm

PHYSICAL SPECIFICATIONS

HOUSING MATERIALS	Coloured Anodized Aluminum & Stainless Steel
CONTROLLER WEIGHT	1050gm
DIMENSION	146 mm x 90 mm x 84 mm
ENVIRONMENTAL CONDITIONS	Temperature 0-50°C, Humidity 0-80%

PRINTING FEATURES

RESOLUTION MAXIMUM	Hx Ultra-HR 600dpi Hx Ultra-HT 300dpi
PRINT SPEED	240m/min at 80dpi
LOGO PRINTING OPTION	Yes
BARCODE PRINTING	All types of barcodes including QR Codes
NUMBER OF PRINT LINES	up to 6 (2mm each line for 1/2" Head) up to 12 (2mm each line for 1" Head)
FONTS	All Windows Fonts
HEIGHT RANGE OF PRINTABLE CHARACTERS	up to 12.7mm (~0.5") up to 25mm (1")
DATE FORMAT	Variety of date format
COUNTERS	Print counter, message counter, and user-defined counter
MESSAGE	Text Date Time Logo Counter Shift Barcode External Data Lot Number Alphanumeric
COMPONENTS	

ADVANCED FEATURES

AUTO NOTIFY	Automatically sends alerts for key events like low ink levels, print job completion, or online data received through selected channels such as USB, RS232, or Wi-Fi (HTTP)—keeping your team informed in real time.
AUTO PILOT	Allows other external device to control and monitor Hx Printer. Any third party device (e.g. PLC), system, or software can send a command to Hx Printer.
DAILY PRODUCTION REPORT	Provides an hourly print report of the printer giving an overview of the complete daily production
ECONOMY MODE	Reduces ink consumption to up to 50% increasing print quantity
EXTERNAL DATA	Easy integration to external devices e.g. PLC, weighing scale, etc for printing variable data.
INK ESTIMATION CALCULATOR	Provides an estimate number of prints per cartridge based on the message and other parameters
PRINTER HEALTH CHECK	Detects warning/s to avoid future or unwanted downtime
ROLLOVER TIME	Easily customise time and date as to company's required production time or work shift
INTERLOCK SIGNAL CONNECTION	Easily connect the Hx Ultra to your host machine to send real-time output signals—such as Fault, Busy (Printing), and Ready status.



OUR DISTRIBUTION NETWORK



HEADQUARTER



MapleJet Canada
4 Vata Court Unit 20, Aurora,
Ontario, L4G 4B6,
Canada

SOUTH ASIA OFFICE



MapleJet India
Office No. B-104 & B-106
NX One, Tower 4,
Greater Noida West,
U.P, India.
PIN- 201 301

EUROPEAN OFFICE



MapleJet Europe
Kopernikusstraße13
50126 Bergheim
Germany

MIDDLE EAST, AFRICA & REST OF ASIA OFFICE



MapleJet Middle East
Warehouse No: T5-066
SAIF Zone, Sharjah,
UAE