

Updated. 07/2025

Hx Megalo

Large Character Printer



Ideal for printing barcodes, logos and dates codes onto carton, plywood, and other porous materials

Up to 70mm



MapleJet



P: 21/07/2025
E: 20/07/2026

www.maplejet.com/in



Hx Megalo Large Character Printer

The Hx Megalo printer, with its single head delivering a 70mm print height, excels in large character printing for highly visible branding on porous materials. Its advanced oil-based ink is fade-proof, heat-resistant, and eco-friendly with OK bio based certification. Integrated with Hx Manager software, accessible via smart devices, it offers comprehensive control and monitoring for efficient workflow.



Oil-based Ink



PRINTER MODEL	Hx Megalo 70mm (Oil-based Ink)
PRINT HEIGHT	70mm (2.7 inches)
MATERIAL COMPATIBILITY	Porous materials
KEY FEATURE	Larger character printing for branding & readability
BEST FOR	Large logos, barcodes, QR codes and product information
RECOMMENDED INDUSTRIES	Food & Beverage Consumer Goods (FMCG) Ceramics & Construction Logistics & Warehousing E-commerce & Retail Pharmaceuticals & Healthcare Agriculture & Farming



Hx Manager – Industrial HMI for Centralized Message Creation and Printer Control

Web-Based Interface

No app installation required; access via any browser-enabled smart device.

Cross-Platform Compatibility

Works seamlessly on smartphones, tablets, laptops, and PCs.

Real-Time Monitoring

View printer status, ink levels, and production data instantly.

Quick Message Creation & Editing


Design, edit, and manage print messages with ease.

Secure Access

Password-protected user management to ensure safe and controlled operation.



Hx Console – Centralized Multi-Printer Monitoring and Control



Advantages of Hx Megalo Large Character Carton Printer



Maintenance-Free
Operation



Smart Device
Control




Legible & Durable
Prints



Low Total Cost
of Ownership



Energy Efficient &
Sustainable



Small Footprint
Printer

Printer Specifications

CONTROLLER

DISPLAY	Optional 15" HMI with Anti-theft Lock
MESSAGE DESIGN	Advanced Messaged Editor
MESSAGE CAPACITY	Unlimited (within HMI/Windows PC)
START & STOP TIME	Immediate
PASSWORD PROTECTION	Yes
ALARM	Built in beacon, 128*64 pixel OLED, Buzzer
COMPRESSED AIR REQUIRED	No
NUMBER OF PRINTHEADS	1
SYSTEM LANGUAGE	German, French, Japanese, Portuguese, Spanish, Thai, Turkish, Hindi, Arabic, Mandarin (other languages upon request)
PRODUCT CERTIFICATION	CE
WARRANTY	12-month limited warranty (Terms & conditions apply)

PRINTING FEATURES

RESOLUTION	180 dpi
MAXIMUM PRINT SPEED	120 m/min at 50 DPI
LOGO PRINTING OPTION	Yes
BARCODE PRINTING	All types of barcodes including QR Codes
NUMBER OF PRINT LINES	up to 36 (2mm each line)
FONTS	All Windows Fonts
HEIGHT RANGE OF PRINTABLE CHARACTERS	up to 70mm (~2.7")
DATE FORMAT	Variety of date format
COUNTERS	Print counter, message counter, and user-defined counter
MESSAGE COMPONENTS	Text Date Time Logo Counter Shift Barcode External Data Lot Number Alphanumeric

CONNECTIONS & INTEGRATION

CONNECTIVITY	Easy connectivity based on customer needs: Wi Fi (Direct and Access Point connections) Isolated RS232 USB Cable
POWER SUPPLY	110 to 220 VAC
ENCODER	Optional
TWO OR THREE COLOR EXTERNAL BEACON	Optional (With Hx Add On for Three-color Beacon)
PRINT SENSOR	Two built-in sensors (Left & Right) External Sensor (optional)
MOUNTING & STAND	Stainless Steel T-bracket mounting or Tripod Stand

INK SOLUTION

INK TYPE	Ink cassette
COLOUR	Black, Blue, Red (oil-based)
INK CASSETTE DIMENSION	163mm x 103.5 mm x 39mm
THROW DISTANCE	up to 8mm
INK RECOGNITION	Automatic

PHYSICAL SPECIFICATIONS

CONTROLLER MATERIALS	Coloured Anodized Aluminum & Stainless Steel
CONTROLLER & INK SYSTEM WEIGHT	4660g
DIMENSION	L318.8mm x W153.2mm x H141.5mm
ENVIRONMENTAL CONDITIONS	Temperature 0-50°C, Humidity 0-80%

ADVANCED FEATURES

AUTO NOTIFY	Automatically sends alerts for key events like low ink levels, print job completion, or online data received through selected channels such as USB, RS232, or Wi-Fi (HTTP)—keeping your team informed in real time.
AUTO PILOT	Allows other external device to control and monitor Hx Printer. Any third party device (e.g. PLC), system, or software can send a command to Hx Printer.
DAILY PRODUCTION REPORT	Provides an hourly print report of the printer giving an overview of the complete daily production
ECONOMY MODE	Reduces ink consumption to up to 50 % increasing print quantity
EXTERNAL DATA	Easy integration to external devices e.g. PLC, weighing scale, etc for printing variable data.
INK ESTIMATION CALCULATOR	Provides an estimate number of prints per cartridge based on the message and other parameters
PRINTER HEALTH CHECK	Detects warning/s to avoid future or unwanted downtime
ROLLOVER TIME	Easily customise time and date as to company's required production time or work shift
INTERLOCK SIGNAL CONNECTION	Easily connect the Hx Ultro to your host machine to send real-time output signals—such as Fault, Busy (Printing), and Ready status.



Updated. 07/2025

OUR DISTRIBUTION NETWORK



HEADQUARTER



MapleJet Canada
4 Vata Court Unit 20, Aurora,
Ontario, L4G 4B6,
Canada

SOUTH ASIA OFFICE



MapleJet India
Office No. B-104 & B-106
NX One, Tower 4,
Greater Noida West,
U.P, India.
PIN- 201 301

EUROPEAN OFFICE



MapleJet Europe
Kopernikusstraße13
50126 Bergheim
Germany

MIDDLE EAST, AFRICA & REST OF ASIA OFFICE



MapleJet Middle East
Warehouse No: T5-066
SAIF Zone, Sharjah,
UAE



www.maplejet.com/in