













Comment	Designator	Footprint	Quantity
Motor	B1, B2	Header-5.0-SMD	2
Battery	BT	Header-5.0-SMD	1
0.1uF	C1, C4, C7, C9, C12, C15, C17, C23, C24, C26, C27, C28, C29, C38, C39	CAP-0603	15
10uF	C2, C6, C8, C13, C14, C22, C25	CAP-0603	7
1uF	C3, C5, C34, C35, C36, C37	CAP-0603	6
1.5pF	C10	CAP-0603	1
470pF	C11	CAP-0603	1
100uF	C16, C18, C20	CASE-C_6032-28	3
180pF	C19	CAP-0603	1
100uF/25V	C21	CASE-D_7343-31	1
10uF	C30, C31, C32	CASE-A_3216-18	3
470uF	C33	CAP-ALU-F_8.0x8.3x10.2	1
CON-20X2	CN1, CN2, CN3	Female-Header-2.00-Double-40	3
IN5819	D1	Diode-SMD-SOD-123	1
IN5824	D2	Diode-SMD-SMA	1
IN4148	D3, D4, D5, D6	Diode-SMD-1206	4
220uH	L1	Inductor-CD-54	1
33uH	L2	Inductor-CD-54	1
LED	LED1	LED-GRE-0603	1
LED	LED2	LED-BLU-0603	1
Buzzer	LS	BUZZER_9.5*6MM	1
4852	MOS1, MOS2, MOS3, MOS4, MOS5, MOS6, MOS7, MOS8	DFN-5_5X6MM	8
编码器	P1, P2	Pin-Header-2.54-Single-4	2
摄像头	P3	Header-FPC-ZIF-SMD-Vertical Single-0.5-18	1
舵机	P4	Pin-Header-2.54-Single-3	1
红外检测	P5	Header-FPC-ZIF-SMD-Vertical Single-0.5-8	1
预留接口	P6	Header-FPC-ZIF-SMD-Vertical Single-0.5-8	1
蓝牙	P7	Female-Header-2.54-Single-4	1
1.8-TFT-128*160	P8	Female-Header-2.00-Double-14	1
S8550	Q1	SOT-23-3	1
8050	Q2	SOT-23-3	1
1K	R1, R7, R9, R14	RES-0603	4
10K	R2, R3, R4, R13, R21, R22, R27, R28, R33	RES-0603	9
1K	R5	RES-Adj_PVZ3	1
39K	R6	RES-0603	1
180R	R8	RES-0603	1
6.6K	R10	RES-0603	1
0.22R	R11	RES-0603	1
2.7K	R12	RES-0603	1
0R	R15, R18	RES-0603	2
3K	R16	RES-0603	1
2K	R17	RES-0603	1
5.1R	R19, R20, R23, R24, R25, R26, R29, R30	RES-0603	8
59K(1%)	R31	RES-0603	1
20K(1%)	R32	RES-0603	1
Key-3	S1, S2	SW-3-SMTS-102	2
Switch	S3, S4	SW-Piano-DIP-4	2
TPS60403	U1	SOT-23-5	1
LM4132	U2	SOT-23-5	1
AD8031	U3	SOT-23-5	1
AD5440	U4	TSSOP-24	1
AD8065	U5	SOT-23-5	1
MC34063	U6	SOP-8	1
AS1015	U7	SOP-8	1
	U8, U9	SOP-8	2
TPS7350	00, 03		
TPS7350 TPS7333	U10	SOP-8	1
		SOP-8 SOP-16	1 2