Example: Photon Treatment Plan

Table of Contents

	1
Patient Data Import	1
Treatment Plan	
Generatet Beam Geometry STF	
Dose Calculation	5
Inverse Optimization for IMRT	<i>6</i>
Plot the Resulting Dose Slice	12
Now let's create another treatment plan this time use a coarser beam spacing	13
Visual Comparison of results	22
Obtain dose statistics	25

Copyright 2017 the matRad development team.

This file is part of the matRad project. It is subject to the license terms in the LICENSE file found in the top-level directory of this distribution and at https://github.com/e0404/matRad/LICENSES.txt. No part of the matRad project, including this file, may be copied, modified, propagated, or distributed except according to the terms contained in the LICENSE file.

In this example we will show how to load patient data into matRad, how to setup a photon dose calculation and how to inversly optimize directly from command window in MatLab.

Patient Data Import

Let's begin with a clear Matlab environment. Next, import the TG119 phantom into your workspace. The phantom is comprised of a 'ct' and 'cst' structure defining the CT images and the structure set. Make sure the matRad root directy with all its subdirectories is added to the Matlab search path.

```
clc,clear,close all
load('TG119.mat');
```

ct

Let's check the two variables, we have just imported. First, the 'ct' variable comprises the ct cube along with some meta information describing properties of the ct cube (cube dimensions, resolution, number of CT scenarios). Please note that mutiple ct cubes (e.g. 4D CT) can be stored in the cell array ct.cube{}

```
ct =

struct with fields:

cube: {[167×167×129 double]}

resolution: [1×1 struct]

cubeDim: [167 167 129]
```

```
numOfCtScen: 1
```

The 'cst' cell array defines volumes of interest along with information required for optimization. Each row belongs to one certain VOI, whereas each column defines different proprties. Specifically, the second and third column show the name and the type of the structure. The tpe can be set to OAR, TARGET or IGNORED. The fourth column depicts a linear index vector depicting voxels in the CT cube that are covered by the VOI. In total, 3 structures are defined in the cst

```
cst
cst =
  3×6 cell array
  Columns 1 through 5
    [0]
            ' BODY '
                               'OAR'
                                            {1×1 cell}
                                                           [1x1 struct]
    [1]
            'Core'
                               'OAR'
                                            {1×1 cell}
                                                           [1x1 struct]
                               'TARGET'
                                            {1×1 cell}
    [2]
            'OuterTarget'
                                                           [1x1 struct]
  Column 6
    [1x1 struct]
    [1×1 struct]
    [1x1 struct]
```

The fifth column represents meta parameters used for optimization such as the overlap priority, which can be specified in double presision. A lower overlap priority indicates increased importance. In contrast, a higher overlap priority indicates a streture with lower importance. The parameters alphaX and betaX depict the tissue's photon-radiosensitivity parameter which are required for biological treatment planning using a variable RBE. Let's output the meta optimization parameter of the target structure:

```
ixTarget = 3;
cst{ixTarget,5}

ans =
  struct with fields:
    TissueClass: 1
        alphaX: 0.1000
        betaX: 0.0500
    Priority: 1
    Visible: 1
```

The sixth column contains optimization information such as objectives and constraints which are required to calculate the objective function value. Please note, that multiple objectives/constraints can be defined for individual structures. Here, we have defined a squared deviation objective making it expensive for the optimizer to over and underdose the tumor (both are equaly important).

```
cst{ixTarget,6}
```

```
ans =
  struct with fields:
     type: 'square deviation'
     penalty: 1000
     dose: 50
        EUD: NaN
     volume: NaN
     robustness: 'none'
```

Treatment Plan

The next step is to define your treatment plan labeld as 'pln'. This structure requires input from the treatment planner and defines the most important cornerstones of your treatment plan.

First of all, we need to define what kind of radiation modality we would like to use. Possible values are photons, protons or carbon. In this case we want to use photons. Then, we need to define a treatment machine to correctly load the corresponding base data. Since we provide generic base data we set the machine to 'Genereric. By this means matRad will look for 'photons_Generic.mat' in our root directory and will use the data provided in there for dose calculation

Define the flavour of biological optimization for treatment planning along with the quantity that should be used for optimization. Possible values are (none: physical optimization; const_RBExD: constant RBE of 1.1; LEMIV_effect: effect-based optimization; LEMIV_RBExD: optimization of RBE-weighted dose. As we are using photons, simply set the parameter to 'none' thereby indicating the physical dose should be optimized.

```
pln.bioOptimization = 'none';
```

Now we have to set some beam parameters. We can define multiple beam angles for the treatment and pass these to the plan as a vector.matRad will then interpret the vector as multiple beams. In this case, we define linear spaced beams from 0 degree to 359 degree in 30 degree steps. This results in 12 beams. All corresponding couch angles are set to 0 at this point. Moreover, we set the bixelWidth to 5, which results in a beamlet size of 5 x 5 mm. The number of fractions is set to 30. Be advised that matRad is always optimizing the fraction dose.

```
pln.gantryAngles = [0:30:359];
pln.couchAngles = zeros(1,numel(pln.gantryAngles));
pln.bixelWidth = 5;
pln.numOfFractions = 30;
```

Obtain the number of beams and voxels from the existing variables and calculate the iso-center which is per default the mass of gravity of all target voxels.

```
pln.numOfBeams = numel(pln.gantryAngles);
pln.numOfVoxels = prod(ct.cubeDim);
pln.voxelDimensions = ct.cubeDim;
pln.isoCenter = ones(pln.numOfBeams,1) *
  matRad_getIsoCenter(cst,ct,0);
```

Enable sequencing and disable direct aperture optimization (DAO) for now. A DAO optimization is shown in a seperate example. The multileaf collimator leaf sequencing algorithm stratifies each beam in N static segments.

```
pln.runSequencing = 1;
pln.runDAO
and et voila our treatment plan is ready. Lets have a look at it:
pln
pln =
  struct with fields:
      radiationMode: 'photons'
             machine: 'Generic'
    bioOptimization: 'none'
       gantryAngles: [0 30 60 90 120 150 180 210 240 270 300 330]
        couchAngles: [0 0 0 0 0 0 0 0 0 0 0]
         bixelWidth: 5
     numOfFractions: 30
         numOfBeams: 12
        numOfVoxels: 3597681
    voxelDimensions: [167 167 129]
          isoCenter: [12×3 double]
      runSequencing: 1
              runDAO: 0
```

Generatet Beam Geometry STF

This acronym stands for steering file and comprises the beam geomtry along with the ray and pencil beam positions

```
ray: [1×304 struct]
sourcePoint_bev: [0 -1000 0]
sourcePoint: [500.0000 866.0254 0]
numOfBixelsPerRay: [1×304 double]
totalNumOfBixels: 304
```

Dose Calculation

Lets generate dosimetric information by pre-computing dose influence matrices for unit pencil beam intensities that can be used subsequently for inverse planning.

```
= matRad_calcPhotonDose(ct,stf,pln,cst);
matRad: Photon dose calculation...
Beam 1 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 939mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 939 mm ...
Progress: 100.00 %
Beam 2 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 930mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 930 mm ...
Progress: 100.00 %
Beam 3 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 884mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 884 mm ...
Progress: 100.00 %
Beam 4 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 850mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 850 mm ...
Progress: 100.00 %
Beam 5 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 827mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 827 mm ...
Progress: 100.00 %
Beam 6 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 894mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 894 mm ...
Progress: 100.00 %
Beam 7 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 908mm
```

```
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 908 mm ...
Progress: 100.00 %
Beam 8 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 897mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 897 mm ...
Progress: 100.00 %
Beam 9 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 827mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 827 mm ...
Progress: 100.00 %
Beam 10 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 850mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 850 mm ...
Progress: 100.00 %
Beam 11 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 878mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 878 mm ...
Progress: 100.00 %
Beam 12 of 12:
matRad: calculate radiological depth cube...done
                   SSD = 930mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 930 mm ...
Progress: 100.00 %
```

Inverse Optimization for IMRT

The goal of the fluence optimization is to find a set of bixel/spot weights which yield the best possible dose distribution according to the clinical objectives and constraints underlying the radiation treatment

resultGUI = matRad_fluenceOptimization(dij,cst,pln);

```
Number of nonzeros in Lagrangian Hessian.....
                                                          0
Total number of variables.....
                                                       3324
                   variables with only lower bounds:
                                                       3324
               variables with lower and upper bounds:
                                                          0
                   variables with only upper bounds:
                                                          0
Total number of equality constraints.....
                                                          0
Total number of inequality constraints....:
       inequality constraints with only lower bounds:
   inequality constraints with lower and upper bounds:
                                                          0
       inequality constraints with only upper bounds:
                                                          0
iter
       objective
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
 alpha_pr ls
  0 1.7261147e+002 0.00e+000 5.54e+000 0.0 0.00e+000
+000 0.00e+000
              0
   1 2.4690415e+002 0.00e+000 5.94e+000 -0.4 6.80e-001
 9.51e-001 2.78e-001f 1
  2 2.5570216e+001 0.00e+000 3.80e+000 -0.8 9.10e-002
                                                       - 1.00e
+000 1.00e+000f 1
   3 1.7599984e+001 0.00e+000 7.45e-001 -1.7 1.89e-002
 9.96e-001 1.00e+000f 1
   4 7.6233696e+000 0.00e+000 6.41e-001 -2.5 4.12e-002 - 1.00e
+000 1.00e+000f 1
   5 4.2270947e+000 0.00e+000 3.86e-001 -3.5 3.17e-002
                                                       - 1.00e
+000 1.00e+000f 1
  6 2.8928632e+000 0.00e+000 4.54e-001 -4.1 4.99e-002
                                                       - 1.00e
+000 7.83e-001f 1
  7 2.3212797e+000 0.00e+000 1.42e-001 -4.4 2.63e-002
                                                       - 1.00e
+000 6.90e-001f 1
   8 2.2392089e+000 0.00e+000 9.42e-002 -5.7 1.00e-002
                                                       - 1.00e
+000 5.35e-001f 1
   9 2.1682098e+000 0.00e+000 1.28e-001 -6.8 1.98e-002
                                                       - 1.00e
+000 2.46e-001f 1
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
iter
       objective
alpha pr ls
 10 2.1012807e+000 0.00e+000 1.73e-001 -7.6 2.97e-002
+000 1.38e-001f 1
  11 2.0149822e+000 0.00e+000 2.78e-001 -8.0 3.94e-002
                                                       - 1.00e
+000 1.34e-001f 1
  12 1.9515189e+000 0.00e+000 2.92e-001 -7.9 4.19e-002
                                                       - 1.00e
+000 9.92e-002f 1
  13 1.9000904e+000 0.00e+000 3.62e-001 -7.8 3.42e-002
                                                       - 1.00e
+000 9.61e-002f 1
  14 1.8026719e+000 0.00e+000 4.08e-001 -7.7 3.70e-002
                                                       - 1.00e
+000 1.87e-001f 1
  15 1.7528795e+000 0.00e+000 2.31e-001 -7.8 4.92e-002
                                                       - 1.00e
+000 8.25e-002f 1
                                                       - 1.00e
  16 1.7322128e+000 0.00e+000 5.39e-001 -7.9 4.32e-002
+000 4.01e-002f 1
 17 1.6841204e+000 0.00e+000 3.67e-001 -4.4 4.36e-002
                                                       - 1.00e
+000 8.54e-002f 1
 18 1.6326554e+000 0.00e+000 3.28e-001 -3.7 2.41e-002
                                                       - 1.00e
+000 1.70e-001f 1
```

```
19 1.6381464e+000 0.00e+000 8.23e-001 -3.2 1.10e-001
 8.79e-001 1.00e+000f 1
       objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha pr ls
 20 1.5953433e+000 0.00e+000 1.89e-001 -3.3 8.76e-003
                                                       - 1.00e
+000 1.00e+000f 1
 21 1.5261751e+000 0.00e+000 1.30e-001 -4.8 4.08e-002 - 1.00e
+000 8.06e-001f 1
 22 1.4991229e+000 0.00e+000 1.93e-001 -6.4 3.49e-002
                                                        - 1.00e
+000 3.89e-001f 1
 23 1.4483759e+000 0.00e+000 7.43e-002 -4.1 5.21e-002
9.99e-001 4.18e-001f 1
 24 1.4156142e+000 0.00e+000 1.10e-001 -5.1 3.21e-002
                                                        - 1.00e
+000 3.21e-001f 1
 25 1.3903776e+000 0.00e+000 1.16e-001 -4.7 3.20e-002
                                                       - 1.00e
+000 2.16e-001f 1
  26 1.3609081e+000 0.00e+000 1.07e-001 -5.4 3.37e-002
                                                        - 1.00e
+000 2.69e-001f 1
 27 1.3375518e+000 0.00e+000 1.29e-001 -11.0 2.92e-002
7.73e-001 2.30e-001f 1
 28 1.3228178e+000 0.00e+000 1.34e-001 -5.7 2.50e-002
7.54e-001 1.67e-001f 1
 29 1.3042292e+000 0.00e+000 9.62e-002 -5.4 3.04e-002 - 1.00e
+000 1.73e-001f 1
      objective inf_pr inf_du lg(mu) |/d|| lg(rg) alpha_du
iter
alpha pr ls
 30 1.2832818e+000 0.00e+000 1.37e-001 -6.2 3.35e-002
9.69e-001 2.03e-001f 1
 31 1.2704239e+000 0.00e+000 1.68e-001 -7.8 3.40e-002
8.40e-001 1.34e-001f 1
                                                       - 1.00e
 32 1.2544862e+000 0.00e+000 2.16e-001 -6.6 3.28e-002
+000 2.03e-001f 1
 33 1.2477354e+000 0.00e+000 6.98e-002 -5.6 3.70e-002
8.97e-001 8.21e-002f 1
 34 1.2413335e+000 0.00e+000 2.02e-001 -7.0 1.84e-002
5.06e-001 1.58e-001f 1
 35 1.2305878e+000 0.00e+000 8.26e-002 -5.8 3.44e-002 - 1.00e
+000 1.62e-001f 1
  36 1.3182100e+000 0.00e+000 2.38e-001 -3.7 1.89e-002
5.80e-001 1.00e+000f 1
 37 1.2817816e+000 0.00e+000 8.71e-002 -3.8 1.32e-002
9.86e-001 7.08e-001f 1
 38 1.2460896e+000 0.00e+000 1.67e-001 -3.8 9.41e-003
6.24e-001 1.00e+000f 1
 39 1.2392897e+000 0.00e+000 1.42e-001 -3.8 5.99e-003 - 1.00e
+000 5.71e-001f 1
iter
      objective
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha pr ls
 40 1.2143211e+000 0.00e+000 1.40e-001 -3.8 1.37e-002
6.26e-001 1.00e+000f 1
 41 1.1928976e+000 0.00e+000 1.02e-001 -4.0 2.16e-002
9.69e-001 9.97e-001f 1
 42 1.1596081e+000 0.00e+000 9.20e-002 -4.3 5.15e-003 - 1.00e
+000 1.00e+000f 1
```

```
43 1.1563170e+000 0.00e+000 6.10e-002 -4.0 3.11e-003
8.65e-001 1.00e+000f 1
 44 1.1523144e+000 0.00e+000 2.73e-002 -3.8 1.40e-002
7.45e-001 1.00e+000f 1
 45 1.1331420e+000 0.00e+000 4.66e-002 -4.1 1.25e-002
9.99e-001 8.76e-001f 1
 46 1.1207105e+000 0.00e+000 1.25e-001 -4.6 2.52e-002 - 1.00e
+000 2.63e-001f 1
 47 1.1568149e+000 0.00e+000 3.60e-002 -3.6 1.76e-002
9.32e-001 1.00e+000f 1
 48 1.1251905e+000 0.00e+000 7.68e-002 -3.7 1.74e-002
                                                        - 1.00e
+000 1.00e+000f 1
 49 1.1051387e+000 0.00e+000 8.45e-002 -3.7 6.93e-003
9.68e-001 1.00e+000f 1
      objective inf_pr inf_du lg(mu) |/d/| lg(rg) alpha_du
alpha_pr ls
 50 1.0649431e+000 0.00e+000 1.15e-001 -4.5 2.18e-002
                                                        - 1.00e
+000 7.40e-001f 1
 51 1.0214169e+000 0.00e+000 5.22e-002 -4.7 2.53e-002
                                                        - 1.00e
+000 9.18e-001f 1
 52 1.0145612e+000 0.00e+000 5.66e-002 -5.3 4.07e-002
                                                        - 1.00e
+000 9.81e-002f 1
 53 1.0550545e+000 0.00e+000 8.54e-002 -3.7 1.24e-002
6.02e-001 1.00e+000f 1
 54 1.0320485e+000 0.00e+000 7.27e-002 -3.9 2.33e-002
                                                        - 1.00e
+000 3.35e-001f 1
 55 9.9691958e-001 0.00e+000 2.46e-001 -3.9 1.12e-002
                                                        - 1.00e
+000 8.85e-001f 1
 56 9.8533963e-001 0.00e+000 1.99e-001 -5.6 1.09e-002
8.10e-001 3.25e-001f 1
 57 9.6549072e-001 0.00e+000 1.28e-001 -5.7 2.05e-002
                                                        - 1.00e
+000 3.69e-001f 1
 58 9.5270746e-001 0.00e+000 1.56e-001 -6.1 2.63e-002
                                                        - 1.00e
+000 2.33e-001f 1
 59 9.4392188e-001 0.00e+000 1.65e-001 -6.1 3.06e-002
                                                        - 1.00e
+000 1.54e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
 60 9.2896030e-001 0.00e+000 1.39e-001 -5.7 3.73e-002
9.76e-001 2.59e-001f 1
 61 9.2317698e-001 0.00e+000 9.41e-002 -5.5 3.28e-002
4.01e-001 1.08e-001f 1
 62 9.1609001e-001 0.00e+000 1.27e-001 -5.7 3.50e-002
8.09e-001 1.41e-001f 1
 63 9.0587386e-001 0.00e+000 6.92e-002 -5.6 4.29e-002
9.29e-001 1.79e-001f 1
 64 8.9841529e-001 0.00e+000 1.61e-001 -5.4 2.36e-002
5.44e-001 2.45e-001f 1
 65 8.9038232e-001 0.00e+000 7.99e-002 -5.1 3.99e-002 - 1.00e
+000 1.79e-001f 1
 66 8.8141667e-001 0.00e+000 6.17e-002 -4.7 4.70e-002
4.17e-001 1.78e-001f 1
 67 8.7980337e-001 0.00e+000 1.50e-001 -5.4 2.55e-002
4.39e-001 5.84e-002f 1
```

```
68 8.7487671e-001 0.00e+000 1.13e-001 -4.7 3.64e-002
3.93e-001 1.39e-001f 1
 69 8.6665189e-001 0.00e+000 6.31e-002 -4.6 4.33e-002
3.47e-001 1.88e-001f 1
       objective \inf_{pr} \inf_{q} u \lg(mu) ||d|| \lg(rg) = alpha_du
iter
alpha_pr ls
 70 8.6429129e-001 0.00e+000 8.92e-002 -4.5 2.81e-002
5.29e-001 9.38e-002f 1
 71 8.5558594e-001 0.00e+000 5.72e-002 -4.9 3.32e-002
6.07e-001 2.37e-001f 1
 72 8.4918804e-001 0.00e+000 4.64e-002 -10.8 3.40e-002
3.31e-001 1.54e-001f 1
 73 8.4654527e-001 0.00e+000 5.14e-002 -4.6 9.39e-003
1.94e-001 2.35e-001f 1
 74 8.4034601e-001 0.00e+000 4.40e-002 -10.8 3.00e-002
1.89e-001 1.76e-001f 1
 75 8.3758916e-001 0.00e+000 6.30e-002 -4.9 2.34e-002
4.37e-001 9.63e-002f 1
 76 8.3233821e-001 0.00e+000 5.77e-002 -5.6 2.14e-002
2.78e-001 2.10e-001f 1
 77 8.2726643e-001 0.00e+000 3.61e-002 -5.1 2.47e-002
2.64e-001 2.02e-001f 1
 78 8.3793107e-001 0.00e+000 5.54e-002 -4.1 1.29e-002
5.36e-001 1.00e+000f 1
 79 8.3077276e-001 0.00e+000 3.98e-002 -4.4 5.33e-003
9.26e-001 7.94e-001f 1
iter
      objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
 80 8.2851625e-001 0.00e+000 5.17e-002 -4.4 2.07e-003
                                                         - 1.00e
+000 1.00e+000f 1
 81 8.2715592e-001 0.00e+000 2.07e-002 -4.4 3.62e-003
8.99e-001 1.00e+000f 1
 82 8.2228808e-001 0.00e+000 2.25e-002 -4.5 4.69e-003
                                                         - 1.00e
+000 1.00e+000f 1
 83 8.1410503e-001 0.00e+000 2.30e-002 -5.1 7.32e-003
                                                         - 1.00e
+000 7.65e-001f 1
 84 8.0880794e-001 0.00e+000 2.51e-002 -5.2 1.37e-002 - 1.00e
+000 4.65e-001f 1
 85 8.0666478e-001 0.00e+000 4.73e-002 -4.6 6.31e-003
6.51e-001 7.06e-001f 1
 86 8.0324300e-001 0.00e+000 5.22e-002 -4.8 1.25e-002
7.14e-001 3.84e-001f 1
 87 8.0038261e-001 0.00e+000 5.34e-002 -4.9 1.24e-002
5.18e-001 2.97e-001f 1
 88 7.9723259e-001 0.00e+000 5.53e-002 -5.2 1.70e-002
7.25e-001 2.39e-001f 1
 89 7.9349011e-001 0.00e+000 5.03e-002 -11.0 1.97e-002
4.59e-001 2.56e-001f 1
     objective inf_pr inf_du lg(mu) |/d|| lg(rg) alpha_du
iter
alpha pr ls
 90 7.9054692e-001 0.00e+000 6.87e-002 -6.2 2.23e-002
8.68e-001 1.98e-001f 1
 91 7.8730530e-001 0.00e+000 5.57e-002 -5.2 1.74e-002
4.39e-001 3.28e-001f 1
```

```
92 7.9322592e-001 0.00e+000 1.82e-001 -4.4 3.14e-002
 5.01e-001 1.00e+000f 1
  93 7.8866756e-001 0.00e+000 2.68e-002 -4.6 1.70e-002
 8.73e-001 5.06e-001f 1
  94 7.8566156e-001 0.00e+000 5.63e-002 -4.6 5.92e-003
 7.38e-001 1.00e+000f 1
  95 7.8421618e-001 0.00e+000 8.49e-002 -5.2 1.41e-002
 7.75e-001 1.90e-001f 1
  96 7.7987146e-001 0.00e+000 4.32e-002 -5.1 1.91e-002
 8.83e-001 3.25e-001f 1
 97 7.7575353e-001 0.00e+000 3.67e-002 -5.2 2.78e-002
 5.29e-001 2.52e-001f 1
  98 7.7396226e-001 0.00e+000 6.01e-002 -6.6 1.99e-002
 3.41e-001 1.34e-001f 1
  99 7.7097100e-001 0.00e+000 5.05e-002 -5.5 2.85e-002
 4.59e-001 1.62e-001f 1
iter
       objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
 alpha_pr ls
100 7.6834081e-001 0.00e+000 4.30e-002 -5.0 2.85e-002
 3.15e-001 1.52e-001f 1
 101 7.6577124e-001 0.00e+000 4.89e-002 -7.3 3.02e-002
 2.50e-001 1.36e-001f 1
102 7.6319828e-001 0.00e+000 9.32e-002 -5.4 4.72e-002
 8.24e-001 9.63e-002f 1
 103 7.6143305e-001 0.00e+000 8.10e-002 -6.2 1.76e-002
 9.78e-002 1.55e-001f 1
 104 7.5795280e-001 0.00e+000 5.04e-002 -5.5 3.79e-002
 4.84e-001 1.53e-001f 1
105 8.4623252e-001 0.00e+000 1.51e-001 -4.0 9.04e-002
 4.93e-001 1.00e+000f 1
                                                        - 1.00e
 106 7.9071269e-001 0.00e+000 7.54e-002 -4.3 4.02e-002
+000 5.91e-001f 1
 107 7.6627662e-001 0.00e+000 1.26e-001 -4.3 1.73e-002
                                                        - 1.00e
+000 1.00e+000f 1
 108 7.6481776e-001 0.00e+000 2.73e-002 -4.3 2.25e-003
                                                        - 1.00e
+000 1.00e+000f 1
109 7.6368214e-001 0.00e+000 2.83e-002 -4.3 7.67e-003
9.33e-001 1.00e+000f 1
                    inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
iter
       objective
alpha_pr ls
110 7.6338675e-001 0.00e+000 1.92e-002 -4.3 8.44e-003
                                                        - 1.00e
+000 1.00e+000f 1
 111 7.6259789e-001 0.00e+000 1.78e-002 -4.3 1.03e-002
                                                        - 1.00e
+000 1.00e+000f 1
112 7.6162777e-001 0.00e+000 8.89e-003 -4.3 1.72e-003 - 1.00e
+000 1.00e+000f 1
Number of Iterations...: 112
                                  (scaled)
                                                         (unscaled)
Objective..... 7.6162777376635393e-001
 7.6162777376635393e-001
Dual infeasibility....: 8.8915524124589442e-003
 8.8915524124589442e-003
```

```
Number of objective function evaluations = 113

Number of objective gradient evaluations = 113

Number of equality constraint evaluations = 0

Number of inequality constraint evaluations = 0

Number of equality constraint Jacobian evaluations = 0


Number of inequality constraint Jacobian evaluations = 0

Number of Lagrangian Hessian evaluations = 0

Total CPU secs in IPOPT (w/o function evaluations) = 2.680

Total CPU secs in NLP function evaluations = 57.868
```

EXIT: Solved To Acceptable Level. Calculating final cubes...




Plot the Resulting Dose Slice

Let's plot the transversal iso-center dose slice

```
slice = round(pln.isoCenter(1,3)./ct.resolution.z);
```

figure
imagesc(resultGUI.physicalDose(:,:,slice)),colorbar, colormap(jet)



Now let's create another treatment plan this time use a coarser beam spacing.

Instead of 30 degree spacing use a 50 degree spacing

```
pln.gantryAngles = [0:50:359];
pln.couchAngles = zeros(1,numel(pln.gantryAngles));
pln.numOfBeams = numel(pln.gantryAngles);
                 = matRad generateStf(ct,cst,pln);
                 = stf.isoCenter;
pln.isoCenter
                 = matRad_calcPhotonDose(ct,stf,pln,cst);
resultGUI_coarse = matRad_fluenceOptimization(dij,cst,pln);
matRad: Generating stf struct... Progress: 100.00 %
matRad: Photon dose calculation...
Beam 1 of 8:
matRad: calculate radiological depth cube...done
                   SSD = 939mm
matRad: Uniform primary photon fluence -> pre-compute kernel
 convolution for SSD = 939 mm ...
Progress: 100.00 %
Beam 2 of 8:
```

```
matRad: calculate radiological depth cube...done
                  SSD = 905mm
matRad: Uniform primary photon fluence -> pre-compute kernel
convolution for SSD = 905 mm ...
Progress: 100.00 %
Beam 3 of 8:
matRad: calculate radiological depth cube...done
                  SSD = 848mm
matRad: Uniform primary photon fluence -> pre-compute kernel
convolution for SSD = 848 mm ...
Progress: 100.00 %
Beam 4 of 8:
matRad: calculate radiological depth cube...done
                  SSD = 894mm
matRad: Uniform primary photon fluence -> pre-compute kernel
convolution for SSD = 894 mm ...
Progress: 100.00 %
Beam 5 of 8:
matRad: calculate radiological depth cube...done
                  SSD = 905mm
matRad: Uniform primary photon fluence -> pre-compute kernel
convolution for SSD = 905 mm ...
Progress: 100.00 %
Beam 6 of 8:
matRad: calculate radiological depth cube...done
                  SSD = 840mm
matRad: Uniform primary photon fluence -> pre-compute kernel
convolution for SSD = 840 mm ...
Progress: 100.00 %
Beam 7 of 8:
matRad: calculate radiological depth cube...done
                  SSD = 878mm
matRad: Uniform primary photon fluence -> pre-compute kernel
convolution for SSD = 878 mm ...
Progress: 100.00 %
Beam 8 of 8:
matRad: calculate radiological depth cube...done
                  SSD = 938mm
matRad: Uniform primary photon fluence -> pre-compute kernel
convolution for SSD = 938 mm ...
Progress: 100.00 %
************************
This program contains Ipopt, a library for large-scale nonlinear
optimization.
Ipopt is released as open source code under the Eclipse Public
License (EPL).
        For more information visit http://projects.coin-or.org/Ipopt
This is Ipopt version 3.11.8, running with linear solver ma57.
Number of nonzeros in equality constraint Jacobian...:
Number of nonzeros in inequality constraint Jacobian .:
```

```
Number of nonzeros in Lagrangian Hessian.....
                                                          0
Total number of variables.....
                                                       2207
                   variables with only lower bounds:
                                                       2207
               variables with lower and upper bounds:
                                                          0
                   variables with only upper bounds:
                                                          0
Total number of equality constraints.....
                                                          0
Total number of inequality constraints....:
       inequality constraints with only lower bounds:
                                                          0
   inequality constraints with lower and upper bounds:
                                                          0
       inequality constraints with only upper bounds:
                                                          0
iter
       objective
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
 alpha_pr ls
  0 1.6835152e+002 0.00e+000 5.54e+000 0.0 0.00e+000
+000 0.00e+000
              0
   1 9.0229894e+001 0.00e+000 5.64e+000 -0.3 1.03e+000
 9.77e-001 2.67e-001f 1
  2 7.2225245e+001 0.00e+000 4.15e+000 -6.6 1.45e-001
                                                       - 1.00e
+000 1.00e+000f 1
   3 1.5886846e+001 0.00e+000 2.49e+000 -1.6 6.87e-002
 9.99e-001 1.00e+000f 1
   4 1.2711254e+001 0.00e+000 6.60e-001 -1.7 2.21e-002
 9.28e-001 1.00e+000f 1
   5 7.5346485e+000 0.00e+000 4.25e-001 -2.0 5.31e-002
 9.98e-001 1.00e+000f 1
  6 4.3820387e+000 0.00e+000 3.54e-001 -2.8 6.10e-002
                                                       - 1.00e
+000 1.00e+000f 1
   7 3.2914364e+000 0.00e+000 5.76e-001 -3.4 8.20e-002
                                                       - 1.00e
+000 1.00e+000f 1
                                                       - 1.00e
   8 2.3991188e+000 0.00e+000 1.84e-001 -3.8 2.75e-002
+000 8.41e-001f 1
   9 2.2613266e+000 0.00e+000 1.46e-001 -4.8 9.15e-003
                                                       - 1.00e
+000 1.00e+000f 1
                   inf pr inf du lq(mu) | |d|| lq(rq) alpha du
iter
       objective
alpha pr ls
  10 2.1628239e+000 0.00e+000 1.46e-001 -5.8 2.27e-002
+000 3.33e-001f 1
  11 2.0423020e+000 0.00e+000 1.37e-001 -4.6 4.60e-002
+000 2.25e-001f 1
  12 1.9278596e+000 0.00e+000 5.51e-001 -4.0 5.47e-002
                                                       - 1.00e
+000 1.98e-001f 1
  13 1.8476477e+000 0.00e+000 8.75e-001 -2.9 1.32e-001
 6.38e-001 1.00e+000f 1
  14 1.7538306e+000 0.00e+000 1.58e-001 -4.2 2.31e-002
 9.90e-001 1.00e+000f 1
  15 1.6968139e+000 0.00e+000 7.91e-002 -4.4 3.37e-002
                                                       - 1.00e
+000 1.00e+000f 1
  16 1.6593228e+000 0.00e+000 5.78e-002 -5.7 3.13e-002
                                                       - 1.00e
+000 6.94e-001f 1
  17 1.6351462e+000 0.00e+000 1.14e-001 -6.2 2.83e-002
                                                       - 1.00e
+000 2.83e-001f 1
  18 1.6021937e+000 0.00e+000 9.55e-002 -7.1 4.55e-002
                                                       - 1.00e
+000 2.10e-001f 1
```

```
19 1.5710715e+000 0.00e+000 5.16e-002 -7.4 3.70e-002 - 1.00e
+000 1.75e-001f 1
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
iter
       objective
alpha pr ls
 20 1.5499955e+000 0.00e+000 2.04e-001 -4.2 5.32e-002
9.31e-001 9.40e-002f
                     7
 21 1.4927035e+000 0.00e+000 4.58e-001 -3.7 9.24e-002
8.51e-001 3.20e-001f 1
 22 1.5233347e+000 0.00e+000 4.25e-001 -3.3 7.05e-002
8.15e-001 1.00e+000f 1
 23 1.4751530e+000 0.00e+000 1.02e-001 -3.3 1.23e-002
                                                        - 1.00e
+000 1.00e+000f 1
 24 1.4515605e+000 0.00e+000 9.01e-002 -4.0 1.94e-002
9.99e-001 1.00e+000f 1
 25 1.4320297e+000 0.00e+000 1.03e-001 -5.3 2.17e-002 - 1.00e
+000 6.07e-001f 1
 26 1.4112400e+000 0.00e+000 6.73e-002 -5.8 2.85e-002
                                                        - 1.00e
+000 3.49e-001f 1
 27 1.4043540e+000 0.00e+000 1.38e-001 -5.2 1.59e-002
7.77e-001 1.71e-001f 1
 28 1.3872250e+000 0.00e+000 5.48e-002 -5.6 3.60e-002 - 1.00e
+000 2.05e-001f 1
 29 1.3571939e+000 0.00e+000 9.36e-002 -5.2 5.12e-002 - 1.00e
+000 3.43e-001f 1
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
iter
      objective
alpha pr ls
 30 1.3490060e+000 0.00e+000 7.56e-002 -4.4 3.66e-002 - 1.00e
+000 1.51e-001f 1
 31 1.3307865e+000 0.00e+000 6.89e-002 -4.0 3.94e-002
7.81e-001 4.97e-001f 1
 32 1.3193885e+000 0.00e+000 2.22e-001 -3.8 1.21e-002
8.77e-001 1.00e+000f 1
 33 1.3126632e+000 0.00e+000 1.27e-001 -9.8 1.36e-002
7.87e-001 3.78e-001f 1
 34 1.2993745e+000 0.00e+000 1.22e-001 -4.7 2.45e-002
7.16e-001 4.56e-001f 1
 35 1.2922290e+000 0.00e+000 1.23e-001 -5.4 2.75e-002
7.82e-001 2.03e-001f 1
 36 1.2803522e+000 0.00e+000 7.92e-002 -11.0 4.21e-002
3.33e-001 2.09e-001f 1
 37 1.2674119e+000 0.00e+000 9.50e-002 -5.5 6.16e-002
8.71e-001 1.64e-001f 1
 38 1.2622395e+000 0.00e+000 9.00e-002 -5.1 3.41e-002
6.76e-001 1.17e-001f 1
 39 1.2463301e+000 0.00e+000 7.60e-002 -4.9 4.27e-002
7.32e-001 2.61e-001f 1
iter
      objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha pr ls
 40 1.2400471e+000 0.00e+000 1.31e-001 -4.3 1.40e-002
6.61e-001 2.50e-001f 1
 41 1.2325859e+000 0.00e+000 1.16e-001 -4.2 1.88e-002
4.38e-001 2.61e-001f 1
 42 1.2276620e+000 0.00e+000 1.02e-001 -10.3 2.19e-002
5.80e-001 1.47e-001f 1
```

```
43 1.2139467e+000 0.00e+000 1.05e-001 -5.2 3.63e-002
                                                        - 1.00e
+000 2.69e-001f 1
  44 1.2092307e+000 0.00e+000 2.04e-001 -5.7 2.76e-002
7.76e-001 1.18e-001f 1
 45 1.2025930e+000 0.00e+000 1.27e-001 -6.7 2.58e-002
6.64e-001 1.64e-001f 1
 46 1.1918803e+000 0.00e+000 1.49e-001 -5.4 3.25e-002
                                                        - 1.00e
+000 2.49e-001f 1
                                                        - 1.00e
  47 1.1811352e+000 0.00e+000 3.80e-002 -4.5 3.64e-002
+000 2.92e-001f 1
  48 1.1765723e+000 0.00e+000 8.13e-002 -4.8 2.33e-002
8.55e-001 2.03e-001f 1
  49 1.1704586e+000 0.00e+000 6.06e-002 -5.4 3.19e-002
                                                        - 1.00e
+000 2.01e-001f 1
      objective
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
 50 1.1597742e+000 0.00e+000 2.92e-002 -4.6 3.54e-002
 4.98e-001 4.10e-001f 1
 51 1.1565150e+000 0.00e+000 1.99e-001 -4.2 1.10e-002
                                                        - 1.00e
+000 4.55e-001f 1
 52 1.1532504e+000 0.00e+000 8.96e-002 -6.3 1.78e-002
 5.69e-001 1.64e-001f 1
 53 1.1398902e+000 0.00e+000 4.16e-002 -4.8 3.75e-002
 5.61e-001 3.97e-001f 1
 54 1.1308042e+000 0.00e+000 2.79e-002 -4.3 3.85e-002
8.22e-001 3.60e-001f 1
 55 1.1223989e+000 0.00e+000 1.25e-001 -4.7 2.04e-002
7.23e-001 5.16e-001f 1
 56 1.2717907e+000 0.00e+000 1.59e-001 -3.4 1.47e-001
                                                       - 1.00e
+000 1.00e+000f 1
                                                        - 1.00e
  57 1.1685623e+000 0.00e+000 9.65e-002 -3.4 4.54e-002
+000 1.00e+000f 1
  58 1.1578186e+000 0.00e+000 7.16e-002 -3.4 1.25e-002
                                                        - 1.00e
+000 1.00e+000f 1
 59 1.1514750e+000 0.00e+000 3.91e-002 -3.4 8.81e-003
                                                        - 1.00e
+000 1.00e+000f 1
iter objective
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha_pr ls
 60 1.1495486e+000 0.00e+000 6.27e-002 -3.4 1.05e-002
                                                        - 1.00e
+000 1.00e+000f 1
 61 1.1480513e+000 0.00e+000 3.68e-002 -3.4 1.09e-002
                                                        - 1.00e
+000 1.00e+000f 1
 62 1.1467486e+000 0.00e+000 2.48e-002 -3.4 5.57e-003
                                                        - 1.00e
+000 1.00e+000f 1
 63 1.1428323e+000 0.00e+000 4.21e-002 -3.4 1.80e-002
                                                        - 1.00e
+000 1.00e+000f 1
  64 1.1390424e+000 0.00e+000 3.00e-002 -3.4 8.28e-003
                                                        - 1.00e
+000 1.00e+000f 1
 65 1.1357442e+000 0.00e+000 2.13e-002 -3.4 1.92e-003
                                                        - 1.00e
+000 1.00e+000f 1
 66 1.1309438e+000 0.00e+000 1.76e-002 -3.4 5.23e-003
                                                        - 1.00e
+000 1.00e+000f 1
 67 1.1269752e+000 0.00e+000 2.58e-002 -3.4 5.71e-003
                                                        - 1.00e
+000 1.00e+000f 1
```

```
68 1.1206528e+000 0.00e+000 3.37e-002 -3.4 1.20e-002 - 1.00e
+000 1.00e+000f 1
 69 1.1120263e+000 0.00e+000 3.22e-002 -4.2 1.07e-002 - 1.00e
+000 1.00e+000f 1
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
iter
       objective
alpha_pr ls
 70 1.1017197e+000 0.00e+000 3.40e-002 -5.6 7.69e-003 - 1.00e
+000 1.00e+000f 1
 71 1.0900689e+000 0.00e+000 2.89e-002 -6.2 1.87e-002
                                                        - 1.00e
+000 3.64e-001f 1
 72 1.0848965e+000 0.00e+000 6.03e-002 -6.4 1.52e-002
                                                        - 1.00e
+000 1.55e-001f 1
 73 1.0776577e+000 0.00e+000 6.15e-002 -4.0 4.50e-003
9.60e-001 8.37e-001f 1
 74 1.0662697e+000 0.00e+000 1.17e-001 -4.7 1.14e-002 - 1.00e
+000 5.27e-001f 1
 75 1.0570152e+000 0.00e+000 4.08e-002 -5.8 1.34e-002
                                                        - 1.00e
+000 4.43e-001f 1
 76 1.0527430e+000 0.00e+000 4.43e-002 -4.1 1.14e-002
9.96e-001 7.81e-001f 1
 77 1.0421556e+000 0.00e+000 1.25e-001 -5.0 1.09e-002
                                                       - 1.00e
+000 7.47e-001f 1
 78 1.0396648e+000 0.00e+000 6.81e-002 -10.9 1.23e-002
8.66e-001 1.86e-001f 1
 79 1.0334545e+000 0.00e+000 6.59e-002 -5.2 2.23e-002
7.48e-001 2.97e-001f 1
iter
     objective inf_pr inf_du lg(mu) |/d|| lg(rg) alpha_du
alpha_pr ls
 80 1.0283782e+000 0.00e+000 8.19e-002 -5.6 2.35e-002
5.66e-001 2.65e-001f 1
 81 1.0266396e+000 0.00e+000 1.23e-001 -7.3 2.37e-002
8.62e-001 9.36e-002f 1
 82 1.0220485e+000 0.00e+000 9.63e-002 -6.7 3.19e-002
9.03e-001 2.00e-001f 1
                                                       - 1.00e
 83 1.0177696e+000 0.00e+000 6.27e-002 -7.4 3.55e-002
+000 1.74e-001f 1
 84 1.0154361e+000 0.00e+000 1.05e-001 -5.4 2.34e-002
7.51e-001 1.51e-001f 1
 85 1.0115662e+000 0.00e+000 4.47e-002 -4.8 3.74e-002
7.93e-001 1.73e-001f 1
 86 1.0097005e+000 0.00e+000 7.91e-002 -7.0 2.66e-002
3.71e-001 1.04e-001f 1
 87 1.0062117e+000 0.00e+000 7.76e-002 -4.4 4.86e-002
6.03e-001 1.32e-001f 1
 88 1.0022194e+000 0.00e+000 6.78e-002 -4.3 3.64e-002
5.30e-001 1.89e-001f 1
 89 9.9783179e-001 0.00e+000 8.94e-002 -10.4 3.03e-002
4.30e-001 2.33e-001f 1
      objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
iter
alpha pr ls
 90 9.9526408e-001 0.00e+000 1.80e-001 -5.0 1.93e-002
8.31e-001 2.06e-001f 1
 91 9.9309042e-001 0.00e+000 1.70e-001 -5.5 2.31e-002
6.17e-001 1.32e-001f 1
```

```
92 9.8856582e-001 0.00e+000 8.44e-002 -4.6 2.53e-002
 5.15e-001 2.72e-001f 1
  93 9.8498654e-001 0.00e+000 5.97e-002 -4.9 2.45e-002
 4.22e-001 1.95e-001f 1
  94 9.8110315e-001 0.00e+000 4.79e-002 -10.8 3.71e-002
 2.77e-001 1.37e-001f 1
  95 9.7828877e-001 0.00e+000 7.91e-002 -4.7 3.19e-002
 6.41e-001 1.20e-001f 1
  96 9.7319549e-001 0.00e+000 7.35e-002 -4.8 4.12e-002
 4.27e-001 1.74e-001f 1
  97 9.7125917e-001 0.00e+000 7.10e-002 -10.8 4.10e-002
 4.44e-001 6.38e-002f 1
  98 9.6717406e-001 0.00e+000 9.47e-002 -5.8 3.02e-002
 5.27e-001 1.91e-001f 1
  99 9.6232298e-001 0.00e+000 5.40e-002 -5.2 2.88e-002
 6.20e-001 2.69e-001f 1
iter
       objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
 alpha_pr ls
100 9.6117072e-001 0.00e+000 7.34e-002 -5.2 7.63e-003
 4.30e-001 1.95e-001f 1
 101 9.5866235e-001 0.00e+000 6.79e-002 -4.4 1.38e-002
 6.48e-001 3.40e-001f 1
 102 9.5725853e-001 0.00e+000 5.68e-002 -4.6 7.50e-003
 4.70e-001 2.90e-001f 1
 103 9.5563347e-001 0.00e+000 6.05e-002 -10.6 1.12e-002
 3.15e-001 1.72e-001f 1
 104 9.5348679e-001 0.00e+000 9.81e-002 -5.0 1.77e-002
 8.45e-001 1.64e-001f 1
105 9.4842063e-001 0.00e+000 6.63e-002 -4.6 1.90e-002
6.27e-001 4.98e-001f 1
 106 9.4617285e-001 0.00e+000 4.40e-002 -5.3 2.20e-002
 6.76e-001 1.85e-001f 1
 107 9.9103016e-001 0.00e+000 8.35e-002 -3.8 2.16e-002
 8.70e-001 1.00e+000f 1
 108 9.7220512e-001 0.00e+000 3.09e-002 -3.9 1.50e-002
                                                        - 1.00e
+000 8.38e-001f 1
 109 9.6632343e-001 0.00e+000 2.12e-001 -3.9 7.15e-003 - 1.00e
+000 1.00e+000f 1
                    inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
iter
       objective
alpha_pr ls
110 9.6287428e-001 0.00e+000 1.42e-002 -3.9 8.17e-003
9.73e-001 1.00e+000f 1
 111 9.6354708e-001 0.00e+000 2.58e-002 -3.9 8.90e-003
                                                         - 1.00e
+000 1.00e+000f 1
112 9.6275569e-001 0.00e+000 1.57e-002 -3.9 3.30e-003
                                                        - 1.00e
+000 1.00e+000f 1
 113 9.6411641e-001 0.00e+000 8.58e-003 -3.9 3.09e-003
                                                         - 1.00e
+000 1.00e+000f 1
114 9.6496170e-001 0.00e+000 9.81e-003 -3.9 2.33e-003
                                                         - 1.00e
+000 1.00e+000f 1
115 9.6544646e-001 0.00e+000 1.34e-002 -3.9 4.57e-003
                                                         - 1.00e
+000 1.00e+000f 1
                                                         - 1.00e
116 9.6395176e-001 0.00e+000 9.50e-003 -3.9 3.21e-003
+000 1.00e+000f 1
```


```
117 9.6240002e-001 0.00e+000 9.36e-003 -3.9 2.70e-003 - 1.00e
+000 1.00e+000f 1
118 9.6022179e-001 0.00e+000 1.17e-002 -3.9 5.04e-003
                                                        - 1.00e
+000 1.00e+000f 1
119 9.5834308e-001 0.00e+000 1.01e-002 -3.9 6.28e-003
                                                       - 1.00e
+000 1.00e+000f 1
iter
       objective
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha pr ls
120 9.5692798e-001 0.00e+000 1.02e-002 -3.9 6.15e-003
                                                        - 1.00e
+000 1.00e+000f 1
121 9.5631828e-001 0.00e+000 9.43e-003 -3.9 2.57e-003
                                                        - 1.00e
+000 1.00e+000f 1
 122 9.5589146e-001 0.00e+000 9.12e-003 -3.9 2.75e-003
                                                        - 1.00e
+000 1.00e+000f 1
123 9.5460755e-001 0.00e+000 1.25e-002 -3.9 4.73e-003
+000 1.00e+000f 1
 124 9.5356639e-001 0.00e+000 8.97e-003 -3.9 5.00e-003
                                                        - 1.00e
+000 1.00e+000f 1
125 9.5200129e-001 0.00e+000 7.66e-003 -3.9 4.14e-003
                                                        - 1.00e
+000 1.00e+000f 1
126 9.5026339e-001 0.00e+000 8.59e-003 -3.9 4.80e-003
                                                        - 1.00e
+000 1.00e+000f 1
127 9.4736202e-001 0.00e+000 1.45e-002 -3.9 8.28e-003
                                                        - 1.00e
+000 1.00e+000f 1
128 9.4458164e-001 0.00e+000 1.01e-002 -3.9 8.02e-003
                                                        - 1.00e
+000 1.00e+000f 1
129 9.3746848e-001 0.00e+000 1.60e-002 -4.5 1.96e-002
                                                        - 1.00e
+000 1.00e+000f 1
iter
       objective
                   inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
alpha pr ls
130 9.3042564e-001 0.00e+000 1.71e-002 -5.5 3.35e-002
                                                        - 1.00e
+000 4.50e-001f 1
131 9.2861860e-001 0.00e+000 8.88e-002 -6.1 1.48e-002
                                                        - 1.00e
+000 1.31e-001f 1
132 9.2292080e-001 0.00e+000 3.43e-002 -11.0 1.47e-002
5.63e-001 3.58e-001f 1
133 9.1881489e-001 0.00e+000 2.61e-002 -5.2 1.03e-002
5.53e-001 2.69e-001f 1
 134 9.1625790e-001 0.00e+000 8.07e-002 -5.8 1.20e-002
                                                        - 1.00e
+000 1.81e-001f 1
135 9.1240944e-001 0.00e+000 4.97e-002 -7.6 1.42e-002
 4.05e-001 2.51e-001f 1
136 9.0989065e-001 0.00e+000 3.01e-002 -5.4 1.35e-002
4.33e-001 1.65e-001f 1
137 9.0875589e-001 0.00e+000 3.23e-002 -11.0 1.14e-002
 4.26e-001 9.94e-002f 1
138 9.0651262e-001 0.00e+000 3.72e-002 -6.3 1.50e-002 - 1.00e
+000 1.65e-001f 1
 139 9.0420033e-001 0.00e+000 2.63e-002 -5.7 1.48e-002
9.29e-001 1.98e-001f 1
      objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
iter
alpha pr ls
140 9.0300141e-001 0.00e+000 7.30e-002 -5.8 8.12e-003
9.36e-001 2.08e-001f 1
```

```
141 9.0058145e-001 0.00e+000 5.36e-002 -5.1 1.31e-002
 9.96e-001 3.26e-001f 1
 142 8.9954983e-001 0.00e+000 3.09e-002 -5.4 1.42e-002
 6.63e-001 1.23e-001f 1
 143 8.9807712e-001 0.00e+000 5.16e-002 -5.6 9.59e-003
 7.45e-001 2.63e-001f 1
 144 8.9639926e-001 0.00e+000 4.59e-002 -5.1 1.13e-002
8.20e-001 3.47e-001f 1
 145 8.9499442e-001 0.00e+000 4.16e-002 -5.9 1.16e-002
 5.68e-001 2.23e-001f 1
 146 8.9383728e-001 0.00e+000 2.83e-002 -5.1 1.18e-002
 6.35e-001 2.34e-001f 1
 147 8.9237924e-001 0.00e+000 3.19e-002 -5.0 1.39e-002
8.53e-001 4.46e-001f 1
148 8.9159228e-001 0.00e+000 4.37e-002 -5.3 3.47e-003
9.06e-001 3.70e-001f 1
 149 8.9053598e-001 0.00e+000 3.51e-002 -11.0 6.22e-003
 4.21e-001 2.63e-001f 1
      objective inf pr inf du lq(mu) |/d|/ lq(rq) alpha du
iter
 alpha pr ls
 150 8.8968815e-001 0.00e+000 4.40e-002 -6.9 8.64e-003
7.56e-001 1.77e-001f 1
 151 8.8889024e-001 0.00e+000 5.08e-002 -7.1 1.00e-002
 9.36e-001 1.58e-001f 1
 152 8.8784494e-001 0.00e+000 5.08e-002 -5.6 8.97e-003
7.42e-001 2.58e-001f 1
 153 8.8938157e-001 0.00e+000 1.26e-001 -4.8 1.86e-002
 5.65e-001 9.14e-001f 1
 154 8.8805800e-001 0.00e+000 1.04e-001 -5.0 2.05e-003 - 1.00e
+000 9.84e-001f 1
 155 8.8761731e-001 0.00e+000 5.06e-002 -5.0 3.64e-003
7.33e-001 1.00e+000f 1
 156 8.8708058e-001 0.00e+000 2.76e-002 -5.6 3.26e-003
 8.48e-001 2.94e-001f 1
 157 8.8602966e-001 0.00e+000 5.33e-002 -6.1 5.01e-003
8.43e-001 3.43e-001f 1
158 8.8544657e-001 0.00e+000 5.82e-002 -5.5 4.78e-003
9.74e-001 2.68e-001f 1
 159 8.8471922e-001 0.00e+000 3.82e-002 -6.4 7.62e-003
6.93e-001 2.19e-001f 1
iter objective inf_pr inf_du lg(mu) ||d|| lg(rg) alpha_du
 alpha_pr ls
 160 8.8393186e-001 0.00e+000 3.39e-002 -6.6 1.34e-002
9.10e-001 1.61e-001f 1
Number of Iterations....: 160
                                  (scaled)
                                                         (unscaled)
Objective..... 8.8393185574438515e-001
 8.8393185574438515e-001
Dual infeasibility....: 3.3948503162460439e-002
 3.3948503162460439e-002
Constraint violation...: 0.00000000000000000e+000
 0.00000000000000000e+000
```

```
Complementarity.....: 7.8777891974112479e-006
7.8777891974112479e-006
Overall NLP error....: 3.3948503162460439e-002
3.3948503162460439e-002
```

```
Number of objective function evaluations = 161
Number of objective gradient evaluations = 161
Number of equality constraint evaluations = 0
Number of inequality constraint evaluations = 0
Number of equality constraint Jacobian evaluations = 0
Number of inequality constraint Jacobian evaluations = 0
Number of Lagrangian Hessian evaluations = 0
Total CPU secs in IPOPT (w/o function evaluations) = 4.191
Total CPU secs in NLP function evaluations = 59.362
```

EXIT: Solved To Acceptable Level. Calculating final cubes...




Visual Comparison of results


Let's compare the new recalculation against the optimization result.

```
plane = 3;
doseWindow = [0 max([resultGUI.physicalDose(:);
  resultGUI_coarse.physicalDose(:)])];
```

```
figure,title('original plan - fine beam spacing')
[~,~,~,~,~] =
matRad_plotSliceWrapper(gca,ct,cst,1,resultGUI.physicalDose,plane,slice,
[],0.75,colorcube,[],doseWindow,[]);
figure,title('modified plan - coarse beam spacing')
[~,~,~,~,~] =
matRad_plotSliceWrapper(gca,ct,cst,1,resultGUI_coarse.physicalDose,plane,slice,
[],0.75,colorcube,[],doseWindow,[]);
```








At this point we would like to see the absolute difference of the original ptimization and the recalculation.

```
absDiffCube = resultGUI.physicalDose-resultGUI_coarse.physicalDose;
figure,title( 'fine beam spacing plan - coarse beam spacing plan')
[~,~,~,~,~] =
  matRad_plotSliceWrapper(gca,ct,cst,l,absDiffCube,plane,slice,[],
[],colorcube);
```



Obtain dose statistics

Two more columns will be added to the cst structure depicting the DVH and standard dose statistics such as D95,D98, mean dose, max dose etc.

```
= matRad indicatorWrapper(cst,pln,resultGUI);
cst_coarse = matRad_indicatorWrapper(cst,pln,resultGUI_coarse);
                        BODY - Mean dose = 0.17 \text{ Gy } +/- 0.33 \text{ Gy } (\text{Max dose})
= 1.72 Gy, Min dose = 0.00 Gy)
                                D2% = 1.39 Gy, D5% = 0.90 Gy, D98% =
 0.00 \text{ Gy}, D95\% = 0.00 \text{ Gy},
                                VOGy = 100.00\%, V0.345Gy = 17.58\%, V0.69Gy
                                                                         0.00%,
     8.17%, V1.03Gy = 3.69%, V1.38Gy = 2.03%, V1.72Gy =
                        Core - Mean dose = 0.59 \text{ Gy } +/- 0.18 \text{ Gy } (\text{Max dose})
 = 0.91 \, \text{Gy}, \, \text{Min dose} = 0.17 \, \text{Gy})
                                D2\% = 0.91 \text{ Gy}, D5\% = 0.86 \text{ Gy}, D98\% =
 0.21 \text{ Gy}, D95\% = 0.29 \text{ Gy},
                                VOGy = 100.00\%, V0.345Gy = 91.95\%, V0.69Gy
 = 33.28\%, V1.03Gy = 0.00\%, V1.38Gy = 0.00\%, V1.72Gy = 0.00\%
                                                                         0.00%,
               OuterTarget - Mean dose = 1.67 Gy +/- 0.02 Gy (Max dose
= 1.72 \, \text{Gy}, \, \text{Min dose} = 1.57 \, \text{Gy}
                                D2% = 1.70 Gy, D5% = 1.69 Gy, D98% =
 1.60 \text{ Gy}, D95\% = 1.63 \text{ Gy},
```

```
VOGy = 100.00\%, V0.345Gy = 100.00\%, V0.69Gy
= 100.00%, V1.03Gy = 100.00%, V1.38Gy = 100.00%, V1.72Gy = 100.00%
                                CI = 0.8581, HI = 3.44 for reference dose
of 1.7 Gy
 0
                       BODY - Mean dose = 0.17 \text{ Gy +/-} 0.34 \text{ Gy (Max dose)}
= 1.92 Gy, Min dose = 0.00 Gy)
                                D2\% = 1.45 \text{ Gy}, D5\% = 0.94 \text{ Gy}, D98\% =
0.00 \, \text{Gy}, \, D95\% = 0.00 \, \text{Gy},
                                VOGy = 100.00\%, V0.385Gy = 16.17\%,
                6.85\%, V1.15Gy = 3.19\%, V1.54Gy = 1.73\%, V1.92Gy = 1.73\%
V0.769Gy =
0.00%,
                       Core - Mean dose = 0.60 \text{ Gy} +/- 0.17 \text{ Gy} (Max dose
 7
= 0.90 \text{ Gy}, \text{ Min dose} = 0.21 \text{ Gy}
                                D2\% = 0.89 \text{ Gy}, D5\% = 0.87 \text{ Gy}, D98\% =
0.24 \text{ Gy}, D95\% = 0.36 \text{ Gy},
                                VOGy = 100.00\%, V0.385Gy = 90.55\%,
V0.769Gy = 20.31%, V1.15Gy = 0.00%, V1.54Gy = 0.00%, V1.92Gy = 0.00%
0.00%,
              OuterTarget - Mean dose = 1.66 Gy +/- 0.02 Gy (Max dose
= 1.72 \text{ Gy}, \text{ Min dose} = 1.54 \text{ Gy})
                                D2\% = 1.70 \text{ Gy}, D5\% = 1.70 \text{ Gy}, D98\% =
1.61 \, \text{Gy}, \, D95\% = 1.63 \, \text{Gy},
                                VOGy = 100.00\%, V0.385Gy = 100.00\%,
V0.769Gy = 100.00%, V1.15Gy = 100.00%, V1.54Gy = 100.00%, V1.92Gy = 100.00%
0.00%,
                                CI = 0.7568, HI = 3.76 for reference dose
of 1.7 Gy
```

The treatment plan using more beams should in principle result in a better OAR sparing. Therefore lets have a look at the D95 of the OAR of both plans


```
ixOAR = 2;
cst{ixOAR,9}{1}.D95
cst_coarse{ixOAR,9}{1}.D95

ans =
    0.2926

ans =
    0.3610
```

Indeed, the coarse beam plan yields a higher D95 in the OAR. Finally, lets plot the DVH

```
matRad_showDVH(cst,pln)
```



Published with MATLAB® R2017a