

decompiler, javap · 505, 610, 660  
 Decorator design pattern · 717  
 decoupling, via polymorphism · 41, 277  
 decrement operator · 101  
 default constructor · 166; access the same  
   as the class · 592; synthesizing a default  
   constructor · 245  
 default keyword, in a switch statement ·  
   151  
 default package · 211, 223  
 defaultReadObject() · 995  
 defaultWriteObject() · 994  
 DeflaterOutputStream · 973  
 Delayed · 1238  
 DelayQueue, for concurrency · 1235  
 delegation · 246, 716  
 Delphi, from Borland · 1394  
 DeMarco, Tom · 1459  
 deque, double-ended queue · 410, 829  
 derived: derived class · 281; derived class,  
   initializing · 244; types · 34  
 design · 307; adding more methods to a  
   design · 235; and composition · 304;  
   and inheritance · 304; and mistakes ·  
   234; library design · 210  
 design pattern: Adapter · 325, 334, 630,  
   733, 737, 795; Adapter method · 434;  
   Chain of Responsibility · 1036;  
   Command · 381, 603, 1031, 1121; Data  
   Transfer Object (Messenger idiom) ·  
   621, 797, 860; Decorator · 717; Façade ·  
   577; Factory Method · 339, 582, 627,  
   928; Factory Method, and anonymous  
   classes · 361; Flyweight · 800, 1301;  
   Iterator · 349, 406; Null Iterator · 598;  
   Null Object · 598; Proxy · 593; Singleton ·  
   232; State · 306; Strategy · 322, 332,  
   737, 764, 778, 780, 903, 910, 1036,  
   1238; Template Method · 375, 573, 666,  
   859, 969, 1173, 1279, 1284; Visitor ·  
   1079  
 destructor · 173, 175, 473; Java doesn't  
   have one · 251  
 diagram: class inheritance diagrams · 261;  
   inheritance · 42  
 dialog: box · 1364; file · 1368; tabbed ·  
   1349  
 dictionary · 394  
 Dijkstra, Edsger · 1224  
 dining philosophers, example of deadlock  
   in concurrency · 1224  
 directory: and packages · 220; creating  
   directories and paths · 912; lister · 902  
 dispatching: double dispatching · 1048;  
   multiple, and enum · 1047  
 display framework, for Swing · 1310  
 dispose() · 1365  
 division · 98  
 documentation · 17; comments &

embedded documentation · 81  
 double: and threading · 1161; literal value  
   marker (d or D) · 109  
 double dispatching · 1048; with EnumMap  
   · 1055  
 double-ended queue (deque) · 410  
 do-while · 138  
 downcast · 261, 308; type-safe downcast ·  
   569  
 drawing lines in Swing · 1360  
 drop-down list · 1345  
 duck typing · 721, 733  
 dynamic: aggregate initialization syntax  
   for arrays · 752; behavior change with  
   composition · 306; binding · 277, 282;  
   proxy · 594; type checking in Java · 814;  
   type safety and containers · 710

## E

early binding · 40, 281  
 East, BorderLayout · 1317  
 editor, creating one using the Swing  
   JTextPane · 1341  
 efficiency: and arrays · 747; and final · 271  
 else keyword · 135  
 encapsulation · 228; using reflection to  
   break · 607  
 encode(), character set · 953  
 end sentinel · 626  
 endian: big endian · 958; little endian ·  
   958  
 entrySet(), in Map · 845  
 enum: adding methods · 1014; and Chain  
   of Responsibility design pattern · 1036;  
   and inheritance · 1020; and interface ·  
   1023; and multiple dispatching · 1047;  
   and random selection · 1021; and state  
   machines · 1041; and static imports ·  
   1013; and switch · 1016; constant-  
   specific methods · 1032, 1053; groups of  
   constant values in C & C++ · 335;  
   keyword · 204, 1011; values() · 1011,  
   1017  
 enumerated types · 204  
 Enumeration · 894  
 EnumMap · 1030  
 EnumSet · 642, 899; instead of flags · 1028  
 equals() · 104; and hashCode() · 822, 853;  
   and hashed data structures · 843;  
   conditions for defining properly · 842;  
   overriding for HashMap · 842  
 equivalence: == · 103; object equivalence ·  
   103  
 erasure · 696; in generics · 650  
 Erlang language · 1113  
 error: handling with exceptions · 443;

recovery · 443; reporting · 492;  
 reporting errors in book · 21; standard  
 error stream · 450  
 Escalating Commitment, Theory of · 1146  
 event: event-driven programming · 1312;  
 event-driven system · 375; events and  
 listeners · 1322; JavaBeans · 1394;  
 listener · 1321; model, Swing · 1321;  
 multicast, and JavaBeans · 1407;  
 responding to a Swing event · 1312  
 EventSetDescriptors · 1401  
 exception: and concurrency · 1158; and  
 constructors · 481; and inheritance ·  
 479, 489; and the console · 497;  
 catching an exception · 447; catching  
 any exception · 458; chained exceptions  
 · 498; chaining · 464; changing the  
 point of origin of the exception · 463;  
 checked · 457, 491; class hierarchies ·  
 489; constructors · 483; converting  
 checked to unchecked · 497; creating  
 your own · 449; design issues · 485;  
 Error class · 468; Exception class · 468;  
 exception handler · 448; exception  
 handling · 443; exception matching ·  
 489; exceptional condition · 445;  
 FileNotFoundException · 485;  
 fillInStackTrace() · 461; finally · 471;  
 generics · 711; guarded region · 447;  
 handler · 445; handling · 49; logging ·  
 452; losing an exception, pitfall · 477;  
 NullPointerException · 469;  
 printStackTrace() · 461; reporting  
 exceptions via a logger · 454;  
 restrictions · 479; re-throwing an  
 exception · 461; RuntimeException ·  
 469; specification · 457, 493;  
 termination vs. resumption · 449;  
 Throwable · 458; throwing an exception  
 · 445, 446; try · 473; try block · 447;  
 typical uses of exceptions · 500;  
 unchecked · 469  
 Exchanger, concurrency class · 1250  
 executing operating system programs from  
 within Java · 944  
 Executor, concurrency · 1120  
 ExecutorService · 1121  
 explicit type argument specification for  
 generic methods · 398, 635  
 exponential notation · 109  
 extending a class during inheritance · 35  
 extends · 226, 243, 307; and @interface ·  
 1070; and interface · 330; keyword · 241  
 extensible program · 286  
 extension: sign · 112; zero · 112  
 extension, vs. pure inheritance · 306  
 Externalizable · 986; alternative approach  
 to using · 992  
 Extreme Programming (XP) · 1457

## F

Façade · 577  
 Factory Method design pattern · 339, 582,  
 627, 928; and anonymous classes · 361  
 factory object · 285, 664  
 fail fast containers · 888  
 false · 105  
 FeatureDescriptor · 1414  
 Fibonacci · 629  
 Field, for reflection · 589  
 fields, initializing fields in interfaces · 335  
 FIFO (first-in, first out) · 423  
 file: characteristics of files · 912; dialogs ·  
 1368; File class · 901, 916, 925;  
 File.list() · 901; incomplete output files,  
 errors and flushing · 931; JAR file · 212;  
 locking · 970; memory-mapped files ·  
 966  
 FileChannel · 947  
 FileDescriptor · 916  
 FileReader · 927  
 FileInputStream · 916  
 FileLock · 971  
 FilenameFilter · 901  
 FileNotFoundException · 485  
 FileOutputStream · 917  
 FileReader · 483, 923  
 FileWriter · 923, 930  
 fillInStackTrace() · 461  
 FilterInputStream · 916  
 FilterOutputStream · 917  
 FilterReader · 924  
 FilterWriter · 924  
 final · 316, 622; and efficiency · 271; and  
 private · 268; and static · 263; argument  
 · 266, 904; blank finals · 265; classes ·  
 270; data · 262; keyword · 262; method ·  
 282; methods · 267, 303; static  
 primitives · 264; with object references ·  
 263  
 finalize() · 173, 254, 485; and inheritance ·  
 295; calling directly · 175  
 finally · 251, 254; and constructors · 483;  
 and return · 476; keyword · 471; not run  
 with daemon threads · 1135; pitfall · 477  
 finding .class files during loading · 214  
 FixedThreadPool · 1122  
 flag, using EnumSet instead of · 1028  
 Flex: OpenLaszlo alternative to Flex · 1416;  
 tool from Macromedia · 1416  
 flip(), nio · 948  
 float: floating point true and false · 106;  
 literal value marker (F) · 109  
 FlowLayout · 1318  
 flushing output files · 931  
 Flyweight design pattern · 800, 1301  
 focus traversal · 1305

folding, constant · 262  
 for keyword · 138  
 foreach · 141, 145, 199, 200, 219, 376, 393,  
 422, 429, 545, 629, 631, 694, 1011,  
 1036; and Adapter Method · 434; and  
 Iterable · 431  
 format: precision · 517; specifiers · 516;  
 string · 514; width · 516  
 format() · 514  
 Formatter · 515  
 forName() · 558, 1326  
 FORTRAN programming language · 110  
 forward referencing · 184  
 Fowler, Martin · 209, 495, 1457  
 framework, control framework and inner  
 classes · 375  
 function: member function · 29; overriding  
 · 36  
 function object · 737  
 functional languages · 1113  
 Future · 1125

## G

garbage collection · 173, 175; and cleanup ·  
 251; how the collector works · 178; order  
 of object reclamation · 254; reachable  
 objects · 889  
 Generator · 285, 627, 636, 645, 695, 732,  
 763, 780, 794, 1021, 1042; filling a  
 Collection · 636; general purpose · 637  
 generics: @Unit testing · 1094; and type-  
 safe containers · 390; anonymous inner  
 classes · 645; array of generic objects ·  
 850; basic introduction · 390; bounds ·  
 653, 673; cast via a generic class · 699;  
 casting · 697; Class references · 565;  
 contravariance · 682; curiously  
 recurring · 702; erasure · 650, 696;  
 example of a framework · 1282;  
 exceptions · 711; explicit type argument  
 specification for generic methods · 398,  
 635; inner classes · 645; instanceof ·  
 663, 697; isInstance() · 663; methods ·  
 631, 795; overloading · 699; reification ·  
 655; self-bounded types · 701; simplest  
 class definition · 413; supertype  
 wildcards · 682; type tag · 663;  
 unbounded wildcard · 686; varargs and  
 generic methods · 635; wildcards · 677  
 get(): ArrayList · 390; HashMap · 420; no  
 get() for Collection · 811  
 getBeanInfo() · 1398  
 getBytes() · 929  
 getCanonicalName() · 560  
 getChannel() · 948  
 getClass() · 459, 558

getConstructor() · 1335  
 getConstructors() · 592  
 getenv() · 433  
 getEventSetDescriptors() · 1401  
 getInterfaces() · 560  
 getMethodDescriptors() · 1401  
 getMethods() · 592  
 getName() · 1400  
 getPropertyDescriptors() · 1400  
 getPropertyType() · 1400  
 getReadMethod() · 1400  
 getSelectedValues() · 1347  
 getSimpleName() · 560  
 getState() · 1357  
 getSuperclass() · 561  
 getWriteMethod() · 1400  
 Glass, Robert · 1458  
 glue, in BorderLayout · 1321  
 Goetz Test, for avoiding synchronization ·  
 1160  
 Goetz, Brian · 1156, 1160, 1272, 1302  
 goto, lack of in Java · 146  
 graphical user interface (GUI) · 375, 1303  
 graphics · 1368; Graphics class · 1361  
 greater than (>) · 103  
 greater than or equal to (>=) · 103  
 greedy quantifiers · 529  
 GridBagLayout · 1320  
 GridLayout · 1319, 1392  
 Grindstaff, Chris · 1430  
 group, thread · 1146  
 groups, regular expression · 534  
 guarded region, in exception handling ·  
 447  
 GUI: graphical user interface · 375, 1303;  
 GUI builders · 1304  
 GZIPInputStream · 973  
 GZIPOutputStream · 973

## H

handler, exception · 448  
 Harold, Elliott Rusty · 1415, 1456; XOM  
 XML library · 1003  
 has-a · 32; relationship, composition · 258  
 hash function · 847  
 hashCode() · 833, 839, 847; and hashed  
 data structures · 843; equals() · 822;  
 issues when writing · 851; recipe for  
 generating decent · 853  
 hashing · 844, 847; and hash codes · 839;  
 external chaining · 848; perfect hashing  
 function · 848  
 HashMap · 834, 877, 1287, 1331  
 HashSet · 415, 821, 872  
 Hashtable · 877, 895  
 hasNext(), Iterator · 407

Hexadecimal · 109  
 hiding, implementation · 228  
 Holub, Allen · 1295  
 HTML on Swing components · 1370

## I

I/O: available( ) · 930; basic usage, examples · 927; between tasks using pipes · 1221; blocking, and available( ) · 930; BufferedInputStream · 920; BufferedOutputStream · 921; BufferedReader · 483, 924, 927; BufferedWriter · 924, 930; ByteArrayInputStream · 916; ByteArrayOutputStream · 917; characteristics of files · 912; CharArrayReader · 923; CharArrayWriter · 923; CheckedInputStream · 973; CheckedOutputStream · 973; close( ) · 928; compression library · 973; controlling the process of serialization · 986; DataInput · 926; DataInputStream · 920, 924, 929; DataOutput · 926; DataOutputStream · 921, 925; DeflaterOutputStream · 973; directory lister · 902; directory, creating directories and paths · 912; Externalizable · 986; File · 916, 925; File class · 901; File.list( ) · 901; FileDescriptor · 916; FileInputReader · 927; FileInputStream · 916; FilenameFilter · 901; FileOutputStream · 917; FileReader · 483, 923; FileWriter · 923, 930; FilterInputStream · 916; FilterOutputStream · 917; FilterReader · 924; FilterWriter · 924; from standard input · 941; GZIPInputStream · 973; GZIPOutputStream · 973;InflaterInputStream · 973; input · 914; InputStream · 914; InputStreamReader · 922, 923; internationalization · 923; interruptible · 1189; library · 901; lightweight persistence · 980; LineNumberInputStream · 920; LineNumberReader · 924; mark( ) · 926; mkdirs( ) · 914; network I/O · 946; new nio · 946; ObjectOutputStream · 981; output · 914; OutputStream · 914, 917; OutputStreamWriter · 922, 923; pipe · 915; piped streams · 936; PipedInputStream · 916; PipedOutputStream · 916, 917; PipedReader · 923; PipedWriter · 923; PrintStream · 921; PrintWriter · 924, 930, 932; PushbackInputStream · 920; PushbackReader · 924; RandomAccessFile · 925, 926, 934; read( ) · 914; readDouble( ) · 934; Reader · 914, 922, 923; readExternal( ) · 986; readLine( ) · 485, 924, 931, 942; readObject( ) · 981; redirecting standard I/O · 942; renameTo( ) · 914; reset( ) · 926; seek( ) · 926, 934; SequenceInputStream · 916, 925; Serializable · 986; setErr(PrintStream) · 943; setIn(InputStream) · 943; setOut(PrintStream) · 943; StreamTokenizer · 924; StringBuffer · 916; StringBufferInputStream · 916; StringReader · 923, 928; StringWriter · 923; System.err · 941; System.in · 941; System.out · 941; transient · 991; typical I/O configurations · 927; Unicode · 923; write( ) · 914; writeBytes( ) · 933; writeChars( ) · 933; writeDouble( ) · 934; writeExternal( ) · 986; writeObject( ) · 981; Writer · 914, 922, 923; ZipEntry · 977; ZipInputStream · 973; ZipOutputStream · 973  
 Icon · 1335  
 IdentityHashMap · 834, 877  
 if-else statement · 116, 135  
 IllegalAccessException · 573  
 IllegalMonitorStateException · 1199  
 ImageIcon · 1336  
 immutable · 600  
 implementation · 28; and interface · 257, 316; and interface, separating · 31; and interface, separation · 228; hiding · 209, 228, 352; separation of interface and implementation · 1321  
 implements keyword · 316  
 import keyword · 211  
 increment operator · 101; and concurrency · 1153  
 indexed property · 1414  
 indexing operator [ ] · 193  
 indexOf( ), String · 592  
 inference, generic type argument inference · 632  
 InflaterInputStream · 973  
 inheritance · 33, 226, 237, 241, 277; and enum · 1020; and final · 270; and finalize( ) · 295; and generic code · 617; and synchronized · 1411; class inheritance diagrams · 261; combining composition & inheritance · 249; designing with inheritance · 304; diagram · 42; extending a class during · 35; extending interfaces with inheritance · 329; from abstract classes · 312; from inner classes · 382; initialization with inheritance · 272; method overloading vs. overriding · 255; multiple inheritance in C++ and Java ·



326; pure inheritance vs. extension · 306; specialization · 258; vs. composition · 256, 262, 830, 895  
 initial capacity, of a HashMap or HashSet · 878  
 initialization: and class loading · 272; array initialization · 193; base class · 244; class · 563; class member · 239; constructor initialization during inheritance and composition · 249; initializing with the constructor · 155; instance initialization · 191, 359; lazy · 239; member initializers · 294; non-static instance initialization · 191; of class fields · 182; of method variables · 181; order of initialization · 185, 302; static · 274; with inheritance · 272  
 inline method calls · 267  
 inner class · 345; access rights · 348; and overriding · 383; and control frameworks · 375; and super · 383; and Swing · 1322; and threads · 1137; and upcasting · 352; anonymous inner class · 904, 1314; and table-driven code · 859; callback · 372; closure · 372; generic · 645; hidden reference to the object of the enclosing class · 349; identifiers and .class files · 387; in methods & scopes · 354; inheriting from inner classes · 382; local · 355; motivation · 369; nesting within any arbitrary scope · 355; private inner classes · 377; referring to the outer-class object · 350; static inner classes · 364  
 InputStream · 914  
 InputStreamReader · 922, 923  
 instance: instance initialization · 359; non-static instance initialization · 191; of a class · 25  
 instanceof · 576; and generic types · 697; dynamic instanceof with `isInstance()` · 578; keyword · 569  
 Integer: `parseInt()` · 1368; wrapper class · 196  
 interface: and enum · 1023; and generic code · 617; and implementation, separation of · 31, 228, 1321; and inheritance · 329; base-class interface · 286; classes nested inside · 366; common interface · 311; for an object · 26; initializing fields in interfaces · 335; keyword · 316; name collisions when combining interfaces · 330; nesting interfaces within classes and other interfaces · 336; private, as nested interfaces · 339; upcasting to an interface · 319; vs. abstract · 328; vs. implementation · 257  
 internationalization, in I/O library · 923

`interrupt()`: concurrency · 1185; threading · 1143  
 interruptible io · 1189  
 Introspector · 1398  
 invocation handler, for dynamic proxy · 595  
 is-a · 306; relationship, inheritance · 258; and upcasting · 260; vs. is-like-a relationships · 37  
`isAssignableFrom()`, Class method · 580  
`isDaemon()` · 1133  
`isInstance()` · 578; and generics · 663  
`isInterface()` · 560  
 is-like-a · 307  
 Iterable · 629, 797; and array · 433; and foreach · 431  
 Iterator · 406, 409, 427; `hasNext()` · 407; `next()` · 407  
 Iterator design pattern · 349

## J

Jacobsen, Ivar · 1457  
 JApplet · 1317; menus · 1352  
 JAR · 1412; file · 212; jar files and classpath · 216; utility · 978  
 Java: and set-top boxes · 111; AWT · 1303; bytecodes · 506; compiling and running a program · 80; Java Foundation Classes (JFC/Swing) · 1303; Java Virtual Machine (JVM) · 556; Java Web Start · 1376; public Java seminars · 15  
 Java standard library, and thread-safety · 1232  
 JavaBeans, see Beans · 1393  
 javac · 81  
 javadoc · 82  
 javap decompiler · 505, 610, 660  
 Javassist · 1104  
 JButton · 1335; Swing · 1311  
 JCheckBox · 1335, 1342  
 JCheckBoxMenuItem · 1353, 1357  
 JComboBox · 1345  
 JComponent · 1337, 1360  
 JDialog · 1364; menus · 1352  
 JDK 1.1 I/O streams · 922  
 JDK, downloading and installing · 80  
 JFC, Java Foundation Classes (Swing) · 1303  
 JFileChooser · 1368  
 JFrame · 1317; menus · 1352  
 JIT, just-in-time compilers · 181  
 JLabel · 1340  
 JList · 1347  
 JMenu · 1352, 1357  
 JMenuBar · 1352, 1358  
 JMenuItem · 1336, 1352, 1357, 1358, 1360

JNLP, Java Network Launch Protocol · 1376  
join( ), threading · 1143  
JOptionPane · 1350  
Joy, Bill · 103  
JPanel · 1334, 1360, 1392  
JPopupMenu · 1359  
JProgressBar · 1373  
JRadioButton · 1335, 1344  
JScrollPane · 1316, 1349  
JSlider · 1373  
JTabbedPane · 1349  
JTextArea · 1315  
JTextField · 1312, 1338  
JTextPane · 1341  
JToggleButton · 1334  
JUnit, problems with · 1083  
JVM (Java Virtual Machine) · 556

---

## K

keyboard: navigation, and Swing · 1305;  
shortcuts · 1358  
keySet( ) · 877

---

## L

label · 146  
labeled: break · 147; continue · 147  
late binding · 40, 277, 281  
latent typing · 721, 733  
layout, controlling layout with layout  
managers · 1317  
lazy initialization · 239  
least-recently-used (LRU) · 838  
left-shift operator (<<) · 112  
length: array member · 194; for arrays · 749  
less than (<) · 103  
less than or equal to (<=) · 103  
lexicographic: sorting · 418; vs. alphabetic  
sorting · 783  
library: creator, vs. client programmer · 209; design · 210; use · 210  
LIFO (last-in, first-out) · 412  
lightweight: object · 406; persistence · 980  
LineNumberInputStream · 920  
LineNumberReader · 924  
LinkedBlockingQueue · 1215  
LinkedHashMap · 834, 838, 877  
LinkedHashSet · 416, 821, 872, 874  
LinkedList · 401, 410, 423, 817  
linking, class · 563  
list: boxes · 1347; drop-down list · 1345  
List · 389, 394, 401, 817, 1347;  
performance comparison · 863; sorting

and searching · 884  
listener: adapters · 1328; and events · 1322; interfaces · 1326  
Lister, Timothy · 1459  
ListIterator · 817  
literal: class literal · 562, 576; double · 109; float · 109; long · 109; values · 108  
little endian · 958  
livelock · 1301  
load factor, of a HashMap or HashSet · 878  
loader, class · 556  
loading: .class files · 214; class · 273, 563; initialization & class loading · 272  
local: inner class · 355; variable · 71  
lock: contention, in concurrency · 1272; explicit, in concurrency · 1157; in concurrency · 1155; optimistic locking · 1290  
lock-free code, in concurrent programming · 1161  
locking, file · 970, 971  
logarithms, natural · 110  
logging, building logging into exceptions · 452  
logical: AND · 120; operator and short-circuiting · 106; operators · 105; OR · 120  
long: and threading · 1161; literal value marker (L) · 109  
look & feel, pluggable · 1373  
LRU, least-recently-used · 838  
lvalue · 95

---

## M

machines, state, and enum · 1041  
Macromedia Flex · 1416  
main( ) · 242  
manifest file, for JAR files · 978, 1412  
Map · 389, 394, 419; EnumMap · 1030; in-depth exploration of · 831; performance comparison · 875  
Map.Entry · 845  
MappedByteBuffer · 966  
mark( ) · 926  
marker annotation · 1061  
matcher, regular expression · 531  
matches( ), String · 525  
Math.random( ) · 419; range of results · 871  
mathematical operators · 98, 971  
member: initializers · 294; member function · 29; object · 32  
memory exhaustion, solution via References · 890  
memory-mapped files · 966  
menu: JDialog, JApplet, JFrame · 1352;

JPopupMenu · 1359  
 message box, in Swing · 1350  
 message, sending · 27  
 Messenger idiom · 621, 797, 860  
 meta-annotations · 1063  
 Metadata · 1059  
 method: adding more methods to a design  
   · 235; aliasing during method calls · 97;  
   applying a method to a sequence · 728;  
   behavior of polymorphic methods inside  
   constructors · 301; distinguishing  
   overloaded methods · 160; final · 267,  
   282, 303; generic · 631; initialization of  
   method variables · 181; inline method  
   calls · 267; inner classes in methods &  
   scopes · 354; lookup tool · 1324; method  
   call binding · 281; overloading · 158;  
   overriding private · 290; polymorphic  
   method call · 277; private · 303;  
   protected methods · 259; recursive ·  
   510; static · 172, 282  
 Method · 1401; for reflection · 589  
 MethodDescriptors · 1401  
 Meyer, Jeremy · 1059, 1100, 1376  
 Meyers, Scott · 30  
 microbenchmarks · 871  
 Microsoft Visual BASIC · 1394  
 migration compatibility · 655  
 missed signals, concurrency · 1203  
 mistakes, and design · 234  
 mixin · 713  
 mkdirs() · 914  
 mnemonics (keyboard shortcuts) · 1358  
 Mock Object · 606  
 modulus · 98  
 monitor, for concurrency · 1155  
 Mono · 58  
 multicast · 1406; event, and JavaBeans ·  
   1407  
 multidimensional arrays · 754  
 multiparadigm programming · 25  
 multiple dispatching: and enum · 1047;  
   with EnumMap · 1055  
 multiple implementation inheritance · 371  
 multiple inheritance, in C++ and Java ·  
   326  
 multiplication · 98  
 multiply nested class · 368  
 multitasking · 1112  
 mutual exclusion (mutex), concurrency ·  
   1154  
 MXML, Macromedia Flex input format ·  
   1416  
 mxmle, Macromedia Flex compiler · 1418

## N

name: clash · 211; collisions · 217;

collisions when combining interfaces ·  
   330; creating unique package names ·  
   214; qualified · 560  
 namespaces · 211  
 narrowing conversion · 120  
 natural logarithms · 110  
 nested class (static inner class) · 364  
 nesting interfaces · 336  
 net.mindview.util.SwingConsole · 1310  
 network I/O · 946  
 Neville, Sean · 1416  
 new I/O · 946  
 new operator · 173; and primitives, array ·  
   195  
 newInstance() · 1335; reflection · 561  
 next(), Iterator · 407  
 nio · 946; and interruption · 1189; buffer ·  
   946; channel · 946; performance · 967  
 no-arg constructor · 156, 166  
 North, BorderLayout · 1317  
 not equivalent (!=) · 103  
 NOT, logical (!) · 105  
 notifyAll() · 1198  
 notifyListeners() · 1411  
 null · 67  
 Null Iterator design pattern · 598  
 Null Object design pattern · 598  
 NullPointerException · 469  
 numbers, binary · 109

## O

object · 25; aliasing · 97; arrays are first-  
   class objects · 749; assigning objects by  
   copying references · 96; Class object ·  
   556, 998, 1156; creation · 156; equals() ·  
   104; equivalence · 103; equivalence vs.  
   reference equivalence · 104; final · 263;  
   getClass() · 558; hashCode() · 833;  
   interface to · 26; lock, for concurrency ·  
   1155; member · 32; object-oriented  
   programming · 553; process of creation ·  
   189; serialization · 980; standard root  
   class, default inheritance from · 241;  
   wait() and notifyAll() · 1199; web of  
   objects · 981  
 object pool · 1246  
 object-oriented, basic concepts of object-  
   oriented programming (OOP) · 23  
 ObjectOutputStream · 981  
 Octal · 109  
 ones complement operator · 111  
 OOP: basic characteristics · 25; basic  
   concepts of object-oriented  
   programming · 23; protocol · 316;  
   Simula-67 programming language · 26;  
   substitutability · 25  
 OpenLaszlo, alternative to Flex · 1416

operating system, executing programs  
from within Java · 944  
operation, atomic · 1160  
operator · 94; + and += overloading for  
String · 242; +, for String · 504; binary ·  
111; bitwise · 111; casting · 120; comma  
operator · 140; common pitfalls · 119;  
indexing operator [ ] · 193; logical · 105;  
logical operators and short-circuiting ·  
106; ones-complement · 111; operator  
overloading for String · 504;  
overloading · 118; precedence · 95;  
relational · 103; shift · 112; String  
conversion with operator + · 95, 118;  
ternary · 116; unary · 101, 111  
optional methods, in the Java containers ·  
813  
OR · 120; (||) · 105  
order: of constructor calls with inheritance  
· 293; of initialization · 185, 272, 302  
ordinal(), for enum · 1012  
organization, code · 221  
OSExecute · 944  
OutputStream · 914, 917  
OutputStreamWriter · 922, 923  
overflow, and primitive types · 133  
overloading: and constructors · 158;  
distinguishing overloaded methods ·  
160; generics · 699; lack of name hiding  
during inheritance · 255; method  
overloading · 158; on return values ·  
165; operator + and += overloading for  
String · 242, 504; operator overloading ·  
118; vs. overriding · 255  
overriding: and inner classes · 383;  
function · 36; private methods · 290; vs.  
overloading · 255

---

## P

package · 210; access, and friendly · 221;  
and directory structure · 220; creating  
unique package names · 214; default ·  
211, 223; names, capitalization · 75;  
package access, and protected · 258  
paintComponent() · 1360, 1368  
painting on a JPanel in Swing · 1360  
parameter, collecting · 713, 742  
parameterized types · 617  
parseInt() · 1368  
pattern, regular expression · 527  
perfect hashing function · 848  
performance: and final · 271; nio · 967;  
test, containers · 859; tuning, for  
concurrency · 1270  
persistence · 996; lightweight persistence ·  
980  
PhantomReference · 889

philosophers, dining, example of deadlock  
in concurrency · 1224  
pipe · 915  
piped streams · 936  
PipedInputStream · 916  
PipedOutputStream · 916, 917  
PipedReader · 923, 1221  
PipedWriter · 923, 1221  
pipes, and I/O · 1221  
Plauger, P.J. · 1458  
pluggable look & feel · 1373  
pointer, Java exclusion of pointers · 372  
polymorphism · 38, 277, 310, 554, 613; and  
constructors · 293; and multiple  
dispatching · 1048; behavior of  
polymorphic methods inside  
constructors · 301  
pool, object · 1246  
portability in C, C++ and Java · 123  
position, absolute, when laying out Swing  
components · 1320  
possessive quantifiers · 529  
post-decrement · 102  
postfix · 102  
post-increment · 102  
pre-decrement · 102  
preferences API · 1006  
prefix · 102  
pre-increment · 102  
prerequisites, for this book · 23  
primitive: comparison · 104; data types,  
and use with operators · 123; final · 263;  
final static primitives · 264;  
initialization of class fields · 182; types ·  
65  
primordial class loader · 556  
printf() · 514  
printStackTrace() · 458, 461  
PrintStream · 921  
PrintWriter · 924, 930, 932; convenience  
constructor in Java SE5 · 937  
priority, concurrency · 1127  
PriorityBlockingQueue, for concurrency ·  
1239  
PriorityQueue · 425, 827  
private · 31, 210, 221, 224, 258, 1155;  
illusion of overriding private methods ·  
268; inner classes · 377; interfaces,  
when nested · 339; method overriding ·  
290; methods · 303  
problem space · 24  
process control · 944  
process, concurrent · 1112  
ProcessBuilder · 944  
ProcessFiles · 1100  
producer-consumer, concurrency · 1208  
programmer, client · 30  
programming: basic concepts of object-  
oriented programming (OOP) · 23;



event-driven programming · 1312;  
 Extreme Programming (XP) · 1457;  
 multiparadigm · 25; object-oriented ·  
 553  
 progress bar · 1371  
 promotion, to int · 122, 132  
 property · 1394; bound properties · 1414;  
 constrained properties · 1414; custom  
 property editor · 1414; custom property  
 sheet · 1414; indexed property · 1414  
 PropertyChangeEvent · 1414  
 PropertyDescriptors · 1400  
 PropertyVetoException · 1414  
 protected · 31, 210, 221, 225, 258; and  
 package access · 258; is also package  
 access · 227  
 protocol · 316  
 proxy: and java.lang.ref.Reference · 890;  
 for unmodifiable methods in the  
 Collections class · 817  
 Proxy design pattern · 593  
 public · 31, 210, 221, 222; and interface ·  
 316; class, and compilation units · 211  
 pure substitution · 37, 307  
 PushbackInputStream · 920  
 PushbackReader · 924  
 pushdown stack · 412; generic · 625  
 Python · 1, 5, 9, 53, 60, 722, 787, 1113,  
 1460

## Q

qualified name · 560  
 quantifier: greedy · 529; possessive · 529;  
 regular expression · 529; reluctant · 529  
 queue · 389, 410, 423, 827; performance ·  
 863; synchronized, concurrency · 1215  
 queuing discipline · 425

## R

race condition, in concurrency · 1152  
 RAD (Rapid Application Development) ·  
 588  
 radio button · 1344  
 ragged array · 755  
 random selection, and enum · 1021  
 random() · 419  
 RandomAccess, tagging interface for  
 containers · 441  
 RandomAccessFile · 925, 926, 934, 948  
 raw type · 651  
 reachable objects and garbage collection ·  
 889  
 read() · 914; nio · 948  
 readDouble() · 934

Reader · 914, 922, 923  
 readExternal() · 986  
 reading from standard input · 941  
 readLine() · 485, 924, 931, 942  
 readObject() · 981; with Serializable · 992  
 ReadWriteLock · 1292  
 recursion, unintended via toString() · 509  
 redirecting standard I/O · 942  
 ReentrantLock · 1160, 1192  
 refactoring · 209  
 reference: assigning objects by copying  
 references · 96; final · 263; finding exact  
 type of a base reference · 555; null · 67;  
 reference equivalence vs. object  
 equivalence · 104  
 reference counting, garbage collection ·  
 178  
 Reference, from java.lang.ref · 889  
 referencing, forward · 184  
 reflection · 588, 1324, 1398; and Beans ·  
 1394; and weak typing · 496; annotation  
 processor · 1064, 1071; breaking  
 encapsulation with · 607; difference  
 between RTTI and reflection · 589;  
 example · 1334; latent typing and  
 generics · 726  
 regex · 527  
 Registered Factories, variation of Factory  
 Method design pattern · 582  
 regular expressions · 523  
 rehashing · 878  
 reification, and generics · 655  
 relational operators · 103  
 reluctant quantifiers · 529  
 removeActionListener() · 1403, 1410  
 removeXXXListener() · 1322  
 renameTo() · 914  
 reporting errors in book · 21  
 request, in OOP · 27  
 reset() · 926  
 responsive user interfaces · 1145  
 resume(), and deadlocks · 1184  
 resumption, termination vs. resumption,  
 exception handling · 449  
 re-throwing an exception · 461  
 return: an array · 753; and finally · 476;  
 constructor return value · 157; covariant  
 return types · 303, 706; overloading on  
 return value · 165; returning multiple  
 objects · 621  
 reusability · 32  
 reuse: code reuse · 237; reusable code ·  
 1393  
 rewind() · 953  
 right-shift operator (>>) · 112  
 rollover · 1337  
 RoShamBo · 1048  
 Rumbaugh, James · 1457  
 running a Java program · 80

runtime binding · 282; polymorphism · 277  
 runtime type information (RTTI) · 308;  
   Class object · 556, 1335;  
   ClassCastException · 570; Constructor  
   class for reflection · 589; Field · 589;  
   getConstructor( ) · 1335; instanceof  
   keyword · 569; isInstance( ) · 578;  
   Method · 589; misuse · 613;  
   newInstance( ) · 1335; reflection · 588;  
   reflection, difference between · 589;  
   shape example · 553; type-safe  
   downcast · 569  
 RuntimeException · 469, 498  
 rvalue · 95

## S

ScheduledExecutor, for concurrency · 1242  
 scheduler, thread · 1117  
 scope: inner class nesting within any  
   arbitrary scope · 355; inner classes in  
   methods & scopes · 354  
 scrolling in Swing · 1316  
 searching: an array · 784; sorting and  
   searching Lists · 884  
 section, critical section and synchronized  
   block · 1169  
 seek( ) · 926, 934  
 self-bounded types, in generics · 701  
 semaphore, counting · 1246  
 seminars: public Java seminars · 15;  
   training, provided by MindView, Inc. ·  
   1450  
 sending a message · 27  
 sentinel, end · 626  
 separation of interface and  
   implementation · 31, 228, 1321  
 sequence, applying a method to a sequence  
   · 728  
 SequenceInputStream · 916, 925  
 Serializable · 980, 986, 991, 1001, 1405;  
   readObject( ) · 992; writeObject( ) · 992  
 serialization: and object storage · 996; and  
   transient · 991; controlling the process  
   of serialization · 986;  
   defaultReadObject( ) · 995;  
   defaultWriteObject( ) · 994; Versioning ·  
   995  
 Set · 389, 394, 415, 821; mathematical  
   relationships · 641; performance  
   comparison · 872  
 setActionCommand( ) · 1358  
 setBorder( ) · 1340  
 setErr(PrintStream) · 943  
 setIcon( ) · 1337  
 setIn(InputStream) · 943  
 setLayout( ) · 1317  
 setMnemonic( ) · 1358  
 setOut(PrintStream) · 943  
 setToolTipText( ) · 1337  
 shape: example · 34, 282; example, and  
   runtime type information · 553  
 shift operators · 112  
 short-circuit, and logical operators · 106  
 shortcut, keyboard · 1358  
 shuffle( ) · 885  
 side effect · 94, 103, 166  
 sign extension · 112  
 signals, missed, in concurrency · 1203  
 signature, method · 72  
 signed twos complement · 116  
 Simula-67 programming language · 26  
 simulation · 1253  
 sine wave · 1360  
 single dispatching · 1047  
 SingleThreadExecutor · 1123  
 Singleton design pattern · 232  
 size( ), ArrayList · 390  
 size, of a HashMap or HashSet · 878  
 sizeof( ), lack of in Java · 122  
 sleep( ), in concurrency · 1126  
 slider · 1371  
 Smalltalk · 25  
 SocketChannel · 971  
 SoftReference · 889  
 Software Development Conference · 14  
 solution space · 24  
 SortedMap · 837  
 SortedSet · 825  
 sorting · 778; alphabetic · 418; and  
   searching Lists · 884; lexicographic ·  
   418  
 source code · 18; copyright notice · 19  
 South, BorderLayout · 1317  
 space: namespaces · 211; problem space ·  
   24; solution space · 24  
 specialization · 258  
 specification, exception specification · 457,  
   493  
 specifier, access · 31, 210, 221  
 split( ), String · 322, 525  
 sprintf( ) · 521  
 SQL generated via annotations · 1066  
 stack · 410, 412, 895; generic pushdown ·  
   625  
 standard input, reading from · 941  
 standards, coding · 21  
 State design pattern · 306  
 state machines, and enum · 1041  
 stateChanged( ) · 1363  
 static · 316; and final · 263; block · 190;  
   construction clause · 190; data  
   initialization · 186; final static primitives  
   · 264; import, and enum · 1013;  
   initialization · 274, 558; initializer · 582;

- inner classes · 364; keyword · 76, 172;
  - method · 172, 282; strong type checking · 492; synchronized static · 1156; type checking · 615; vs. dynamic type checking · 814
  - STL, C++ · 900
  - stop( ), and deadlocks · 1184
  - Strategy design pattern · 322, 332, 737, 764, 778, 780, 903, 910, 1036, 1238
  - stream, I/O · 914
  - StreamTokenizer · 924
  - String: CASE\_INSENSITIVE\_ORDER
    - Comparator · 884; class methods · 503;
    - concatenation with operator += · 118;
    - conversion with operator + · 95, 118;
    - format( ) · 521; immutability · 503;
    - indexOf( ) · 592; lexicographic vs. alphabetic sorting · 783; methods · 511;
    - operator + and += overloading · 242;
    - regular expression support in · 524;
    - sorting, CASE\_INSENSITIVE\_ORDER · 902; split( ) method · 322; toString( ) · 238
  - StringBuffer · 916
  - StringBufferInputStream · 916
  - StringBuilder, vs. String, and toString( ) · 506
  - StringReader · 923, 928
  - StringWriter · 923
  - strong static type checking · 492
  - Stroustrup, Bjarne · 207
  - structural typing · 721, 733
  - struts, in BoxLayout · 1321
  - Stub · 606
  - style: coding style · 88; of creating classes · 228
  - subobject · 244, 256
  - substitutability, in OOP · 25
  - substitution: inheritance vs. extension · 306; principle · 37
  - subtraction · 98
  - suites, @Unit vs. JUnit · 1095
  - super · 245; and inner classes · 383; keyword · 243
  - superclass · 243; bounds · 568
  - supertype wildcards · 682
  - suspend( ), and deadlocks · 1184
  - SWF, Flash bytecode format · 1416
  - Swing · 1303; and concurrency · 1382; component examples · 1332; components, using HTML with · 1370; event model · 1321
  - switch: and enum · 1016; keyword · 151
  - switch, context switching in concurrency · 1112
  - synchronized · 1155; and inheritance · 1411; and wait( ) & notifyAll( ) · 1198; block, and critical section · 1169; Brian's Rule of Synchronization · 1156; containers · 887; deciding what methods to synchronize · 1411; queue · 1215; static · 1156
  - SynchronousQueue, for concurrency · 1259
  - System.arraycopy( ) · 775
  - System.err · 450, 941
  - System.in · 941
  - System.out · 941
  - System.out, changing to a PrintWriter · 942
  - systemNodeForPackage( ), preferences API · 1007
- 
- ## T
- tabbed dialog · 1349
  - table-driven code · 1033; and anonymous inner classes · 859
  - task vs. thread, terminology · 1142
  - tearing, word tearing · 1161
  - Template Method design pattern · 375, 573, 666, 859, 969, 1173, 1279, 1284
  - templates, C++ · 618, 652
  - termination condition, and finalize( ) · 176
  - termination vs. resumption, exception handling · 449
  - ternary operator · 116
  - testing: annotation-based unit testing with @Unit · 1083; techniques · 367; unit testing · 242
  - Theory of Escalating Commitment · 1146
  - this keyword · 167
  - thread: group · 1146; interrupt( ) · 1185; isDaemon( ) · 1133; notifyAll( ) · 1198; priority · 1127; resume( ), and deadlocks · 1184; safety, Java standard library · 1232; scheduler · 1117; states · 1183; stop( ), and deadlocks · 1184; suspend( ), and deadlocks · 1184; thread local storage · 1177; vs. task, terminology · 1142; wait( ) · 1198
  - ThreadFactory, custom · 1131
  - throw keyword · 447
  - Throwable base class for Exception · 458
  - throwing an exception · 446
  - time conversion · 1238
  - Timer, repeating · 1207
  - TimeUnit · 1127, 1238
  - toArray( ) · 877
  - tool tips · 1337
  - TooManyListenersException · 1406
  - toString( ) · 238; guidelines for using StringBuilder · 508
  - training seminars provided by MindView, Inc. · 1450
  - transferFrom( ) · 949
  - transferTo( ) · 949

transient keyword · 991  
 translation unit · 211  
 TreeMap · 834, 837, 877  
 TreeSet · 416, 821, 825, 872  
 true · 105  
 try · 254, 473; try block in exceptions · 447  
 tryLock( ), file locking · 971  
 tuple · 621, 639, 647  
 twos complement, signed · 116  
 type: argument inference, generic · 632;  
   base · 34; checking, static · 492, 615;  
   data type equivalence to class · 27;  
   derived · 34; duck typing · 721, 733;  
   dynamic type safety and containers ·  
   710; finding exact type of a base  
   reference · 555; generics and type-safe  
   containers · 390; latent typing · 721,  
   733; parameterized · 617; primitive · 65;  
   primitive data types and use with  
   operators · 123; structural typing · 721,  
   733; tag, in generics · 663; type checking  
   and arrays · 747; type safety in Java ·  
   119; type-safe downcast · 569  
 TYPE field, for primitive class literals · 562

## U

UML: indicating composition · 32; Unified  
 Modeling Language · 29, 1457  
 unary: minus (-) · 101; operator · 111;  
   operators · 101; plus (+) · 101  
 unbounded wildcard in generics · 686  
 UncaughtExceptionHandler, Thread class ·  
   1148  
 unchecked exception · 469; converting  
   from checked · 497  
 unconditional branching · 143  
 unicast · 1406  
 Unicode · 923  
 Unified Modeling Language (UML) · 29,  
   1457  
 unit testing · 242; annotation-based with  
   @Unit · 1083  
 unmodifiable, making a Collection or Map  
   unmodifiable · 885  
 unmodifiableList( ), Collections · 815  
 unsupported methods, in the Java  
   containers · 813  
 UnsupportedOperationException · 815  
 upcasting · 42, 260, 278; and interface ·  
   319; and runtime type information ·  
   555; inner classes and upcasting · 352  
 user interface: graphical user interface  
   (GUI) · 375, 1303; responsive, with  
   threading · 1145  
 userNodeForPackage( ), preferences API ·  
   1007

Utilities, java.util.Collections · 879

## V

value, preventing change at run time · 262  
 values( ), for enum · 1011, 1017  
 varargs · 198, 728; and generic methods ·  
   635  
 Varga, Ervin · 7, 1191  
 variable: defining a variable · 139;  
   initialization of method variables · 181;  
   local · 71; variable argument lists  
   (unknown quantity and type of  
   arguments) · 198  
 Vector · 870, 894  
 vector of change · 377  
 Venners, Bill · 176  
 versioning, serialization · 995  
 Visitor design pattern, and annotations,  
   mirror API · 1079  
 Visual BASIC, Microsoft · 1394  
 visual programming · 1394; environments  
   · 1304  
 volatile · 1151, 1160, 1165

## W

wait( ) · 1198  
 waiting, busy · 1198  
 Waldrop, M. Mitchell · 1459  
 WeakHashMap · 834, 892  
 WeakReference · 889  
 web of objects · 981  
 Web Start, Java · 1376  
 West, BorderLayout · 1317  
 while · 137  
 widening conversion · 121  
 wildcards: and Class references · 566; in  
   generics · 677; supertype · 682;  
   unbounded · 686  
 windowClosing( ) · 1365  
 word tearing, in concurrent programming ·  
   1161  
 write( ) · 914; nio · 949  
 writeBytes( ) · 933  
 writeChars( ) · 933  
 writeDouble( ) · 934  
 writeExternal( ) · 986  
 writeObject( ) · 981; with Serializable · 992  
 Writer · 914, 922, 923

## X

XDoclet · 1060

XML · 1003  
XOM XML library · 1003  
XOR (Exclusive-OR) · 111

---

## Y

You Aren't Going to Need It (YAGNI) · 601

---

## Z

zero extension · 112  
ZipEntry · 977  
ZipInputStream · 973  
ZipOutputStream · 973

