Name : Binod Kumar
Class : M-Tech CSE
Roll no. : 23203006
Subject : Machine Learning
Assignment: 02

Q.1 Consider an artificial example of building a decision tree classification model to classify bank loan application by assigning applications to one of three risk classes.

OWns home	Married	Gender	Employed	Credit-rating	Risk class
Yes	Yes	Male	yes	A	B
No	No	Female	Yes	A	A
Yes	yes	Female	yes	B	C
Yes	No	Male	No	B	B
No	yes	Female	yes	B	C
No	No	Female	Yes	B	A
No	No	Male	No	B	B
Yes	No	Female	Yes	A	A
No	Yes	Female	Yes	A	C
Yes	Yes	Female	Yes	A	C

1.a. Compute the entropy of the training data with respect to the Risk class

Soln

Total sample. = 10

Possible values of target = A, B, C

where. $n(A) = 3$

$n(B) = 3$

$n(C) = 4$

$$\text{Entropy}(S) = -\sum_{j=1}^{v} P_j \log_v P_j$$

$$= -\frac{3}{10}\log_3(3/10) - \frac{3}{10}\log_3(3/10) - \frac{4}{10}\log_3[4/10]$$

$$= 0.328 + 0.328 + 0.333$$

$$= 0.989$$

1.b) Compute the information gain of all attributes. Write all attributes and necessary expressions used in the computations and show all the steps neatly.

Soln

$$\text{Gain}(S, \text{Attribute}) = \text{Entropy}(S) - \sum_{v \in V} \frac{|S_v|}{|S|} \text{Entropy}(S_v)$$

where. V : attribute
v : values of attribute

Step-1: Calculate Entropy

Entropy(S) = 0.989

Step-2 For attribute "Own home":

There are two possible value Yes or NO

Own home	Risk class		
	A	B	C
Yes	1	2	2
NO	2	1	2

$$\text{Info-Gain(own home)} = \underbrace{\frac{5}{10} I(1,2,2)}_{\text{For 'Yes'}} + \underbrace{\frac{5}{10} I(2,1,2)}_{\text{For NO}}$$

Signature

$$Gain(Own\text{-}home) = \frac{5}{10} I(1,2,2) + \frac{5}{10} I(2,1,2)$$

$$= \frac{5}{10}\left[-\frac{1}{5}\log_3 1/5 - \frac{2}{5}\log_3 2/5 - \frac{2}{5}\log_3 2/5\right]$$

$$+ \frac{5}{10}\left[-\frac{2}{5}\log_3 2/5 - \frac{1}{5}\log_3 1/5 - \frac{2}{5}\log_3 2/5\right]$$

Infogain = 0.958

Gain(Own home) = Entropy(S) − Info Gain = 0.989 − 0.958

So **Gain(Own home) = 0.031**

Step-3 for attribute Married

Gain(Married)

	Risk class		
Married	A	B	C
Yes	0	1	4
NO	3	2	0

$$Gain(Married) = \frac{5}{10} I(0,1,4) + \frac{5}{10} I(3,2,0)$$

$$= \left(\frac{5}{10} \times 0\right) + \left(\frac{5}{10} \times 0\right) = 0$$

Gain(Married) = 0.90

= 0.989 − 0

Gain(married) = 0.989

Step-3: For Attribute 'Gender'

	Risk class		
Gender	A	B	C
Male	0	3	0
Female	3	0	4

Info_Gain(Married) = $\frac{3}{10} I(0,3,0) + \frac{7}{10} I(3,0,4)$

$= 0 + 0$

$= 0$

$\therefore$ Gain(Married) = Entropy(S) − 0

$\doteq 0.989 - 0$

$= 0.989$

Step-4: For Employed

Employed	A	B	C
Yes	3	1	4
NO	0	2	0

Info_Gain(Employed) = $\frac{8}{10} I(3,1,4) + \frac{2}{10} I(0,2,0)$

$= \frac{8}{10} I(3,1,4) + 0$

$= \frac{8}{10}\left[-\frac{3}{8}\log_3 3/8 - \frac{1}{8}\log_3 1/8 - \frac{4}{8}\log_3 4/8\right]$

$= 0.708$

$\therefore$ Gain(Employed) = Entropy(S) − 0.708

$= 0.989 - 0.708$

$= 0.281$

Signature

For Q. Credit Rating

Credit Rate	A	B	C
A	2	1	2
B	1	2	2

$$\text{Info}(\text{credit rate}) = \frac{5}{10} I(2,1,2) + \frac{5}{10} I(1,2,2)$$

$$= \frac{5}{10}\left[-\frac{2}{5}\log 2/5 - \frac{1}{5}\log 1/5 - \frac{2}{5}\log 2/5\right]$$

$$+ \frac{5}{10}\left[-\frac{1}{5}\log 1/5 - \frac{2}{5}\log 2/5 - \frac{2}{5}\log 2/5\right)$$

$$= 0.958$$

$$\therefore \text{Gain}(\text{credit rate}) = \text{Entropy}(S) - 0.958$$
$$= 0.031$$

Now, we have

Gain (own home) = 0.031
Gain (Married) = 0.989
Gain (Gender) = 0.989
Gain (credit rating) = 0.031
Gain (Employed) = 0.281

Q.1.C Draw the complete decision tree. Justify your answer.

Soln We have maximum Gain for attribute 'Gender' as well as Married. So you can consider one of them as root.

ID3 Algo

Step-1 Create a root node for the tree

Step-2: If all examples are Posi 'A', return the single node tree root, with level risk 'A'.

Step-3: If all examples are 'B', Return the single node tree root, with label B.

Step-4 If all attributes is empty, return the single-node tree root, with label = most common value of target-attribute in example.

Otherwise Begin

- A ← the attribute from attributes that best * classifies examples
- The decision attribute for root ← A
- ~~for~~

Signature

For each possible value of A.
a) Add a new branch below root, corresponding to the test A = v_i
b) Let Examples v_i be the subset of examples that have value of v_i for A.
c) If Examples v_i is empty
- Then below this new branch add a leaf node with label which are most common value of Target attribute in example.

ELSE
a) below this new branch add the subtree
b) ID3 (Examples v_i, Target attributes, Attributes - {A}))

This is a recursive call to generate or build decision tree.

Since, "Gender" has Max gain.
So, make it as root.

($D_1, D_2 \ldots D_{10}$) ← sample

Gender

Male — Female

D_1, D_4, D_7
{A:0, B:3, C:0}
|
return; B

$D_2, D_3, D_5, D_6, D_8, D_9, D_{10}$
{A:3, B:0, C:4}
↓
Recursive call

Now, remaining attribute
{own home, Married, Gender, Employed, Credit rating}
— {Gender}

	own home	married	Employed	Credit rate	Risk class
D2	NO	NO	Yes	A	A
D3	Yes	Yes	Yes	B	C
D5	NO	Yes	Yes	B	C
D6	NO	NO	Yes	B	C
D8	Yes	NO	Yes	A	A
D9	NO	Yes	Yes	A	C
D_{10}	Yes	Yes	Yes	A	C

Again, we will calculate the gain each attribute & consider maximum gain as next branch. n(A) = 2, n(C) = 5

Entropy(RISK class) = I(2, 5)

$$= -\left(\frac{2}{7}\log_2 2/7\right) - \frac{5}{7}\log_2 5/7$$

$$= 0.516 + 0.346$$

$$= 0.862$$

$$\text{Gain(own-home)} = 0.862 - \left[\frac{2}{7} I(1,2) + \frac{5}{7} I(1,4)\right]$$

home	A	C
Yes	1	2
NO	1	2

$$= 0.862 - \left[\frac{2}{7} \times 1 + \frac{5}{7}\left(-\frac{1}{5}\log 1/5 - \frac{4}{5}\log\frac{4}{5}\right)\right.$$

$$= 0.862 - \left(\frac{2}{7} + \frac{5}{7} \times 0.721\right)$$

Signature

$$= 0.862 - 0.293 = 0.608$$

~~$= 0.062$~~

$Gain(Married) = 0.862 - \left[\frac{2}{7} I(0,2) + \frac{5}{7} I(2,1)\right]$

Married	A	C
Yes	0	4
No	2	1

$= 0.862 - [0 + \frac{5}{7}(\frac{2}{5}\log\frac{2}{5} - \frac{1}{5}\log\frac{1}{5})]$

$= 0.862 - 0.655$

$= 0.207$

Gain(Employed)

Emplo	A	C
Yes	2	5
No	0	0

$= 0.862 - \left[\frac{2}{7} I(2,5) + \frac{5}{7}(0,0)\right]$

$= 0.862 - \frac{2}{7}\left[-\frac{2}{7}\log\frac{2}{7} - \frac{5}{7}\log\frac{5}{7}\right]$

$= 0.862 - 0.246$

$Gain(Employ) = 0.616$

Gain (credit rate)

Credit	A	C
A	2	2
B	0	3

$Gain(Credit) = 0.862 - \left[\frac{2}{7} I(2,2) + \frac{5}{7} I(0,3)\right]$

$= 0.862 - \left[\frac{2}{7} \times 1 + 0\right]$

$Gain(credit) = 0.576$

So, we have, final

We have, Gain(Credit) = 0.576
Gain(Own home) = 0.608
Gain(Married) = 0.207
Gain(Employed) = 0.616

Here "Employed" has maximum gain, so, next branch will be Employed.



Signature

Serial No. 11 Notes Date

Q.2. A sample of 6 person was selected the value of their age (x variable) and their weight is demonstrated. Find the regression equation and what the predicted weight is. When age is 8.5 years.

serial no.	Age(x)	weight(y)
1	7	12
2	6	8
3	8	12
4	5	10
5	6	11
6	9	13

Soln

Age(x)	weight(y)	xy	x^2	y^2
7	12	84	49	144
6	8	48	36	64
8	12	96	64	144
5	10	50	25	100
6	11	66	36	121
9	13	117	81	169
Total 41	66	461	291	742

$$\bar{x} = \frac{41}{6} = 6.83 \quad , \quad \bar{y} = \frac{66}{6} = 11$$

$$b = \frac{461 - \frac{41 \times 66}{6}}{291 - \frac{(41)^2}{6}} = 0.92$$

Regression eqn

$$y = 11 + 0.9(x - 6.83)$$

$$y = 4.675 + 0.92x$$

$$\therefore y(8.5) = 4.675 + 0.92 * 8.5$$

$$= 12.50 \text{ kg}$$ Ans

Q3. Explain support vector machine mention at least two advantages and disadvantages of support vector machines.

Ans.

Support vector machine is a supervised machine learning algorithm used for classification and regression tasks. It works by finding the optimal hyperplane that separates data points belonging to different classes in a high-dimensional space.

The key idea is to maximize the margin between classes, which is the difference between the hyperplane and the nearest data points.



Maximum Margin hyperplane.

Advantages

i) Effective in high dimensional space

ii) Robust overfitting.
svm are less prone to overfitting.

Dis-advantages

i) computational intensity

ii) sensitivity to noise.
svm are sensitive to noise in the training data, which can affect the placement of the hyperplane.

Signature