

Web Application Report

This report includes important security information about your web application.

安全报告

该报告由 HCL AppScan Standard 创建 10.9.0
扫描开始时间: 2026/3/3 下午6:01:56

目录

介绍

- 常规信息
- 登陆设置

摘要

- 问题类型
- 有漏洞的 URL
- 修订建议
- 安全风险
- 原因
- WASC 威胁分类

按问题类型分组的问题

- 具有不安全、不正确或缺少 SameSite 属性的 Cookie **1**
- 加密会话（SSL）Cookie 中缺少 Secure 属性 **1**
- 支持较老的 TLS 版本 **1**
- 检测到 SHA-1 密码套件 **1**
- HTTP Strict-Transport-Security 头缺失或不安全 **1**
- “Content-Security-Policy”头缺失 **1**
- “X-Content-Type-Options”头缺失或不安全 **1**
- 发现可高速缓存的 SSL 页面 **10**
- 在应用程序中发现不必要的 Http 响应头 **1**
- 检测到隐藏目录 **10**
- 过度许可的 CORS 访问测试 **40**

修复方法

- 具有不安全、不正确或缺少 SameSite 属性的 Cookie
- 加密会话（SSL）Cookie 中缺少 Secure 属性
- 支持较老的 TLS 版本
- 检测到 SHA-1 密码套件
- HTTP Strict-Transport-Security 头缺失或不安全
- “Content-Security-Policy”头缺失
- “X-Content-Type-Options”头缺失或不安全
- 发现可高速缓存的 SSL 页面
- 在应用程序中发现不必要的 Http 响应头
- 检测到隐藏目录
- 过度许可的 CORS 访问测试

应用程序数据

- cookie
- JavaScript
- 参数
- 注释
- 已访问的 URL
- 失败的请求
- 已过滤的 URL
- 组件

介绍

该报告包含由 HCL AppScan Standard 执行的 Web 应用程序安全性扫描的结果。

中等严重性问题： 4
低严重性问题： 70
报告中包含的严重性问题总数： 74
扫描中发现的严重性问题总数： 88

常规信息

扫描文件名称： 数据加密服务系统-26-3-3
扫描开始时间： 2026/3/3 下午6:01:56
测试策略： Default
CVSS 版本： 3.1
测试优化级别： 快

主机 10.132.197.11
端口 9044
操作系统： 未知
Web 服务器： 未知
应用程序服务器： JavaAppServer

主机 10.132.197.11
端口 9012
操作系统： 未知
Web 服务器： 未知
应用程序服务器： 任何

登陆设置

登陆方法： 记录的登录
并发登陆： 已启用
会话中检测： 已启用
会话中模式：
跟踪或会话 ID cookie：
跟踪或会话 ID 参数：
登陆序列：

摘要

问题类型 11

TOC

问题类型		问题的数量	
中	具有不安全、不正确或缺少 SameSite 属性的 Cookie	1	
中	加密会话（SSL）Cookie 中缺少 Secure 属性	1	
中	支持较老的 TLS 版本	1	
中	检测到 SHA-1 密码套件	1	
低	HTTP Strict-Transport-Security 头缺失或不安全	1	
低	"Content-Security-Policy"头缺失	1	
低	"X-Content-Type-Options"头缺失或不安全	1	
低	发现可高速缓存的 SSL 页面	16	
低	在应用程序中发现不必要的 Http 响应头	1	
低	检测到隐藏目录	10	
低	过度许可的 CORS 访问测试	40	

有漏洞的 URL 41

TOC

URL		问题的数量	
中	https://10.132.197.11:9044/	15	
中	https://10.132.197.11:9044/api/login/imgCode	5	
低	https://10.132.197.11:9044/api/confkeystrategylist	2	
低	https://10.132.197.11:9044/api/confkeyuse/list	2	
低	https://10.132.197.11:9044/api/resource/user-menu-tree/2	2	
低	https://10.132.197.11:9044/reuse/ajax/libs/iCheck/iCheck.min.js	2	
低	https://10.132.197.11:9044/reuse/ajax/libs/layer/layer.min.js	2	
低	https://10.132.197.11:9044/reuse/ajax/libs/layui/layui.min.js	2	
低	https://10.132.197.11:9044/reuse/ajax/libs/magnify/jquery.magnify.min.js	2	
低	https://10.132.197.11:9044/reuse/ajax/libs/pdf/pdfobject.min.js	2	
低	https://10.132.197.11:9044/reuse/ajax/libs/video/video.js	2	
低	https://10.132.197.11:9044/reuse/js/bootstrap-show-password.js	2	
低	https://10.132.197.11:9044/reuse/js/content.min.js	2	
低	https://10.132.197.11:9044/reuse/js/mycostern-ui-plus.js	2	
低	https://10.132.197.11:9044/reuse/meta/etlDatasource	2	
低	https://10.132.197.11:9044/reuse/systemplus/js/common.js	2	
低	https://10.132.197.11:9044/reuse/systemplus/js/ry-ui.js	2	
低	https://10.132.197.11:9044/api/app/feAndAppList	1	
低	https://10.132.197.11:9044/api/cert/pagelist	1	
低	https://10.132.197.11:9044/api/conf-rootkey/pagelist	1	
低	https://10.132.197.11:9044/api/fe/pagelist	1	
低	https://10.132.197.11:9044/api/sysdict/dataList	1	
低	https://10.132.197.11:9044/api/sysdict/typeList	1	

低	https://10.132.197.11:9044/reuse/ajax/libs/blockUI/jquery.blockUI.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/export/bootstrap-table-export.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/export/tableExport.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/mobile/bootstrap-table-mobile.min.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/toolBar/bootstrap-table-toolBar.min.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/locale/bootstrap-table-zh-CN.min.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-treetable/bootstrap-treetable.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/toastr/toastr.min.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/validate/jquery.validate.extend.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/validate/jquery.validate.min.js	1	
低	https://10.132.197.11:9044/reuse/ajax/libs/validate/messages_zh.min.js	1	
低	https://10.132.197.11:9044/reuse/js/bootstrap.min.js	1	
低	https://10.132.197.11:9044/reuse/js/plugins/multiselect/multiselect.min.js	1	
低	https://10.132.197.11:9044/reuse/systemplus/js/base64.js	1	
低	https://10.132.197.11:9044/reuse/systemplus/js/fast.js	1	
低	https://10.132.197.11:9044/reuse/systemplus/js/security.js	1	
低	https://10.132.197.11:9044/reuse/systemplus/sPage/jquery.sPage.js	1	

修订建议 11

TOC

修复任务		问题的数量
中	向所有敏感的 cookie 添加"Secure"属性	1
中	对证书使用不同签名算法。请参阅"修订建议"以获取特定服务器指示信息。	1
中	更改服务器的受支持密码套件	1
中	查看将 SameSite Cookie 属性配置为推荐值的可能解决方案	1
低	修改"Access-Control-Allow-Origin"头以仅获取允许的站点	40
低	实施具有长"max-age"的 HTTP Strict-Transport-Security 策略	1
低	对禁止的资源发布"404 - Not Found"响应状态代码，或者将其完全除去	10
低	将服务器配置为使用值为"nosniff"的"X-Content-Type-Options"头	1
低	将服务器配置为使用安全策略的"Content-Security-Policy"头	1
低	请勿允许敏感信息泄漏。	1
低	通过在响应中添加"Cache-Control: no-store"和"Pragma: no-cache"标题，可以阻止高速缓存 SSL 页面。	16

安全风险 6

TOC

风险		问题的数量
中	通过将 Cookie 限制为第一方或同一站点上下文来防止 Cookie 信息泄漏，如果没有额外的保护措施（如反 CSRF 令牌），攻击可能会扩展为跨站点请求伪造 (CSRF) 攻击。	1
中	可能会窃取在加密的会话期间发送的用户和会话信息（cookie）	1
中	可能会窃取或操纵客户会话和 cookie，它们可能用于假冒合法用户，从而使黑客能够以该用户身份查看或变更用户记录以及执行事务	2
低	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置	60
低	可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息	43
低	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点	10

原因		问题的数量
中	具有不正确、不安全或缺少 SameSite 属性的敏感 Cookie	1
中	Web 应用程序通过 SSL 发送不安全的 cookie	1
中	Web 服务器或应用程序服务器是以不安全的方式配置的	12
低	Web 应用程序编程或配置不安全	44
低	浏览器可能已将敏感信息高速缓存	16

WASC 威胁分类

威胁	问题的数量
服务器配置错误	3
信息泄露	71

按问题类型分组的问题

具有不安全、不正确或缺少 SameSite 属性的 Cookie	
严重性：	中
CVSS 分数：	4.7
CVSS 向量：	AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:N/E:U/RL:O/RC:C/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/
实体：	sid (Cookie)
风险：	通过将 Cookie 限制为第一方或同一站点上下文来防止 Cookie 信息泄漏，如果没有额外的保护措施（如反 CSRF 令牌），攻击可能会扩展为跨站点请求伪造 (CSRF) 攻击。
原因：	具有不正确、不安全或缺少 SameSite 属性的敏感 Cookie
固定值：	查看将 SameSite Cookie 属性配置为推荐值的可能解决方案

差异：

推理： 响应包含不安全、不正确或缺少 SameSite 属性的敏感 Cookie，这可能会导致 Cookie 信息泄露，如果没有额外的保护措施，可能会扩展为跨站点请求伪造 (CSRF) 攻击。

测试请求和响应：

```
GET /reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FBC5117FA1522F33B0B5 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: iframe
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:03 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
vary: accept-encoding
Content-Language: zh-CN
Set-Cookie: sid=b6c4c536-51c3-4e26-90fb-70c71dd994d2; Path=/; HttpOnly; SameSite=lax
```

Set-Cookie: rememberMe=deleteMe; Path=/; Max-Age=0; Expires=Mon, 02-Mar-2026 10:25:03 GMT; SameSite=lax

```
<!DOCTYPE HTML>
<html lang="zh">
<meta charset="utf-8">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title></title>
<meta name="keywords" content="">
<meta name="description" content="">
<link href="/reuse/css/bootstrap.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/fontawesome-free/css/all.min.css" rel="stylesheet"/>
<link href="/reuse/css/font-awesome.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/layout/css/layout.css" rel="stylesheet"/>
<!-- bootstrap-table 表格插件样式 -->
<link href="/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/bootstrap-table/bootstrap-table.css" rel="stylesheet"/>
<link href="/reuse/css/animate.css" rel="stylesheet"/>
<link href="/reuse/css/style.css?v=20250430" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select/select2.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2-bootstrap.css" rel="stylesheet"/>
<link href="/reuse/systemplus/css/ry-ui.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/ajax/libs/toastr/toastr.min.css" rel="stylesheet"/>
<!--分页插件-->
<link href="/reuse/systemplus/sPage/jquery.sPage.css" rel="stylesheet"/>
<link href="/reuse/systemplus/icon/iconfont.css" rel="stylesheet"/>
<link href="/reuse/systemplus/mycostern/iconfont.css?v=20220901" rel="stylesheet"/>
<link href="/reuse/systemplus/fonts/remixicon.css?v=20250611" rel="stylesheet" />
<link href="/reuse/systemplus/indexPage/fonts/iconfont.css?v=20250707" rel="stylesheet" />
<link href="/reuse/ajax/libs/magnify/jquery.magnify.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/magnify/magnify-white-theme.css" rel="stylesheet"/>
<link href="/reuse/css/mycostern-ui-plus.css?v=20250618" rel="stylesheet"/>
<link href="/reuse/css/subApp.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/css/multiselect/style.css" rel="stylesheet"/>
<link href="/reuse/css/icons.css?v=20250328" rel="stylesheet"/>
<style>
.layui-layer-btn {
    text-align: center !important;
}
</style>
</style>
</head>
<body class="gray-bg">

    <div class="container-div">
<div class="row">
<div class="col-sm-12 search-collapse">
    <form id="formId">
<div class="select-list">
&ltul>
<li>
<li>
        数据源名称: <input type="text" name="name" id="name"/>
</li>
<li>
        数据库类型:
        <select name="linktype">
<option value="">所有</option>
<option value="mysql">MySQL</option>
<option value="psql">PostgreSQL</option>
<option value="oracle">Oracle</option>
<option value="sqlser">SQL Server</option>
<option value="DM8">DM8</option>
</select>
</li>
<li>
<li>
        <a class="btn btn-primary btn-rounded btn-sm" onclick="$.treeTable.search()"><i class="fa fa-search"></i><span>搜索</span></a>
        <a class="btn btn-warning btn-rounded btn-sm" onclick="$.form.reset()"><i class="fa fa-refresh"></i><span>重置</span></a>
</li>
</ul>
</div>
</form>
</div>

    <div class="btn-group-sm h
...
...
...

```

加密会话（SSL）Cookie 中缺少 Secure 属性	
严重性：	中
CVSS 分数：	6.5
CVSS 向量：	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL：	https://10.132.197.11:9044/
实体：	sid (Cookie)
风险：	可能会窃取在加密的会话期间发送的用户和会话信息（cookie）
原因：	Web 应用程序通过 SSL 发送不安全的 cookie
固定值：	向所有敏感的 cookie 添加“Secure”属性

差异：

推理：AppScan 发现加密会话（SSL）使用的是没有“secure”属性的 cookie。

测试请求和响应：

```
GET /reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: iframe
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:03 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
vary: accept-encoding
Content-Language: zh-CN
Set-Cookie: sid=0f03fee5-620a-4566-985c-0e3d77d544c3; Path=/; HttpOnly; SameSite=lax
Set-Cookie: rememberMe=deleteMe; Path=/; Max-Age=0; Expires=Mon, 02-Mar-2026 10:25:03 GMT; SameSite=lax

<!DOCTYPE HTML>
<html lang="zh">
<meta charset="utf-8">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title></title>
<meta name="keywords" content="">
<meta name="description" content="">
<link href="/reuse/css/bootstrap.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/fontawesome-free/css/all.min.css" rel="stylesheet"/>
<link href="/reuse/css/font-awesome.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/layui/css/layui.css" rel="stylesheet"/>
<!-- bootstrap-table 表格插件样式 -->
<link href="/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/bootstrap-treetable/bootstrap-treetable.css" rel="stylesheet"/>
<link href="/reuse/css/animate.css" rel="stylesheet"/>
<link href="/reuse/css/style.css?v=20250430" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select/select2.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2-bootstrap.css" rel="stylesheet"/>
<link href="/reuse/systemplus/css/ry-ui.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/ajax/libs/toastr/toastr.min.css" rel="stylesheet"/>
<!--分页插件-->
```

```
<link href="/reuse/systemplus/sPage/jquery.sPage.css" rel="stylesheet"/>
<link href="/reuse/systemplus/icon/iconfont.css" rel="stylesheet"/>
<link href="/reuse/systemplus/mycostern/iconfont.css?v=20220901" rel="stylesheet"/>
<link href="/reuse/systemplus/fonts/remixicon.css?v=20250611" rel="stylesheet" />
<link href="/reuse/systemplus/indexPage/fonts/iconfont.css?v=20250707" rel="stylesheet" />
<link href="/reuse/ajax/libs/magnify/jquery.magnify.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/magnify/magnify-white-theme.css" rel="stylesheet"/>
<link href="/reuse/css/mycostern-ui-plus.css?v=20250618" rel="stylesheet"/>
<link href="/reuse/css/subApp.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/css/multiselect/style.css" rel="stylesheet"/>
<link href="/reuse/css/icons.css?v=20250328" rel="stylesheet"/>
<style>
    .layui-layer-btn {
        text-align: center !important;
    }
</style>
</style>
</head>
<body class="gray-bg">

    <div class="container-div">
<div class="row">
<div class="col-sm-12 search-collapse">
    <form id="formId">
<div class="select-list">
    <ul>
<li>
<li>
    数据源名称: <input type="text" name="name" id="name"/>
</li>
<li>
    数据库类型:
    <select name="linktype">
<option value="">所有</option>
<option value="mysql">MySQL</option>
<option value="psql">PostgreSQL</option>
<option value="oracle">Oracle</option>
<option value="sqlser">SQL Server</option>
<option value="DM8">DM8</option>
</select>
</li>
<li>
<a class="btn btn-primary btn-rounded btn-sm" onclick="$.treeTable.search()"><i class="fa fa-search"></i>&nbsp;搜索</a>
<a class="btn btn-warning btn-rounded btn-sm" onclick="$.form.reset()"><i class="fa fa-refresh"></i>&nbsp;重置</a>
</li>
</ul>
</div>
</form>
</div>

    <div class="btn-group-sm h
...
...
...

```

问题 1 / 1

支持较老的 TLS 版本	
严重性:	中
CVSS 分数:	5.3
CVSS 向量:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL:	https://10.132.197.11:9044/api/login/imgCode
实体:	10.132.197.11 (Page)
风险:	可能会窃取或操纵客户会话和 cookie，它们可能用于假冒合法用户，从而使黑客能够以该用户身份查看或变更用户记录以及执行事务
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对证书使用不同签名算法。请参阅“修订建议”以获取特定服务器指示信息。

差异:

测试请求和响应:

[illegible]

检测到 SHA-1 密码套件 ① TOC

问题 1 / 1

检测到 SHA-1 密码套件	
严重性：	中
CVSS 分数：	5.3
CVSS 向量：	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL：	https://10.132.197.11:9044/api/login/imgCode
实体：	10.132.197.11 (Page)
风险：	可能会窃取或操纵客户会话和 cookie，它们可能用于假冒合法用户，从而使黑客能够以该用户身份查看或变更用户记录以及执行事务
原因：	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值：	更改服务器的受支持密码套件

差异:

推理： 通过使用此处列出的各个弱密码套件成功创建 SSL 连接，AppScan 可以确定该站点使用的是弱密码套件。

HTTP Strict-Transport-Security 头缺失或不安全	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/M:X/MAX:X
URL：	https://10.132.197.11:9044/
实体：	10.132.197.11 (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	实施具有长“max-age”的 HTTP Strict-Transport-Security 策略

差异：

推理： AppScan 检测到 HTTP Strict-Transport-Security 响应头缺失或者“max-age”不足

测试请求和响应：

```
GET /reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: iframe
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:29 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
vary: accept-encoding
Content-Language: zh-CN
Set-Cookie: sid=f683e120-bafd-4a07-b837-67182c1319d9; Path=/; HttpOnly; SameSite=lax
Set-Cookie: rememberMe=deleteMe; Path=/; Max-Age=0; Expires=Mon, 02-Mar-2026 10:04:29 GMT; SameSite=lax

<!DOCTYPE HTML>
<html lang="zh">
<meta charset="utf-8">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title></title>
<meta name="keywords" content="">
```

```

<meta name="description" content="">
<link href="/reuse/css/bootstrap.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/fontawesome-free/css/all.min.css" rel="stylesheet"/>
<link href="/reuse/css/font-awesome.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/layui/css/layui.css" rel="stylesheet"/>
<!-- bootstrap-table 表格插件样式 -->
<link href="/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/bootstrap-treetable/bootstrap-treetable.css" rel="stylesheet"/>
<link href="/reuse/css/animate.css" rel="stylesheet"/>
<link href="/reuse/css/style.css?v=20250430" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select/select2.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2-bootstrap.css" rel="stylesheet"/>
<link href="/reuse/systemplus/css/ry-ui.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/ajax/libs/toastr/toastr.min.css" rel="stylesheet"/>
<!--分页插件-->
<link href="/reuse/systemplus/sPage/jquery.sPage.css" rel="stylesheet"/>
<link href="/reuse/systemplus/icon/iconfont.css" rel="stylesheet"/>
<link href="/reuse/systemplus/mycostern/iconfont.css?v=20220901" rel="stylesheet"/>
<link href="/reuse/systemplus/fonts/remixicon.css?v=20250611" rel="stylesheet" />
<link href="/reuse/systemplus/indexPage/fonts/iconfont.css?v=20250707" rel="stylesheet" />
<link href="/reuse/ajax/libs/magnify/jquery.magnify.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/magnify/magnify-white-theme.css" rel="stylesheet"/>
<link href="/reuse/css/mycostern-ui-plus.css?v=20250618" rel="stylesheet"/>
<link href="/reuse/css/subApp.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/css/multiselect/style.css" rel="stylesheet"/>
<link href="/reuse/css/icons.css?v=20250328" rel="stylesheet"/>
<style>
.layui-layer-btn {
    text-align: center !important;
}
</style>
</style>
</head>
<body class="gray-bg">

    <div class="container-div">
<div class="row">
<div class="col-sm-12 search-collapse">
        <form id="formId">
<div class="select-list">
<ul>
<li>
                        数据源名称: <input type="text" name="name" id="name"/>
</li>
<li>
                        数据库类型:
                        <select name="linktype">
<option value="">所有</option>
<option value="mysql">MySQL</option>
<option value="pgsql">PostgreSQL</option>
<option value="oracle">Oracle</option>
<option value="sqlser">SQL Server</option>
<option value="DM8">DM8</option>
</select>
</li>
<li>
                        <a class="btn btn-primary btn-rounded btn-sm" onclick="$$.treeTable.search()"><i class="fa fa-search"></i>&nbsp;搜索</a>
                        <a class="btn btn-warning btn-rounded btn-sm" onclick="$$.form.reset()"><i class="fa fa-refresh"></i>&nbsp;重置</a>
</li>
</ul>
</div>
</form>
</div>

        <div class="btn-group-sm hidden-xs" id="toolbar" role="group">
<a
...
...
...

```

“Content-Security-Policy”头缺失	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/
实体：	10.132.197.11 (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	将服务器配置为使用安全策略的“Content-Security-Policy”头

差异：

推理：AppScan 检测到 Content-Security-Policy 响应头缺失或具有不安全策略，这可能会更大程度地暴露于各种跨站点注入攻击之下
测试请求和响应：

```
GET /reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4EB2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: iframe
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:09 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
vary: accept-encoding
Content-Language: zh-CN
Set-Cookie: sid=0b8dc8aa-1276-4bfc-a6e7-dcc535e884d4; Path=/; HttpOnly; SameSite=lax
Set-Cookie: rememberMe=deleteMe; Path=/; Max-Age=0; Expires=Mon, 02-Mar-2026 10:25:09 GMT; SameSite=lax

<!DOCTYPE HTML>
<html lang="zh">
<meta charset="utf-8">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title></title>
<meta name="keywords" content="">
<meta name="description" content="">
<link href="/reuse/css/bootstrap.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/fontawesome-free/css/all.min.css" rel="stylesheet"/>
<link href="/reuse/css/font-awesome.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/layui/css/layui.css" rel="stylesheet"/>
<!-- bootstrap-table 表格插件样式 -->
<link href="/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/bootstrap-table/bootstrap-treetable/bootstrap-treetable.css" rel="stylesheet"/>
<link href="/reuse/css/animate.css" rel="stylesheet"/>
<link href="/reuse/css/style.css?v=20250430" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2-bootstrap.css" rel="stylesheet"/>
<link href="/reuse/systemplus/css/ry-ui.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/ajax/libs/toastr/toastr.min.css" rel="stylesheet"/>
<!--分页插件-->
<link href="/reuse/systemplus/sPage/jquery.sPage.css" rel="stylesheet"/>
<link href="/reuse/systemplus/icon/iconfont.css" rel="stylesheet"/>
```

```
<link href="/reuse/systemplus/mycostern/iconfont.css?v=20220901" rel="stylesheet"/>
<link href="/reuse/systemplus/fonts/remixicon.css?v=20250611" rel="stylesheet" />
<link href="/reuse/systemplus/indexPage/fonts/iconfont.css?v=20250707" rel="stylesheet" />
<link href="/reuse/ajax/libs/magnify/jquery.magnify.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/magnify/magnify-white-theme.css" rel="stylesheet"/>
<link href="/reuse/css/mycostern-ui-plus.css?v=20250618" rel="stylesheet"/>
<link href="/reuse/css/subApp.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/css/multiselect/style.css" rel="stylesheet"/>
<link href="/reuse/css/icons.css?v=20250328" rel="stylesheet"/>
<style>
.layui-layer-btn {
    text-align: center !important;
}
</style>
</style>
</head>
<body class="gray-bg">

    <div class="container-div">
<div class="row">
&ltdiv class="col-sm-12 search-collapse">
    <form id="formId">
        <div class="select-list">
            <ul>
                <li>
                    数据源名称: <input type="text" name="name" id="name"/>
                </li>
                <li>
                    数据库类型:
                    <select name="linktype">
                        <option value="">所有</option>
                        <option value="mysql">MySQL</option>
                        <option value="psql">PostgreSQL</option>
                        <option value="oracle">Oracle</option>
                        <option value="sqlser">SQL Server</option>
                        <option value="DM8">DM8</option>
                    </select>
                </li>
                <li>
                    <a class="btn btn-primary btn-rounded btn-sm" onclick="$$.treeTable.search()"><i class="fa fa-search"></i> 搜索</a>
                    <a class="btn btn-warning btn-rounded btn-sm" onclick="$$.form.reset()"><i class="fa fa-refresh"></i> 重置</a>
                </li>
            </ul>
        </div>
    </form>
</div>

    <div class="btn-group-sm h
...
...
...

```

低

“X-Content-Type-Options”头缺失或不安全 ①

TOC

问题 1 / 1

TOC

“X-Content-Type-Options”头缺失或不安全	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/
实体：	10.132.197.11 (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	将服务器配置为使用值为“nosniff”的“X-Content-Type-Options”头

差异：

推理： AppScan 检测到“X-Content-Type-Options”响应头缺失或具有不安全值，这可能会更大程度地暴露于偷渡式下载攻击之下

测试请求和响应：

```
GET / HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Language: en-US
Content-Length: 0

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:21 GMT
Content-Type: text/html
Content-Length: 780
Last-Modified: Thu, 29 Jan 2026 02:08:39 GMT
ETag: "697ac127-30c"
Strict-Transport-Security: max-age=31536000; includeSubDomains
Accept-Ranges: bytes

<!doctype html><html lang=""><head><meta charset="utf-8"><meta http-equiv="X-UA-Compatible" content="IE=edge"><meta name="viewport" content="width=device-width,initial-scale=1"><link rel="icon" href="favicon.ico"><script src="/config.js"></script><title>数据加密服务</title><style>#app {
  width: 100%;
  height: 100%;
}</style><script defer="defer" src="js/chunk-vendors.567c62f0.js"></script><script defer="defer" src="js/app.70143959.js"></script><link href="css/chunk-vendors.b92d2e46.css" rel="stylesheet"><link href="css/app.0b5a2094.css" rel="stylesheet"></head><body><noscript><strong>We're sorry but 数据加密服务 doesn't work properly without JavaScript enabled. Please enable it to continue.</strong></noscript><div id="app"></div></body></html>
```

发现可高速缓存的 SSL 页面	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/api/login/imgCode
实体：	imgCode (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因：	浏览器可能已将敏感信息高速缓存
固定值：	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

差异：

推理： 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

测试请求和响应：

```
GET /api/login/imgCode?t=1772532072071 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
```


Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfr3tqpxzmd6lm0kpfk2vweyy10.node0
Content-Length: 0

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:28 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

```
{
  "code": 0,
  "msg": "success",
  "data": [
    {
      "id": "01",
      "name": "系统管理",
      "page": "systemRole",
      "request": "[]",
      "parent": "00",
      "icon": "Discount",
      "order": 1,
      "type": 1,
      "status": 1,
      "permisssin": null,
      "children": [
        {
          "id": "0103",
          "name": "字典管理",
          "page": "sysdict",
          "request": "[\"/api/sysdict/typeList\", \"/api/sysdict/typeSave\", \"/api/sysdict/type/\", \"/api/sysdict/typeRemove\", \"/api/sysdict/dataList\", \"/api/sysdict/dataSave\", \"/api/sysdict/data/\", \"/api/sysdict/dataRemove\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\"]",
          "parent": "01",
          "icon": "Grid",
          "order": 3,
          "type": 2,
          "status": 1,
          "permisssin": null,
          "children": null
        }
      ]
    },
    {
      "id": "02",
      "name": "数据源管理",
      "page": "sourceMana",
      "request": "[]",
      "parent": "00",
      "icon": "Unlock",
      "order": 2,
      "type": 1,
      "status": 1,
      "permisssin": null,
      "children": [
        {
          "id": "0201",
          "name": "前置管理",
          "page": "premana",
          "request": "[\"/api/fe/save\", \"/api/fe/pagelist\", \"/api/fe/\", \"/api/fe/remove\", \"/api/fe/changestatus\", \"/api/fe/userlist\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\"]",
          "parent": "02",
          "icon": "Tools",
          "order": 1,
          "type": 2,
          "status": 1,
          "permisssin": null,
          "children": null
        }
      ]
    },
    {
      "id": "0204",
      "name": "数据目录管理",
      "page": "Keytree",
      "request": "[\"/api/case/alldata\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\", \"/api/app/feAndAppList\", \"/case/notSubmitPagelist\", \"/api/case/pagelist\"]",
      "parent": "02",
      "icon": "Sell",
      "order": 5,
      "type": 2,
      "status": 1,
      "permisssin": null,
      "children": null
    }
  ]
}
```

```

    }
  ],
  {
    "id": "03",
    "name": "密钥管理",
    "page": "keyMana",
    "request": "[]",
    "parent": "00",
    "icon": "Sugar",
    "order": 3,
    "type": 1,
    "status": 1,
    "permissin": null,
    "children": [
      {
        "id": "0301",
        "name": "密钥生命周期管理",
        "page": "rootKeyMana",
        "request": "[\"/api/confRootkey/save\", \"/api/confRootkey/detail\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\", \"/api/confRootkey/pagelist\", \"/api/confRootkey/remove\", \"/api/conf-rootkey/save\", \"/api/conf-rootkey/pagelist\", \"/api/conf-rootkey\", \"/api/conf-rootkey/changestatus\", \"/api/confRootkey/keyExport\"]",
        "parent": "03",
        "icon": "IceDrink",
        "order": 1,
        "type": 2,
        "status": 1,
        "permissin": null,
        "children": null
      },
      {
        "id": "0302",
        "name": "密钥树管理",
        "page": "keyTreeMana",
        "request": "[\"/api/confRootkey/save\", \"/api/confRootkey/detail\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\"]",
        "parent": "03",
        "icon": "VideoPause",
        "order": 1,
        "type": 2,
        "status": 1,
        "permissin": null,
        "children": null
      },
      {
        "id": "0304",
        "name": "算法管理",
        "page": "algMana",
        "request": "[\"/api/confEncryFile/save\", \"/api/confEncryFile/pagelist\", \"/api/confEncryFile/changestatus\", \"/api/confEncryFile/alldata\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\", \"/api/sysdict/dataList\"]",
        "parent": "03",
        "icon": "SetUp",
        "order": 3,
        "type": 2,
        "status": 1,
        "permissin": null,
        "children": null
      },
      {
        "id": "0305",
        "name": "密钥使用管理",
        "page": "algUseMana",
        "request": "[\"/api/confEncryFile/save\", \"/api/confEncryFile/pagelist\", \"/api/confEncryFile/changestatus\", \"/api/confEncryFile/alldata\", \"/login/updatepwd\", \"/api/login/sign-out\""]",
        ...
      }
    ]
  }

```

发现可高速缓存的 SSL 页面

严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/api/confkeyuse/list
实体：	list (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因：	浏览器可能已将敏感信息高速缓存
固定值：	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

差异：

推理： 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

测试请求和响应：

```
GET /api/confkeyuse/list HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VweIf7B
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
sec-ch-ua: "Not-A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
token: VweIf7B
sec-ch-ua-mobile: ?0
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqpxzmd61m0kpfk2vweyy10.node0; sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:43 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "code": 0,
  "msg": "success",
  "data": [
    {
      "id": 1,
      "functionUsage": "派生子密钥",
      "indexValue": "02",
      "algorithmType": "sm2ecb",
      "status": 0,
      "identifierId": "FE00000000000001",
      "authMethod": "ip白名单"
    },
    {
      "id": 2,
      "functionUsage": "派生子密钥",
      "indexValue": "02",
      "algorithmType": "sm2ecb",
      "status": 0,
      "identifierId": "APP0000000000000001",
      "authMethod": "ip白名单"
    },
    {
      "id": 3,
      "functionUsage": "派生子密钥",
      "indexValue": "01",
      "algorithmType": "sm2ecb",
      "status": 0,
      "identifierId": "1",
      "authMethod": "ip白名单"
    },
    {
      "id": 4,
```

```

"functionUsage": "派生子密钥",
"indexValue": "01",
"algorithmType": "sm2ecb",
"status": 0,
"identifierId": "FE00000000000002",
"authMethod": "ip白名单"
},
{
  "id": 5,
  "functionUsage": "派生子密钥",
  "indexValue": "01",
  "algorithmType": "sm2ecb",
  "status": 1,
  "identifierId": "2",
  "authMethod": "ip白名单"
},
{
  "id": 6,
  "functionUsage": "派生子密钥",
  "indexValue": "04",
  "algorithmType": "sm2ecb",
  "status": 0,
  "identifierId": "FE00000000000004",
  "authMethod": "ip白名单"
},
{
  "id": 7,
  "functionUsage": "派生子密钥",
  "indexValue": "03",
  "algorithmType": "sm2ecb",
  "status": 0,
  "identifierId": "FE00000000000003",
  "authMethod": "ip白名单"
},
{
  "id": 8,
  "functionUsage": "派生子密钥",
  "indexValue": "06",
  "algorithmType": "sm2ecb",
  "status": 0,
  "identifierId": "FE00000000000005",
  "authMethod": "ip白名单"
},
{
  "id": 9,
  "functionUsage": "派生子密钥",
  "indexValue": "07",
  "algorithmType": "sm2ecb",
  "status": 0,
  "identifierId": "FE00000000000006",
  "authMethod": "ip白名单"
},
{
  "id": 10,
  "functionUsage": "派生子密钥",
  "indexValue": "05",
  "algorithmType": "sm2ecb",
  "status": 0,
  "identifierId": "FE00000000000007",
  "authMethod": "ip白名单"
},
{
  "id": 11,
  "functionUsage": "派生子密钥",
  "indexValue": "08",
  "algorithmType": "sm2ecb",
  "status": 0,
  "identifierId": "FE00000000000008",
  "authMethod": "ip白名单"
},
{
  "id": 12,
  "functionUsage": "派生子密钥",
  "indexValue": "09",
  "algorithmType": "sm2ecb",
  "status": 0,
  "identifierId": "FE00000000000010",
  "authMethod": "ip白名单"
},
{
  "id": 13,
  "functionUsage": "派生子密钥",
  "indexValue": "02",
  "algorithmType": "sm2ecb",
  "status": 0,
  "identifierId": "APP00000000000002",
  "authMethod": "ip白名单"
}
},
"timestamp": 1772532283295
}

```

发现可高速缓存的 SSL 页面	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/M:X/MA:X
URL：	https://10.132.197.11:9044/api/confkeystrategy/list
实体：	list (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因：	浏览器可能已将敏感信息高速缓存
固定值：	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

- 差异：
- 推理： 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。
- 测试请求和响应：

```
GET /api/confkeystrategy/list HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VweIf7B
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
token: VweIf7B
sec-ch-ua-mobile: ?0
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqpxzmd6Im0kpfk2vweyy10.node0; sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:43 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "code": 0,
  "msg": "success",
  "data": [
    {
      "id": 1,
      "identifierId": "FE00000000000001",
      "useStrategy": "派生子密钥",
      "transferStrategy": "密码信封",
      "genStrategy": "密钥中心",
      "encStrategy": "数字信封",
      "decStrategy": "择授权后解密",
      "fetchStrategy": "线上",
      "operationDate": "2025-07-07 17:44:12",
      "keyStatus": 0
    },
    {
      "id": 2,
      "identifierId": "1",
      "useStrategy": "派生子密钥",
      "transferStrategy": "不传输",
      "genStrategy": "密钥中心",
      "encStrategy": "数字信封",
      "decStrategy": "择授权后解密",
      "fetchStrategy": "离线",
      "operationDate": "2025-06-18 14:16:03",
      "keyStatus": 0
    },
    {
      "id": 3,
```

```
"identifierId": "FE00000000000002",
"useStrategy": "数据入库保护",
"transferStrategy": "密码信封",
"genStrategy": "密钥中心",
"encStrategy": "数字信封",
"decStrategy": "择授权后解密",
"fetchStrategy": "线上",
"operationDate": "2025-07-07 17:44:37",
"keyStatus": 0
},
{
  "id": 4,
  "identifierId": "FE00000000000004",
  "useStrategy": "派生子密钥",
  "transferStrategy": "不传输",
  "genStrategy": "密钥中心",
  "encStrategy": "数字信封",
  "decStrategy": "择授权后解密",
  "fetchStrategy": "线上",
  "operationDate": "2025-07-07 17:45:07",
  "keyStatus": 0
},
{
  "id": 5,
  "identifierId": "FE00000000000003",
  "useStrategy": "数据入库保护",
  "transferStrategy": "密码信封",
  "genStrategy": "密钥中心",
  "encStrategy": "数字信封",
  "decStrategy": "自主解密",
  "fetchStrategy": "线上",
  "operationDate": "2025-07-07 17:50:05",
  "keyStatus": 0
}
},
"timestamp": 1772532283440
}
```

发现可高速缓存的 SSL 页面	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/R/C:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/meta/etlDatasource
实体:	etlDatasource (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	浏览器可能已将敏感信息高速缓存
固定值:	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

差异:

推理: 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

测试请求和响应:

```
GET /reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: iframe
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Content-Length: 0
```

```
HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:29 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
vary: accept-encoding
Content-Language: zh-CN
Set-Cookie: sid=f683e120-bafd-4a07-b837-67182c1319d9; Path=/; HttpOnly; SameSite=lax
Set-Cookie: rememberMe=deleteMe; Path=/; Max-Age=0; Expires=Mon, 02-Mar-2026 10:04:29 GMT; SameSite=lax

<!DOCTYPE HTML>
<html lang="zh">
<meta charset="utf-8">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title></title>
<meta name="keywords" content="">
<meta name="description" content="">
<link href="/reuse/css/bootstrap.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/fontawesome-free/css/all.min.css" rel="stylesheet"/>
<link href="/reuse/css/font-awesome.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/layui/css/layui.css" rel="stylesheet"/>
<!-- bootstrap-table 表格插件样式 -->
<link href="/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/bootstrap-treeable/bootstrap-treeable.css" rel="stylesheet"/>
<link href="/reuse/css/animate.css" rel="stylesheet"/>
<link href="/reuse/css/style.css?v=20250430" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select/select2.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2-bootstrap.css" rel="stylesheet"/>
<link href="/reuse/systemplus/css/ry-ui.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/ajax/libs/toastr/toastr.min.css" rel="stylesheet"/>
<!--分页插件-->
<link href="/reuse/systemplus/sPage/jquery.sPage.css" rel="stylesheet"/>
<link href="/reuse/systemplus/icon/iconfont.css" rel="stylesheet"/>
<link href="/reuse/systemplus/mycostern/iconfont.css?v=20220901" rel="stylesheet"/>
<link href="/reuse/systemplus/fonts/remixicon.css?v=20250611" rel="stylesheet" />
<link href="/reuse/systemplus/indexPage/fonts/iconfont.css?v=20250707" rel="stylesheet" />
<link href="/reuse/ajax/libs/magnify/jquery.magnify.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/magnify/magnify-white-theme.css" rel="stylesheet"/>
<link href="/reuse/css/mycostern-ui-plus.css?v=20250618" rel="stylesheet"/>
<link href="/reuse/css/subApp.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/css/multiselect/style.css" rel="stylesheet"/>
<link href="/reuse/css/icons.css?v=20250328" rel="stylesheet"/>
<style>
.layui-layer-btn {
text-align: center !important;
}
</style>
</style>
</head>
<body class="gray-bg">

<div class="container-div">
<div class="row">
<div class="col-sm-12 search-collapse">
<form id="formId">
<div class="select-list">
<ul>
<li>
<li>
数据源名称: <input type="text" name="name" id="name"/>
</li>
<li>
数据库类型:
<select name="linktype">
<option value="">所有</option>
<option value="mysql">MySQL</option>
<option value="psql">PostgreSQL</option>
<option value="oracle">Oracle</option>
<option value="sqlser">SQL Server</option>
<option value="DM8">DM8</option>
</select>
</li>
<li>
<li>
<a class="btn btn-primary btn-rounded btn-sm" onclick="$.treeTable.search()"><i class="fa fa-search"></i>&nbsp;搜索</a>
<a class="btn btn-warning btn-rounded btn-sm" onclick="$.form.reset()"><i class="fa fa-refresh"></i>&nbsp;重置</a>
</li>
</ul>
</div>
</form>
</div>
</div>
```

```
<div class="btn-group-sm hidden-xs" id="toolbar" role="group">
  <a
    ...
    ...
    ...
```

发现可高速缓存的 **SSL** 页面

严重性: 低

CVSS 分数: 3.7

CVSS 向量: AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X

URL: <https://10.132.197.11:9044/reuse/js/content.min.js>

实体: content.min.js (Page)

风险：可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置

原因: 浏览器可能已将敏感信息高速缓存

固定值: 通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

差异:

推理： 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

测试请求和响应:

```
GET /reuse/js/content.min.js?v=1.0.0 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C5728F9687637BC52B981B72F00AB78C2FDAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:49 GMT
Content-Type: application/javascript
Content-Length: 371
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

$($(".collapse-box-tool").click(function() {
    var o = $(this).closest("div.collapse-box")
    , e = $(this).find("i")
    , i = o.find("div.collapse-box-content");
    i.slideToggle(200),
    e.toggleClass("fa-plus").toggleClass("fa-minus"),
    setTimeout(function() {
        o.resize(),
        o.find("[id~=map]").resize()
    }, 50)
});
```

发现可高速缓存的 SSL 页面	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/iCheck/iCheck.min.js
实体:	icheck.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	浏览器可能已将敏感信息高速缓存
固定值:	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

- 差异:
- 推理: 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。
- 测试请求和响应:

```
GET /reuse/ajax/libs/iCheck/iCheck.min.js?v=1.0.3 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etl/Datasources?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98B8CABEE399FBC5117FA1522F3380B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:04 GMT
Content-Type: application/javascript
Content-Length: 5087
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/* iCheck v1.0.3 by Damir Sultanov, https://github.com/dargullin/iCheck, MIT Licensed */
(function(k){function E(a,b,e){var c=a[0],f=/er/.test(e)?'indeterminate':/bl/.test(e)?'disabled':'checked',d='update'==e?checked:c.checked,disabled:c.disabled,indeterminate:'true'==a.attr('indeterminate')||'false'==a.attr('determinate')?c[f]:if(/^ch|di|in/.test(e)&&!d)B(a,f);else if(/^(un|en|de)/.test(e)&&d)v(a,f);else if('update'==e)for(var l in d)d[l]?B(a,l,!0):v(a,l,!0);else b&&'toggle'!=e||b[a.trigger('ifClicked'),'d'?radio!=='c.type&v(a,f):B(a,f)}function B(a,b,e){var c=a[0],f=a.parent(),d='checked'==b,l='indeterminate'==b,t='disabled'==b,u=l?'determinate':d?'unchecked':'enabled',x=q(a,u+C(c.type)),y=q(a,b+C(c.type));if(!l==c[b]){if(!e&&'checked'==b&&'radio'==c.type&c.name){var z=a.closest('form'),r='input[name="'+c.name+'"]';r=z.length?z.find(r):k(r);r.each(function(){this!=c&&k(this).data('iCheck')&&v(k(this),b)})}l?(c[b]=!0,c.checked&&v(a,'checked'),'force'):(e||c[b]=!0,d&c.indeterminate&&v(a,'indeterminate',!1));I(a,d,b,e)}c.disabled&&q(a,'cursor',!0)&&f.find('.iCheck-helper').css('cursor','default');f.addClass(y|q(a,b)||'');f.attr('role')&&!l&&f.attr('aria-'+(t?'disabled':'checked'),'true');f.removeClass(x|q(a,u)||'');function v(a,b,e){var c=a[0],f=a.parent(),d='checked'==b,l='indeterminate'==b,t='disabled'==b,u=l?'determinate':d?'unchecked':'enabled',x=q(a,u+C(c.type)),y=q(a,b+C(c.type));if(!l==c[b]){if(l||!e||'force'==e)c[b]=!1;I(a,d,u,e)}!c.disabled&&q(a,'cursor',!0)&&f.find('.iCheck-helper').css('cursor','pointer');f.removeClass(y|q(a,b)||'');f.attr('role')&&!l&&f.attr('aria-'+(t?'disabled':'checked'),'false');f.addClass(x|q(a,u)||'');function J(a,b){a.data('iCheck')&&(a.parent().html(a.attr('style'),a.data('iCheck')).s||''),b&&a.trigger(b),a.off('.i').unwrap().k('label[for="'+a[0].id+'"]').add(a.closest('label')).off('.i')}function q(a,b,e){if(a.data('iCheck'))return a.data('iCheck').o[b+(e?'':'Class')]}function C(a){return a.charAt(0).toUpperCase()+a.slice(1)}function I(a,b,e,c){b&&a.trigger('ifToggled'),a.trigger('change').trigger('ifChanged').trigger('if'+C(e))}var G=/p(hone|od|ad)|androi|blackberry|windows phone|opera mini|silk/i,.test(navigator.userAgent)||'MacIntel'==navigator.platform&&!navigator.maxTouchPoints;k.fn.iCheck=function(a,b){var e='input[type="checkbox"]',input[type="radio"]',c=k(),f=function(g){g.each(function(){var m=k(this),c=m.is(e)?c.add(m):c.add(m.find(e))});if(/^check|uncheck|toggle|indeterminate|determinate|disable|enable|update|destroy$/i.test(a))return a=a.toLowerCase(),f(this),c.each(function(){var g=k(this),'destroy'==a?J(g,'ifDestroyed'):E(g,!0,a);k.isFunction(b)&&b()};if('object'!=typeof a&&a)return this;var d=k.extend({checkedClass:'checked',disabledClass:'disabled',indeterminateClass:'indeterminate',labelHover:!0},a),l=d.handle,t=d.hoverClass,u=d.focusClass,v=d.focusClass,x=d.activeClass,y=!d.labelHover,z=d.labelHoverClass,w='hover',r=''+d.increaseArea.replace('%','')|0;if('checkbox'==l||'radio'==l)e='input[type="'+l+'"]';~50>r&&(r=-50);f(this).return c.each(function(){var g=k(this);J(g);var m=this,H=m.id,F=r+'%',w=100+2*r+'%';w=position:'absolute',top:F,left:F,display:'block',width:w,height:w;margin:0,padding:0;background:'#fff',border:0,opacity:0);F=G?position:'absolute',visibility:'hidden':r?w:position:'absolute',opacity:0);var M='checkbox'==m.type?d.checkboxClass|'iCheck':d.radioClass|'iradio',D=k('label[for="'+H+'"]').add(g.closest('label')),K=!d.aria,I='iCheck-'+Math.random().toString(36).substr(2,6),h='<div class="'+M+' '+K+'?role="'+m.type+' '+'':'';K&&D.each(function(){h+='aria-labelledby="'+this.id+'h=h+...
...
...

```

发现可高速缓存的 SSL 页面	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/layers/layers.min.js
实体:	layers.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	浏览器可能已将敏感信息高速缓存
固定值:	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

- 差异:
- 推理: 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。
- 测试请求和响应:

```
GET /reuse/ajax/libs/layers/layers.min.js?v=2.7.6 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasources?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:06 GMT
Content-Type: application/javascript
Content-Length: 291146
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/** 2.7.6 | MIT Licensed */;function(d){function(t){var t,h=d.document,m={modules:{},status:{},timeout:10,event:{},r=function(){this.v="2.7.6"},e=d.LAYUI_GLOBAL||{}},v=(t=h.currentScript?h.currentScript.src:function(){for(var t,h=e.scripts,o=e.length-1,r=o;0<r;r--)if("interactive"===e[r].readyState){t=e[r].src;break}return t||e[o].src})();m.dir=e.dir||t.substring(0,t.lastIndexOf("/")+1),g=function(t,e){e=||"log",d.console&&console[e]&&console[e]("layers error hint: "+t),b="undefined"!==typeof opera&&[object Opera]===opera.toString(),N=m.builtin={layer:"layer",layer:"layer",laydate:"laydate",laypage:"laypage",laytpl:"laytpl",layedit:"layedit",form:"form",upload:"upload",dropdown:"dropdown",transfer:"transfer",tree:"tree",table:"table",element:"element",rate:"rate",colorpicker:"colorpicker",slider:"slider",carousel:"carousel",flow:"flow",util:"util",code:"code",jquery:"jquery",all:"all",layers:"layers"},s=(r.prototype.cache=m,r.prototype.define=function(t,r){return"function"===typeof t&&(r=t,t=[]),this.use(t,function(){var o=function(t,e){layers[t]=e,m.status[t]=!0;return"function"===typeof r&&r(function(t,e){o(t,e),m.callback[t]=function(){r(o)}),this,null,"define"},this),r.prototype.use=function(o,t,e,r){var n=this,i=m.dir,m.dir||v,a=h.getElementsByTagName("head")[0],u=("string"===typeof o?o:"function"===typeof o?t=o,["all"]):o,d.jQuery&&jQuery.fn.cn&&(n,e,o,function(t,e){jQuery===e&&o.splice(t,1)}),layers.jquery=layers.$=jQuery,o[0],l=0;function s(t,e){var o="PLAYSTATION 3"===navigator.platform?/^complete$/:/^complete|loaded$/;load"!==t.type&&!o.test((t.currentTarget||t.srcElement).readyState)||m.modules[u]=e,a.removeChild(p),function r(){return+l>1e3*m.timeout/4?g(u+" is not a valid module","error"):void(m.status[u]?c():setTimeout(r,4))}())function c(){e.push(layers[u]),l<o.length?n.use(o.slice(1),t,e,r):"function"===typeof t&&(layers.jquery&&"function"===typeof layers.jquery&&"define"===r?layers.jquery(function(){t.apply(layers,e)}):t.apply(layers,e))if(e=||[],m.host=m.host||i.match(/\/([^\s]+)\//)||["//"+location.host+"/"])[0],0===o.length||layers["layers.all"]&&N[u]return c(),n;var p,y=(y=N[u]?i+"modules/":!/^{\w\/}.test(n.modules[u])&&m.base||"")+n.modules[u]|u+"|.js").replace(/^{\/}/,"");return!m.modules[u]&&layers[u]&&m.modules[u]=y,m.modules[u]?function f(){return+l>1e3*m.timeout/4?g(u+" is not a valid module","error"):void("string"===typeof m.modules[u]&&m.status[u]?c():setTimeout(f,4))}():((g=h.createElement("script"))["async"]=!0,p.charset="utf-8",p.src=y+(i=!0===version?m.v|new Date).getTime()+":"+version+"")?"?v="+i:""),a.appendChild(p),p.attachEvent||p.addEventListener.toStrings&&p.attachEvent.toStrings().indexOf("[native code]<0|b?>p.addEventListener("load",function(t){s(t,y)},1):p.attachEvent("onreadystatechange",function(t){s(t,y)}),m.modules[u]=y),n,r.prototype.dispose=function(t){var o=this;return t=o.isArray(t)?t:t[o],o.each(t,function(t,e){m.status[e],delete o[e],delete N[e],delete o.modules[e],delete m.status[e],delete m.modules[e]}),o},r.prototype.getStyle=function(t,e){t=t.currentStyle||d.getComputedStyle(t,null);return t.getPropertyValue("getComputedStyle")?t.getAttribute("e"),r.prototype.link=function(o,r,t){var n=this,e=h.getElementsByTagName("head")[0],i=h.createElement("link"),t=((t="string"===typeof r?r:t)||o).replace(/.\/g,""),a=i.id="layuicss-"+t,u="creating",l=0;return i.rel="stylesheet",i.href=o+m.debug?"?v="+new Date().getTime()+":"+version+"",i.media="all",h.getElementById(a)||e.appendChild(i),"function"===typeof r||function s(t){var e=h.getElementById(a);return+l>1e3*m.timeout/100?g(o+" timeout"):void(1989===parseInt(n.getStyle(e,"width"))?t=u&&e.removeAttribute("lay-
```

发现可高速缓存的 SSL 页面	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/M:XMA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/layer/layer.min.js
实体:	layer.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	浏览器可能已将敏感信息高速缓存
固定值:	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

差异:

推理: 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

测试请求和响应:

```
GET /reuse/ajax/libs/layer/layer.min.js?v=3.5.1 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAFE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:04 GMT
Content-Type: application/javascript
Content-Length: 23568
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/*! layer-v3.5.1 Web 通用弹出层组件 MIT License */
!function(i,d){var e=i.layui&&layui.define,f,h,j=(getPath:function(){var m=document.currentScript?document.currentScript.src:function(){var p=document.scripts,o=p.length-1,q;for(var n=o;n>0;n--){if(p[n].readyState=="interactive"){q=p[n].src;break}}return q||p[o].src})();l=i.LAYUI_GLOBAL||{};return l.layer_dir||m.substring(0,m.lastIndexOf("/")+1)}(),config:{},end:{},minIndex:0,minLeft:[],btn:["%#x786E; %#x5B9A; ", "%#x53D6; %#x6D88; "],type:["dialog","page","iframe","loading","tips"],getStyle:function(n,l){var m=n.currentStyle?n.currentStyle:i.getComputedStyle(n,null);return m[m.getPropertyValue?"getPropertyValue":"getAttribute"](l)},link:function(l,t,m){if(!g.path){return}var u=document.getElementsByTagName("head")[0],s=document.createElement("link");if(typeof t=="string"){m=t}var o=(m||l).replace(/\.\/g,"");var n="layuicss-"+["o,p","creating",r=0,s.rel="stylesheet";s.href=g.path+l;s.id=n;if(!document.getElementById(n)){u.appendChild(s)}if(typeof t!="function"){return}(function q(v){var w=100,x=document.getElementById(n);if(++r>10*1000/w){return i.console&&console.error(o+"css: Invalid")}if(parseInt(j.getStyle(x,"width"))==1989){if(v==p){x.removeAttribute("lay-status");x.setAttribute("lay-status")=p?setTimeout(q,w):t()}}else{x.setAttribute("lay-status",p);setTimeout(function(){q(p)},w)}});var g={v:"3.5.1",ie:function(){var l=navigator.userAgent.toLowerCase();return(!i.ActiveXObject||"ActiveXObject" in i)?(l.match(/msie\s(\d+)/)||[1])[1]||"11":false}(),index:(i.layer&&i.layer.v)?0:000000,paths:j.getPath,config:function(l,m){l=l||{};g.cache=j.config?j.config.f.extend({},j.config,l);g.path=j.config.path||g.path;typeof l.extend=="string"&&l.extend=[l.extend];if(j.config.path).ready()||if(l.extend){return this}e?layui.addcss("modules/layer/"+l.extend):j.link("theme/"+l.extend);return this},ready:function(o){var m="layer",l="",r=(e?"modules/layer/":"theme/")+"default/layer.css?v="+g.v+1;e?layui.addcss(n,o,m):j.link(n,o,m);return this},alert:function(n,l,o){var m=typeof l=="function";if(m){o=l}return g.open(f.extend({content:n,yes:o,m?{}:l}),{confim:function(o,l,p,n){var m=typeof l=="function";if(m){n=p;p=l}return g.open(f.extend({content:o,btn:j.btn,yes:p,btn2:n,m?{}:l}),{msg:function(o,m,l){var n=typeof m=="function",r=j.config.skin;var q=(r?r+" "+r+"-msg":"")||"layui-layer-msg";var p=c.anim.length-1;if(n){l=m}return g.open(f.extend({content:o,time:3000,shade:false,skin:g.title:false,closeBtn:false,btn:false,resize:false,end:l},{n&&!j.config.skin}?{skin:q}:"layui-layer-hui",anim:p}):function(){m=m||{};if(m.icon==1||m.icon==d&&!j.config.skin){m.skin=q} "+(m.skin||"layui-layer-hui")}return m)})),load:function(m,l){return g.open(f.extend({type:3,icon:m||0,resize:false,shade:0.01,l}),{tips:function(n,l,m){return this},alert:function(n,l,o){var m=typeof l=="function";if(m){o=l}return g.open(f.extend({type:4,content:[n,l],closeBtn:false,time:3000,shade:false,resize:false,fixed:false,maxWidth:260,m}))};var b=function(m){var n=this,l=function(){n.creat()};n.index+=g.index;n.config.maxWidth=f(h).width()-15*2;n.config.f.extend({},n.config,j.config,m);document.body?l():setTimeout(function(){l()},30)};b.pt=b.prototype;var c=["layui-layer",".layui-layer-title",".layui-layer-main",".layui-layer-dialog",".layui-layer-iframe",".layui-layer-content",".layui-layer-btn",".layui-layer-close"];c.anim=["layer-anim-00","layer-anim-01","layer-anim-02","layer-anim-03","layer-anim-04","layer-anim-05","layer-anim-06"];c.SHADE="layui-layer-shade";c.MOVE="layui-layer-move";b.pt.config=
```



```

if ($.fn.select2 !== undefined) {
    $.fn.select2.defaults.set( "theme", "bootstrap" );
    $("select.form-control:not(.noselect2)").each(function () {
        $(this).select2().on("change", function () {
            $(this).valid();
        })
    })
}

// iCheck单选框及复选框事件绑定
if ($.fn.iCheck !== undefined) {
    $(".checkbox-box:not(.noicheck),.radio-box:not(.noicheck)").each(function () {
        $(this).iCheck({
            checkboxClass: 'icheckbox-blue',
            radioClass: 'iradio-blue',
        })
    })
}

// 气泡弹出框特效（移到元素时）
$(document).on("mouseenter", '.table [data-toggle="popover"]', function () {
    var _this = this;
    $(this).popover("show");
    $(".popover").on("mouseleave", function () {
        $(_this).popover('hide');
    });
});

// 气泡弹出框特效（离开元素时）
$(document).on("mouseleave", '.table [data-toggle="popover"]', function () {
    var _this = this;
    setTimeout(function () {
        if (!$(".popover:visible").length) $(_this).popover("hide");
    }, 100);
});

// 取消回车自动提交表单
$(document).on("keypress", ":input:not(textarea):not([type=submit])", function(event) {
    if (event.keyCode === 13) {
        event.preventDefault();
    }
});

// select2复选框事件绑定
if ($.fn.select2 !== undefined) {
    $("select.form-control:not(.noselect2)").each(function () {
        $(this).select2().on("change", function () {
            $(this).valid();
        })
    })
}

// checkbox 事件绑定
if ($.checkbox-box).length > 0) {
    $(".checkbox-box").iCheck({
        checkboxClass: 'icheckbox-blue',
        radioClass: 'iradio-blue',
    })
}

// radio 事件绑定
if ($.radio-box).length > 0) {
    $(".radio-box").iCheck({
        checkboxClass: 'icheckbox-blue',
        radioClass: 'iradio-blue',
    })
}

// laydate 时间控件绑定
if ($.select-time).length > 0) {
    layui.use('laydate', function () {
        var laydate = layui.laydate;
        var startDate = laydate.render({
            elem: '#startTime',
            max: $('#endTime').val(),
            theme: 'molv',
            trigger: 'click',
            done: function(value, date) {
                // 结束时间大于开始时间
                if (value !== '') {
                    endDate.config.min.year = date.year;
                    endDate.config.min.month = date.month - 1;
                    endDate.config.min.date = date.date;
                } else {
                    endDate.config.min.year = '';
                    endDate.config.min.month = '';
                    endDate.config.min.date = '';
                }
            }
        });
        var endDate = laydate.render({
            elem: '#endTime',
            min: $('#startTime').val(),
            theme: 'molv',
            trigger: 'click',
            done: function(value, date) {

```

```
// 开始时间小于结束时间
if (value !== '') {
  startDate.config.max.year = date.year;
  startDate.config.max.month = date.month - 1;
  startDate.config.max.date = date.date;
} else {
  startDate.config.max.year = '';
  startDate.config.max.month = '';
  startDate.config.max.date = '';
}
}
});
}
// laydate time-input 时间控件绑定
/*if ($(".time-input").length > 0) {
  layui.use('laydate', function() {
    var laydate = layui.laydate;
    var times = $(".time-input");
    for (var i = 0; i < times.length; i++) {
      var time = times[i];
      laydate.render({
        elem: time,
        ...
        ...
        ...
      });
    }
  });
}
```

发现可高速缓存的 SSL 页面	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/systemplus/js/ry-ui.js
实体:	ry-ui.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	浏览器可能已将敏感信息高速缓存
固定值:	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

- 差异:
- 推理: 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。
- 测试请求和响应:

```
GET /reuse/systemplus/js/ry-ui.js?v=20220809 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABFE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:09 GMT
Content-Type: application/javascript
Content-Length: 78486
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes
```

```

/**
 * 通用js方法封装处理
 * Copyright (c) 2018 systemplus
 */
(function ($) {
    $.extend({
        _treeTable: {},
        _tree: {},
        // 表格封装处理
        table: {
            _option: {},
        },
        btTable: {},
        _params: {},
        // 记住选择实例组
        rememberSelecteds: {},
        // 记住选择ID组
        rememberSelectedIds: {},
        // 初始化表格参数
        init: function(options) {
            var defaults = {
                id: "bootstrap-table",
                type: 0, // 0 代表bootstrapTable 1代表bootstrapTreeTable
                method: 'post',
                height: undefined,
                sidePagination: "server",
                sortName: undefined,
                sortOrder: "asc",
                pagination: true,
                paginationLoop: false,
                pageSize: 10,
                pageNumber: 1,
                pageList: [10, 25, 50, 100, 200, 500, 1000],
                toolbar: "toolbar",
                loadingFontSize: 13,
                striped: false,
                escape: false,
                firstLoad: true,
                showFooter: false,
                search: false,
                showSearch: true,
                showPageGo: false,
                showRefresh: true,
                showColumns: true,
                showToggle: false,
                showExport: false,
                clickToSelect: true,
                singleSelect: false,
                mobileResponsive: true,
                maintainSelected: false,
                rememberSelected: false,
                fixedColumns: false,
                fixedNumber: 0,
                rightFixedColumns: false,
                rightFixedNumber: 0,
                queryParams: $.table.queryParams,
                rowStyle: undefined,
            };
            var options = $.extend(defaults, options);
            $.table._option = options;
            $.table.initEvent();
            $('#'+options.id).bootstrapTable({
                url: options.url, // 请求后台的URL (*)
                contentType: "application/x-www-form-urlencoded", // 编码类型
                method: options.method, // 请求方式 (*)
                cache: false, // 是否使用缓存
                height: options.height, // 表格的高度
                striped: options.striped, // 是否显示行间隔色
                sortable: true, // 是否启用排序
                sortStable: true, // 设置为 true 将获得稳定的排序
                sortName: options.sortName, // 排序列名称
                sortOrder: options.sortOrder, // 排序方式 asc 或者 desc
                pagination: options.pagination, // 是否显示分页 (*)
                paginationLoop: options.paginationLoop, // 是否启用分页条无限循环的功能
                pageNumber: 1, // 初始化加载第一页，默认第一页
                pageSize: options.pageSize, // 每页的记录行数 (*)
                pageList: options.pageList, // 可供选择的每页的行数 (*)
                firstLoad: options.firstLoad, // 是否首次请求加载数据，对于数据较大可以配置false
                escape: options.escape, // 转义HTML字符串
                showFooter: options.showFooter, // 是否显示表尾
                iconSize: "outline", // 图标大小: undefined默认的按钮尺寸 xs超小按钮 sm小按钮 lg大按钮
                toolbar: '#' + options.toolbar, // 指定工作栏
                loadingFontSize: options.loadingFontSize, // 自定义加载文本的字体大小
                sidePagination: options.sidePagination, // server启用服务端分页 client客户端分页
                search: options.search, // 是否显示搜索框功能
                searchText: options.searchText, // 搜索框初始显示的内容，默认为空
                showSearch: options.showSearch, // 是否显示检索信息
                showPageGo: options.showPageGo, // 是否显示跳转页
                showRefresh: options.showRefresh, // 是否显示刷新按钮
                showColumns: op
            ...
            ...
            ...
        }
    });

```

严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL:	https://10.132.197.11:9044/reuse/js/bootstrap-show-password.js
实体:	bootstrap-show-password.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	浏览器可能已将敏感信息高速缓存
固定值:	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

测试请求和响应:

```
HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:15 GMT
Content-Type: application/javascript
Content-Length: 17561
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes
```

2026/3/3 34

问题 13 / 16

发现可高速缓存的 SSL 页面

严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/magnify/jquery.magnify.min.js
实体:	jquery.magnify.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	浏览器可能已将敏感信息高速缓存
固定值:	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

差异:

推理： 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

测试请求和响应:

```
GET /reuse/ajax/libs/magnify/jquery.magnify.min.js?v=20220816 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
token=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E45868D6D193E327224EA98C0002EB2C24D6FC2AD75728F687637BC52B981B72F00AB78C2FDBAF50D5646959CDBF2BC53447213BA05A3CB25C9A71C98D8CABEE399FBC5117EA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0
```

```
HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:19 GMT
Content-Type: application/javascript
Content-Length: 38537
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: INT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes
```

```

/*
 *
 * MAAGNIFY
 *
 *
 * jquery.magnify - v1.6.3
 * A jQuery plugin to view images just like in windows
 * https://github.com/nzbin/magnify#readme
 *
 * Copyright (c) 2017 nzbin
 * Released under the MIT License
 */

!function(t){["function"]==typeof define&&define(["jquery"],t):"object "==typeof exports?require("jquery"):t(jQuery)}(function(C){function o(t){return C(t).attr("data-src")?C(t).attr("data-src"):C(t).attr("href")}function S(t,i,e,a){var s=a?t.h:t.w,t=a?t.w:t.h;(t>i.h||s>i.w)&&e.addClass("is-grab"),t<=i.h&&s<=i.w&&e.removeClass("is-grab")}function t(){return"ontouchstart"in window|window.DocumentTouch&&document.instanceof window.DocumentTouch}function I(){return"Microsoft Internet Explorer"==navigator.appName&&0<navigator.appVersion.indexOf("MSIE 8.0")||"Microsoft Internet Explorer"==navigator.appName&&0<navigator.appVersion.indexOf("MSIE 7.0")}function a(t,i){this.options=C.extend(!0,{},r,i),i&&C.isArray(i.footerToolbar)&&
```

问题 14 / 16

发现可高速缓存的 SSL 页面

CVSS 分数: 3.7

URL: <https://10.132.197.11:9044/reuse/ajax/libs/pdf/pdfobject.min.js>

风险：可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置

固定值: 通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

推理： 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

```
GET /reuse/ajax/libs/pdf/pdfobject.min.js?v=20220825 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
token=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:24:56 GMT
Content-Type: application/javascript
Content-Length: 4951
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/**
 * PDFObject v2.1.1
 * https://github.com/pipwerks/PDFObject
 * @license
 * Copyright (c) 2008-2018 Philip Hutchison
 * MIT-style license: http://pipwerks.mit-license.org/
 * UMD module pattern from https://github.com/umdjs/umd/blob/master/templates/returnExports.js
```

```

*/
!function(root, factory) {"function"==typeof define&&define.amd?define([], factory):"object"==typeof module&&module.exports?module.exports=factory():root.PDFObject=factory()
}(this, function() {"use strict";if ("undefined"==typeof window||"undefined"==typeof navigator) return !1;var
supportsPDFs, supportsPdfActiveX, createAXO, buildFragmentString, log, embedError, embed, getTargetElement, generatePDFUSiframe, generateEmbedElement, ua=window.navigator.userAgent, sup
portsPdfMimeType=void 0!==navigator.mimeType&&void 0!==navigator.mimeType["application/pdf"], isModernBrowser=void 0!==window.Promise, isFirefoxWithPDFJS=
1!==ua.indexOf("irefox")&&18<parseInt(ua.split("rv:")[1].split(".")) [0], 10), isIOS=/iphone|ipad|ipod/i.test(ua.toLowerCase()); return createAXO=function(type) (var ax; try{ax=new
ActiveXObject(type)} catch(e) {ax=null} return ax), supportsPdfActiveX=function() {return !(!createAXO("AcroPDF.PDF"))&&!createAXO("PDF.PdfCtrl")}), supportsPDFs=!isIOS&&
(isFirefoxWithPDFJS||supportsPdfMimeType|function() {return !!(window.ActiveXObject||"ActiveXObject"in window)})
()&&supportsPdfActiveX(), buildFragmentString=function(pdfParams) (var prop, string=""; if (pdfParams) {for (prop in pdfParams) pdfParams.hasOwnProperty(prop)&&
(string+=encodeURIComponent(prop)+"="+encodeURIComponent(pdfParams[prop])+"&"); string=string&&(string="#" + string).slice(0, string.length-1)} return string}, log=function(msg)
{"undefined"!=typeof console&&console.log&&console.log("[PDFObject] "+msg)}, embedError=function(msg) {return log(msg), !1}, getTargetElement=function(targetSelector) (var
targetNode=document.body; return "string"==typeof targetSelector?targetNode=document.querySelector(targetSelector):"undefined"!=typeof jQuery&&targetSelector instanceof
jQuery&&targetSelector.length?targetNode=targetSelector.get(0):void 0!=targetSelector.nodeType&&1==targetSelector.nodeType&&
(targetNode=targetSelector), targetNode), generatePDFUSiframe=function(targetNode, url, pdfOpenFragment, PDFUS_URL, id) (var fullURL=PDFUS_URL+"?
file="+encodeURIComponent(url)+pdfOpenFragment, iframe="<div style='"+(isIOS?"-webkit-overflow-scrolling: touch; overflow-y: scroll; ":"overflow: hidden; ")+"position:
absolute; top: 0; right: 0; bottom: 0; left: 0;'"><iframe "+id+" src='"+fullURL+"' style='border: none; width: 100%; height: 100%;' frameborder='0'></iframe></div>"; return
targetNode.className=" pdfobject-
container", targetNode.style.position="relative", targetNode.style.overflow="auto", targetNode.innerHTML=iframe, targetNode.getElementsByTagName("iframe")
[0]), generateEmbedElement=function(targetNode, targetSelector, url, pdfOpenFragment, width, height, id) (var style=""; return
style=targetSelector&&targetSelector!=document.body?"width: "+width+"; height: "+height+";":"position: absolute; top: 0; right: 0; bottom: 0; left: 0; width: 100%; height:
100%;", targetNode.className=" pdfobject-container", targetNode.innerHTML="<embed "+id+" class='pdfobject' src='"+url+pdfOpenFragment+"' type='application/pdf'
style='"+style+"'>", targetNode.getElementsByTagName("embed") [0]), embed=function(url, targetSelector, options) (if ("string"!=typeof url) return embedError("URL is
not valid"); targetSelector=void 0!=targetSelector&&targetSelector; var pdfOpenFragment, id=(options=void 0!=options?options:{}).id&&"string"==typeof
options.id?"id"+"options.id+""+"" : "", page=!options.page&&options.page, pdfOpenParams=options.pdfOpenParams?options.pdfOpenParams:{}, fallbackLi
...
...
...

```

发现可高速缓存的 SSL 页面	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/N:N/AE:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/video/video.js
实体:	video.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	浏览器可能已将敏感信息高速缓存
固定值:	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

差异:

推理: 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

测试请求和响应:

```

GET /reuse/ajax/libs/video/video.js?v=20220825 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E98C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:04 GMT
Content-Type: application/javascript
Content-Length: 383832
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

```

```

window.Player = function (e) {
  var t = {};

  function n(r) {
    if (t[r]) return t[r].exports;
    var a = t[r] = {i: r, l: !1, exports: {}};
    return e[r].call(a.exports, a, a.exports, n), a.l = !0, a.exports
  }

  return n.m = e, n.c = t, n.d = function (e, t, r) {
    n.o(e, t) || Object.defineProperty(e, t, {enumerable: !0, get: r})
  }, n.r = function (e) {
    "undefined" != typeof Symbol && Symbol.toStringTag && Object.defineProperty(e, Symbol.toStringTag, {value: "Module"}), Object.defineProperty(e, "__esModule",
{value: !0})
  ), n.t = function (e, t) {
    if (1 & t && (e = n(e)), 8 & t) return e;
    if (4 & t && "object" === typeof e && e && e.__esModule) return e;
    var r = Object.create(null);
    if (n.r(r), Object.defineProperty(r, "default", {
enumerable: !0,
value: e
}), 2 & t && "string" != typeof e) for (var a in e) n.d(r, a, function (t) {
return e[t]
}).bind(null, a));
    return r
  }, n.n = function (e) {
    var t = e && e.__esModule ? function () {
return e.default
} : function () {
return e
};
    return n.d(t, "a", t), t
  }, n.o = function (e, t) {
    return Object.prototype.hasOwnProperty.call(e, t)
  }, n.p = "", n.n.s = 7)
}([function (e, t, n) {
  "use strict";
  Object.defineProperty(t, "__esModule", {value: !0});
  var r = function () {
    function e(e, t) {
      for (var n = 0; n < t.length; n++) {
        var r = t[n];
        r.enumerable = r.enumerable || !1, r.configurable = !0, "value" in r && (r.writable = !0), Object.defineProperty(e, r.key, r)
      }
    }

    return function (t, n, r) {
      return n && e(t.prototype, n), r && e(t, r), t
    }
  }(), a = f(n(9)), i = f(n(2)), o = f(n(26)), l = f(n(5)), s = f(n(3)), u = f(n(27)), c = n(32), p = f(n(33)),
d = n(4);

  function f(e) {
    return e && e.__esModule ? e : {default: e}
  }

  function g(e, t) {
    if (!e) throw new ReferenceError("this hasn't been initialised - super() hasn't been called");
    return !t || "object" != typeof t && "function" != typeof t ? e : t
  }

  var h = function (e) {
    function t(e) {
      !function (e, t) {
        if (!(e instanceof t)) throw new TypeError("Cannot call a class as a function")
      }(this, t);
      var n = g(this, (t.__proto__ || Object.getPrototypeOf(t)).call(this, e));
      if (n.config = i.default.deepCopy({
width: 600,
height: 337.5,
ignores: [],
whitelist: [],
lang: (document.documentElement.getAttribute("lang") || navigator.language || "zh-cn").toLocaleLowerCase(),
inactive: 3e3,
volume: .6,
controls: !0,
controlsList: ["nodownload"]
}), e), n.version = d.version, n.userTimer = null, n.waitTimer = null, n.database = new o.default, n.history = [], n.isProgressMoving = !1, n.root =
i.default.findDom(document, "#" + n.config.id), n.controls = i.default.createDom("xg-controls", "", {
unselectable: "on",
onselectstart: "return false"
}), "xgplayer-controls"), !
    ...
    ...
    ...

```

发现可高速缓存的 SSL 页面	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/M:X/MA:X
URL：	https://10.132.197.11:9044/reuse/js/mycostern-ui-plus.js
实体：	mycostern-ui-plus.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因：	浏览器可能已将敏感信息高速缓存
固定值：	通过在响应中添加“Cache-Control: no-store”和“Pragma: no-cache”标题，可以阻止高速缓存 SSL 页面。

差异：

推理： 应用程序已进行响应，指示该页面应进行高速缓存，但未设置高速缓存控件（可以设置“Cache-Control: no-store”、“Cache-Control: no-cache”或“Pragma: no-cache”来防止高速缓存）。

测试请求和响应：

```
GET /reuse/js/mycostern-ui-plus.js?v=20250628 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasources?
utoken=047BFF5EEDAF1138C19F58DE6D36048FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDAF50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABEE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:23 GMT
Content-Type: application/javascript
Content-Length: 812
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/**
 * 子系统自定义js文件
 */

// $(document).ready(function() {
//     $('#bootstrap-tree-table').on('load-success.bs.tree.table', function(e, data) {
//         // 表格体渲染完成后执行
//         hideIconsWithText();
//     });
//     $('#bootstrap-table').on('post-body.bs.table', function(e, data) {
//         // 表格体渲染完成后执行
//         hideIconsWithText();
//     });
// });
// function hideIconsWithText() {
//     $('i').each(function() {
//         const nextNode = this.nextSibling;
//         const hasText = nextNode &&
//         nextNode.nodeType === 3 &&
//         nextNode.textContent.trim() !== '';
//         //
//         if (hasText) {
//             $(this).hide();
//             // 或者 $(this).css('visibility', 'hidden');
//         }
//     });
// }
```

严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MAX
URL:	https://10.132.197.11:9044/api/login/imgCode
实体:	10.132.197.11 (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
原因:	Web 应用程序编程或配置不安全
固定值:	请勿允许敏感信息泄漏。

[illegible]

问题 1 / 10

TOC

检测到隐藏目录	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/
实体:	new%20folder%20(2)/ (Page)
风险:	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

- 差异： 路径 从以下位置进行控制： /api/login/imgCode 至： /new%20folder%20(2) /
- 推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。
- 测试请求和响应：

```
GET /new%20folder%20(2)/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133qlkclkm9.node0
Content-Length: 0

HTTP/1.0 403 Forbidden
Cache-Control: no-cache
Connection: close
Content-Length: 1584
Content-Type: text/html
```

问题 2 / 10

TOC

检测到隐藏目录	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/IAR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/
实体：	new%20folder%20(3)/ (Page)
风险：	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因：	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值：	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异： 路径 从以下位置进行控制： /api/login/imgCode 至： /new%20folder%20(3)/

推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应：

```
GET /new%20folder%20(3)/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133g1kx1km9.node0
Content-Length: 0

HTTP/1.0 403 Forbidden
Cache-Control: no-cache
Connection: close
Content-Length: 1584
Content-Type: text/html
```

检测到隐藏目录	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/IAR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/
实体：	js/ (Page)
风险：	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因：	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值：	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异： 路径 从以下位置进行控制： /api/login/imgCode 至： /js/

推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应：

```
GET /js/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
```

```
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133qlxclkm9.node0
Content-Length: 0

HTTP/1.1 403 Forbidden
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:27:46 GMT
Content-Type: text/html
Content-Length: 555
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

检测到隐藏目录	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/
实体:	img/ (Page)
风险:	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异： 路径 从以下位置进行控制： `/api/login/imgCode` 至： `/img/`

推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应：

```
GET /img/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133qlxclkm9.node0
Content-Length: 0

HTTP/1.1 403 Forbidden
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:27:46 GMT
Content-Type: text/html
Content-Length: 555
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

检测到隐藏目录	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/
实体:	.sh_history/ (Page)
风险:	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异： 路径 从以下位置进行控制： /api/login/imgCode 至： /.sh_history/

推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应：

```
GET /.sh_history/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133g1kx1km9.node0
Content-Length: 0

HTTP/1.0 403 Forbidden
Cache-Control: no-cache
Connection: close
Content-Length: 1584
Content-Type: text/html
```

检测到隐藏目录	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/
实体:	.svn/ (Page)
风险:	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异： 路径 从以下位置进行控制： /api/login/imgCode 至： /.svn/

推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应：

```
GET /.svn/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
```

```
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133qlxclkm9.node0
Content-Length: 0

HTTP/1.0 403 Forbidden
Cache-Control: no-cache
Connection: close
Content-Length: 1584
Content-Type: text/html
```

检测到隐藏目录	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/
实体:	css/ (Page)
风险:	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异: 路径 从以下位置进行控制: /api/login/imgCode 至: /css/

推理: 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应:

```
GET /css/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133qlxclkm9.node0
Content-Length: 0

HTTP/1.1 403 Forbidden
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:27:46 GMT
Content-Type: text/html
Content-Length: 555
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

检测到隐藏目录	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/
实体:	.bashrc/ (Page)
风险:	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异： 路径 从以下位置进行控制： /api/login/imgCode 至： /.bashrc/

推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应：

```
GET /.bashrc/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133g1kx1km9.node0
Content-Length: 0

HTTP/1.0 403 Forbidden
Cache-Control: no-cache
Connection: close
Content-Length: 1584
Content-Type: text/html
```

检测到隐藏目录	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/
实体:	.git/ (Page)
风险:	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异： 路径 从以下位置进行控制： /api/login/imgCode 至： /.git/

推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应：

```
GET /.git/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
```

```
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133qlxclkm9.node0
Content-Length: 0

HTTP/1.0 403 Forbidden
Cache-Control: no-cache
Connection: close
Content-Length: 1584
Content-Type: text/html
```

检测到隐藏目录	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/
实体:	.mysql_history/ (Page)
风险:	可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点
原因:	Web 服务器或应用程序服务器是以不安全的方式配置的
固定值:	对禁止的资源发布“404 - Not Found”响应状态代码，或者将其完全除去

差异： 路径 从以下位置进行控制： `/api/login/imgCode` 至： `/.mysql_history/`

推理： 测试尝试检测服务器上的隐藏目录/文件。响应状态为 200 OK 或 403 Forbidden。状态 200 表示测试成功检索了所请求目录/文件的内容。状态 403 表明它确实存在，尽管不允许访问。

测试请求和响应：

```
GET /.mysql_history/?t=1772532085837 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/*,*/*;q=0.8
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: image
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node072h22zb7qe2o181133qlxclkm9.node0
Content-Length: 0

HTTP/1.0 403 Forbidden
Cache-Control: no-cache
Connection: close
Content-Length: 1584
Content-Type: text/html
```


过度许可的 CORS 访问测试

严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/api/conf-rootkey/pagelist
实体：	pagelist (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
POST /api/conf-rootkey/pagelist?pageSize=10&pageNum=1 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VweIf7B
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
Content-Type: application/json
token: VweIf7B
Origin: https://10.132.197.11:9044
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqpxzmd61m0kpfk2vweyy10.node0; sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 37

{
  "aesStatus": null,
  "searchQuery": null
}

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:18:09 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "total": 2,
  "rows": [
    {
      "id": 2,
      "identifierName": "存储保护根密钥",
      "indexValue": "03",
      "storagePosition": "密钥中心",
      "createTime": "2025-05-15 11:20:30",
      "password": "123456",
      "status": 0
    },
    {
      "id": 1,
      "identifierName": "数据保护根密钥",
      "indexValue": "01",
      "storagePosition": "密钥中心",
      "createTime": "2025-05-14 12:45:25",
      "password": "123456",
      "status": 0
    }
  ],
  "code": 0,
  "msg": "success"
}
```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/api/app/feAndAppList
实体：	feAndAppList (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
POST /api/app/feAndAppList HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VweIf7B
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
Content-Type: application/json
token: VweIf7B
Origin: https://10.132.197.11:9044
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqoxzmd61m0kpfk2vweyy10.node0; sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 2

{
}

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:36 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "code": 0,
  "msg": "success",
  "data": [
    {
      "fePkId": 1,
      "feId": "FE00000000000001",
      "feName": "desczj-m",
      "feIp": "10.76.85.14",
      "appPkId": 1,
      "appId": "APP00000000000001",
      "appIdentifier": "desmztjc",
      "appName": "desmztjc",
      "appIp": null
    },
    {
      "fePkId": 1,
      "feId": "FE00000000000001",
      "feName": "desczj-m",
      "feIp": "10.76.85.14",
      "appPkId": 2,
      "appId": "APP00000000000002",
      "appIdentifier": "dessztjc",
      "appName": "dessztjc",
      "appIp": null
    }
  ]
}
```

```

},
{
  "fePkId": null,
  "feId": "FE00000000000002",
  "feName": "desczj-s",
  "feIp": "10.76.199.20",
  "appPkId": null,
  "appId": null,
  "appIdentifier": null,
  "appName": null,
  "appIp": null
},
{
  "fePkId": 4,
  "feId": "FE00000000000004",
  "feName": "GzglQzj",
  "feIp": "10.76.199.24",
  "appPkId": 5,
  "appId": "APP00000000000005",
  "appIdentifier": "gzglxtA",
  "appName": "gzglxtA",
  "appIp": "10.76.199.17"
},
{
  "fePkId": 4,
  "feId": "FE00000000000004",
  "feName": "GzglQzj",
  "feIp": "10.76.199.24",
  "appPkId": 6,
  "appId": "APP00000000000006",
  "appIdentifier": "gzglxtB",
  "appName": "gzglxtB",
  "appIp": "10.76.199.18"
},
{
  "fePkId": 3,
  "feId": "FE00000000000003",
  "feName": "GzywQzj",
  "feIp": "10.76.199.40",
  "appPkId": 3,
  "appId": "APP00000000000003",
  "appIdentifier": "gzywxtA",
  "appName": "gzywxtA",
  "appIp": "10.76.199.33"
},
{
  "fePkId": 3,
  "feId": "FE00000000000003",
  "feName": "GzywQzj",
  "feIp": "10.76.199.40",
  "appPkId": 4,
  "appId": "APP00000000000004",
  "appIdentifier": "gzywxtB",
  "appName": "gzywxtB",
  "appIp": "10.76.199.34"
},
{
  "fePkId": 5,
  "feId": "FE00000000000005",
  "feName": "Jdjgxt",
  "feIp": "10.76.198.7",
  "appPkId": 7,
  "appId": "APP00000000000007",
  "appIdentifier": "jdjgxtA",
  "appName": "Jdjgxt",
  "appIp": "10.76.198.1"
},
{
  "fePkId": 5,
  "feId": "FE00000000000005",
  "feName": "Jdjgxt",
  "feIp": "10.76.198.7",
  "appPkId": 8,
  "appId": "APP00000000000008",
  "appIdentifier": "jdjgxtB",
  "appName": "jdjgxtB",
  "appIp": "10.76.198.2"
},
{
  "fePkId": 6,
  "feId": "FE00000000000006",
  "feName": "JdywxtAz",
  "feIp": "10.76.198.21",
  "appPkId": 9,
  "appId": "APP00000000000009",
  "appIdentifier": "JdywxtA",
  "appName": "JdywxtA",
  "appIp": "10.76.198.17"
},
{
  "fePkId": 6,
  "feId": "FE00000000000006",
  "feName": "JdywxtAz",

```

```

"feIp": "10.76.198.21",
"appPkId": 10,
"appId": "APP00000000000010",
"appIdentifier": "JdywxtB",
"appName": "JdywxtB",
"appIp": "10.76.198.18"
},
{
"fePkId": 7,
"feId": "FE00000000000007",
"feName": "xzzfjdbz",
"feIp": "10.76.199.193",
"appPkId": 11,
"appId": "APP00000000000011",
"appIdentifier": "xzzfjdbt",
"appName": "xzzfjdbt",
"appIp": "10.76.199.193"
},
{
"fePkId": 8,
"feId": "FE00000000000008",
"feName": "xzzfsjcjqz",
"feIp": "10.76.85.67",
"appPkId": 12,
"appId": "APP00000000000012",
"appIdentifier": "xzzfsjcjxt",
"appName": "xzzfsjcjxt",
"appIp": "10.76.85.67"
},
{
"fePkId": 10,
"feId": "FE00000000000010",
"feName": "xzzfsjcjsfj",
"feIp": "10.76.196.8",
"appPkId": 13,
"appId": "APP00000000000013",
"appIdentifier": "xzzfsjcjsfjxt",
"appName": "xzzfsjcjsfjxt",
"appIp": "10.76.196.8"
},
{
"fePkId": null,
"feId": "FE00000000000012",
"feName": "aaa测试1015111",
"feIp": "192.168.1.13",
"appPkId": null,
"appId": null,
"appIdentifier": null,
"appName": null,
"appIp": n
...
...
...

```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/api/sysdict/dataList
实体：	dataList (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```

POST /api/sysdict/dataList?pageNum=1&pageSize=10 HTTP/1.1
Host: 10.132.197.11:9044

```

```
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VwefIf7B
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
Content-Type: application/json
token: VwefIf7B
Origin: https://10.132.197.11:9044
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tpqxzd61m0kpfk2vweyy10.node0; sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 29
```

```
{
  "dictType": "alg",
  "query": ""
}
```

```
HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:18:09 GMT
Content-Type: application/json;charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

```
{
  "total": 32,
  "rows": [
    {
      "dictCode": 47,
      "dictSort": 1,
      "dictLabel": "非对称SM2算法数字签名",
      "dictValue": "sm2_sign",
      "dictType": "alg",
      "isDeleted": 0,
      "status": "0",
      "createBy": "",
      "createTime": null,
      "updateBy": "",
      "updateTime": "2025-10-31 17:37:25",
      "remark": null,
      "isSystem": 0
    },
    {
      "dictCode": 43,
      "dictSort": 2,
      "dictLabel": "非对称SM2算法数字签名验证",
      "dictValue": "sm2_verify",
      "dictType": "alg",
      "isDeleted": 0,
      "status": "0",
      "createBy": "",
      "createTime": null,
      "updateBy": "",
      "updateTime": "2025-10-31 17:37:31",
      "remark": null,
      "isSystem": 0
    },
    {
      "dictCode": 64,
      "dictSort": 3,
      "dictLabel": "非对称RSA算法数字签名",
      "dictValue": "rsa_sign",
      "dictType": "alg",
      "isDeleted": 0,
      "status": "0",
      "createBy": "caozuoyuan",
      "createTime": "2025-10-31 17:37:00",
      "updateBy": "",
      "updateTime": "2025-10-31 17:41:11",
      "remark": null,
      "isSystem": 1
    },
    {
      "dictCode": 65,
      "dictSort": 4,
      "dictLabel": "非对称RSA算法数字签名验证",
      "dictValue": "rsa_verify",
      "dictType": "alg",
      "isDeleted": 0,
      "status": "0",
      "createBy": "caozuoyuan",

```

```

"createTime": "2025-10-31 17:41:43",
"updateBy": "",
"updateTime": null,
"remark": null,
"isSystem": 1
},
{
"dictCode": 66,
"dictSort": 5,
"dictLabel": "非对称ECC算法数字签名",
"dictValue": "ecc_sign",
"dictType": "alg",
"isDeleted": 0,
"status": "0",
"createBy": "caozuoyuan",
"createTime": "2025-10-31 17:43:39",
"updateBy": "",
"updateTime": null,
"remark": null,
"isSystem": 1
},
{
"dictCode": 67,
"dictSort": 6,
"dictLabel": "非对称ECC算法数字签名验证",
"dictValue": "ecc_verify",
"dictType": "alg",
"isDeleted": 0,
"status": "0",
"createBy": "caozuoyuan",
"createTime": "2025-10-31 17:44:10",
"updateBy": "",
"updateTime": null,
"remark": null,
"isSystem": 1
},
{
"dictCode": 62,
"dictSort": 7,
"dictLabel": "非对称SM2算法加密",
"dictValue": "sm2_enc",
"dictType": "alg",
"isDeleted": 0,
"status": "0",
"createBy": "caozuoyuan",
"createTime": "2025-07-07 17:39:53",
"updateBy": "",
"updateTime": "2025-10-31 17:44:26",
"remark": null,
"isSystem": 1
},
{
"dictCode": 63,
"dictSort": 8,
"dictLabel": "非对称SM2算法解密",
"dictValue": "sm2_dec",
"dictType": "alg",
"isDeleted": 0,
"status": "0",
"createBy": "caozuoyuan",
"createTime": "2025-07-07 17:40:10",
"updateBy": "",
"updateTime": "2025-10-31 17:44:36",
"remark": null,
"isSystem": 1
},
{
"dictCode": 68,
"dictSort": 9,
"dictLabel": "非对称RSA算法加密",
"dictValue": "rsa_enc",
"dictType": "alg",
"isDeleted": 0,
"status": "0",
"createBy": "caozuoyuan",
"createTime": "2025-10-31 17:47:42",
"updateBy": "",
"updateTime": null,
"remark": null,
"isSystem": 1
},
{
"dictCode": 69,
"dictSort": 10,
"dictLabel": "非对称RSA算法解密",
"dictValue": "rsa_dec",
"dictType": "alg",
"isDeleted": 0,
"status": "0",
"createBy": "caozuoyuan",
"createTime": "2025-10-31 17:48:05",
"updateBy": "",
"updateTime": null,

```

```
"remark": null,
"isSystem": 1
}
],
"code": 0,
"msg": "success"
}
```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MAX
URL:	https://10.132.197.11:9044/api/confkeyuse/list
实体:	list (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改"Access-Control-Allow-Origin"头以仅获取允许的站点

差异:

推理: AppScan 检测到"Access-Control-Allow-Origin"头的许可权太多

测试请求和响应:

```
GET /api/confkeyuse/list HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VwefIf7B
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
token: VwefIf7B
sec-ch-ua-mobile: ?0
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqxzmd61m0kpfk2vweyy10.node0; sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:43 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "code": 0,
  "msg": "success",
  "data": [
    {
      "id": 1,
      "functionUsage": "派生子密钥",
      "indexValue": "02",
      "algorithmType": "sm2ecb",
      "status": 0,
      "identifierId": "FE00000000000001",
      "authMethod": "ip白名单"
    },
    {
      "id": 2,
      "functionUsage": "派生子密钥",

```

```

    "indexValue": "02",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "APP000000000000001",
    "authMethod": "ip白名单"
  },
  {
    "id": 3,
    "functionUsage": "派生子密钥",
    "indexValue": "01",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "1",
    "authMethod": "ip白名单"
  },
  {
    "id": 4,
    "functionUsage": "派生子密钥",
    "indexValue": "01",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "FE00000000000002",
    "authMethod": "ip白名单"
  },
  {
    "id": 5,
    "functionUsage": "派生子密钥",
    "indexValue": "01",
    "algorithmType": "sm2ecb",
    "status": 1,
    "identifierId": "2",
    "authMethod": "ip白名单"
  },
  {
    "id": 6,
    "functionUsage": "派生子密钥",
    "indexValue": "04",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "FE00000000000004",
    "authMethod": "ip白名单"
  },
  {
    "id": 7,
    "functionUsage": "派生子密钥",
    "indexValue": "03",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "FE00000000000003",
    "authMethod": "ip白名单"
  },
  {
    "id": 8,
    "functionUsage": "派生子密钥",
    "indexValue": "06",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "FE00000000000005",
    "authMethod": "ip白名单"
  },
  {
    "id": 9,
    "functionUsage": "派生子密钥",
    "indexValue": "07",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "FE00000000000006",
    "authMethod": "ip白名单"
  },
  {
    "id": 10,
    "functionUsage": "派生子密钥",
    "indexValue": "05",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "FE00000000000007",
    "authMethod": "ip白名单"
  },
  {
    "id": 11,
    "functionUsage": "派生子密钥",
    "indexValue": "08",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "FE00000000000008",
    "authMethod": "ip白名单"
  },
  {
    "id": 12,
    "functionUsage": "派生子密钥",
    "indexValue": "09",
    "algorithmType": "sm2ecb",
    "status": 0,

```

```

    "identifierId": "FE00000000000010",
    "authMethod": "ip白名单"
  },
  {
    "id": 13,
    "functionUsage": "派生子密钥",
    "indexValue": "02",
    "algorithmType": "sm2ecb",
    "status": 0,
    "identifierId": "APP00000000000002",
    "authMethod": "ip白名单"
  }
],
"timestamp": 1772532283295
}

```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/api/resource/user-menu-tree/2
实体：	2 (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```

GET /api/resource/user-menu-tree/2 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VweIf7B
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
token: VweIf7B
sec-ch-ua-mobile: ?0
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqpxzmd6lm0kpfk2vweyy10.node0
Content-Length: 0

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:28 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "code": 0,
  "msg": "success",
  "data": [
    {
      "id": "01",
      "name": "系统管理",
      "page": "systemRole",

```

```

"request": "[]",
"parent": "00 ",
"icon": "Discount",
"order": 1,
"type": 1,
"status": 1,
"permissin": null,
"children": [
{
"id": "0103 ",
"name": "字典管理",
"page": "sysdict",
"request": "[\"/api/sysdict/typeList\", \"/api/sysdict/typeSave\", \"/api/sysdict/type/\", \"/api/sysdict/typeRemove\", \"/api/sysdict/dataList\", \"/api/sysdict/dataSave\", \"/api/sysdict/data/\", \"/api/sysdict/dataRemove\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\"]",
"parent": "01 ",
"icon": "Grid",
"order": 3,
"type": 2,
"status": 1,
"permissin": null,
"children": null
}
],
{
"id": "02 ",
"name": "数据源管理",
"page": "sourceMana",
"request": "[]",
"parent": "00 ",
"icon": "Unlock",
"order": 2,
"type": 1,
"status": 1,
"permissin": null,
"children": [
{
"id": "0201 ",
"name": "前置管理",
"page": "preMana",
"request": "[\"/api/fe/save\", \"/api/fe/pagelist\", \"/api/fe/\", \"/api/fe/remove\", \"/api/fe/changestatus\", \"/api/fe/userlist\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\"]",
"parent": "02 ",
"icon": "Tools",
"order": 1,
"type": 2,
"status": 1,
"permissin": null,
"children": null
},
{
"id": "0204 ",
"name": "数据目录管理",
"page": "Keytree",
"request": "[\"/api/case/alldata\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\", \"/api/app/feAndAppList\", \"/case/notSubmitPagelist\", \"/api/case/pagelist\"]",
"parent": "02 ",
"icon": "Sell",
"order": 5,
"type": 2,
"status": 1,
"permissin": null,
"children": null
}
],
{
"id": "03 ",
"name": "密钥管理",
"page": "keyMana",
"request": "[]",
"parent": "00 ",
"icon": "Sugar",
"order": 3,
"type": 1,
"status": 1,
"permissin": null,
"children": [
{
"id": "0301 ",
"name": "密钥生命周期管理",
"page": "rootKeyMana",
"request": "[\"/api/confRootkey/save\", \"/api/confRootkey/detail\", \"/login/updatepwd\", \"/api/login/sign-out\", \"/api/user/save-password\", \"/api/confRootkey/pagelist\", \"/api/confRootkey/remove\", \"/api/conf-rootkey/save\", \"/api/conf-rootkey/pagelist\", \"/api/conf-rootkey/\", \"/api/conf-rootkey/changestatus\", \"/api/confRootkey/keyExport\"]",
"parent": "03 ",
"icon": "IceDrink",
"order": 1,
"type": 2,
"status": 1,
"permissin": null,
"children": null
}
]
}

```

问题 7 / 40

过度许可的 CORS 访问测试

严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/meta/etlDatasource
实体:	etlDatasource (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/meta/etlDataources?
token=047BF5EE0AF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EB2C4D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FBC5117FA1522F33B0B5 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: iframe
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Content-Length: 0
```

```
HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:29 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
vary: accept-encoding
Content-Language: zh-CN
Set-Cookie: sid=f683e120-bafd-4a07-b837-67182c1319d9; Path=/; HttpOnly; SameSite=lax
Set-Cookie: rememberMe=deleteMe; Path=/; Max-Age=0; Expires=Mon, 02-Mar-2026 10:04:29 GMT; SameSite=lax

<!DOCTYPE HTML>
<html lang="zh">
<meta charset="utf-8">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title></title>
<meta name="keywords" content="">
<meta name="description" content="">
<link href="/reuse/css/bootstrap.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/fontawesome-free/css/all.min.css" rel="stylesheet"/>
<link href="/reuse/css/font-awesome.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/layui/css/layui.css" rel="stylesheet"/>
<!-- bootstrap-table 表格插件样式 -->
<link href="/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/bootstrap-treeable/bootstrap-treeable.css" rel="stylesheet"/>
<link href="/reuse/css/animate.css" rel="stylesheet"/>
<link href="/reuse/css/style.css?v=20250430" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select/select2.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/select2/select2-bootstrap.css" rel="stylesheet"/>
<link href="/reuse/systemplus/css/ry-ui.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/ajax/libs/toastr/toastr.min.css" rel="stylesheet"/>
<!--分页插件-->
<link href="/reuse/systemplus/sPage/jquery.sPage.css" rel="stylesheet"/>
<link href="/reuse/systemplus/icon/iconfont.css" rel="stylesheet"/>
<link href="/reuse/systemplus/mycostern/iconfont.css?v=20220901" rel="stylesheet"/>
<link href="/reuse/systemplus/fonts/remixicon.css?v=20250611" rel="stylesheet" />
<link href="/reuse/systemplus/indexPage/fonts/iconfont.css?v=20250707" rel="stylesheet" />
<link href="/reuse/ajax/libs/magnify/jquery.magnify.min.css" rel="stylesheet"/>
<link href="/reuse/ajax/libs/magnify/magnify-white-theme.css" rel="stylesheet"/>
<link href="/reuse/css/mycostern-ui-plus.css?v=20250618" rel="stylesheet"/>
<link href="/reuse/css/subApp.css?v=20250628" rel="stylesheet"/>
<link href="/reuse/css/multiselect/style.css" rel="stylesheet"/>
<link href="/reuse/css/icons.css?v=20250328" rel="stylesheet"/>
<style>
.layui-layer-btn {
text-align: center !important;
}
</style>
</style>
</head>
<body class="gray-bg">

<div class="container-div">
<div class="row">
<div class="col-sm-12 search-collapse">
<form id="formId">
<div class="select-list">
<ul>
<li>
<li>
数据源名称: <input type="text" name="name" id="name"/>
</li>
<li>
数据库类型:
<select name="linktype">
<option value="">所有</option>
<option value="mysql">MySQL</option>
<option value="psql">PostgreSQL</option>
<option value="oracle">Oracle</option>
<option value="sqlser">SQL Server</option>
<option value="DM8">DM8</option>
</select>
</li>
<li>
<li>
<a class="btn btn-primary btn-rounded btn-sm" onclick="$.treeTable.search()"><i class="fa fa-search"></i>&nbsp;搜索</a>
<a class="btn btn-warning btn-rounded btn-sm" onclick="$.form.reset()"><i class="fa fa-refresh"></i>&nbsp;重置</a>
</li>
</ul>
</div>
</form>
</div>
</div>
```

```
<div class="btn-group-sm h
...
...
...
```

过度许可的 CORS 访问测试

严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/IAR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/api/fe/pagelist
实体：	pagelist (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
POST /api/fe/pagelist?pageSize=10&pageNum=1 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VweIf7B
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
Content-Type: application/json
token: VweIf7B
Origin: https://10.132.197.11:9044
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfn3tqpxznd61m0kpfk2vweyy10.node0
Content-Length: 68

{
  "beginTime": null,
  "endTime": null,
  "feStatus": null,
  "searchQuery": null
}

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:18:08 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "total": 11,
  "rows": [
    {
      "id": 13,
      "feName": "qzyTest",
      "feId": "FE000000000000013",
      "feIp": "192.168.1.1",
      "feRemark": null,
      "feStatus": 0,
    }
  ]
}
```

```

"feStatusName": null,
"feUserId": 40,
"feUserName": "qzyl",
"feUserLoginName": "qzyl",
"createBy": "qzyl",
"createTime": "2025-12-23 11:28:19",
"updateBy": null,
"updateTime": null
},
{
  "id": 12,
  "feName": "aaa测试1015111",
  "feId": "FE00000000000012",
  "feIp": "192.168.1.13",
  "feRemark": "测试数据",
  "feStatus": 0,
  "feStatusName": null,
  "feUserId": 11,
  "feUserName": "前置员3",
  "feUserLoginName": "qianzhiyuan3",
  "createBy": "caozuoyuan",
  "createTime": "2025-10-15 10:42:18",
  "updateBy": "caozuoyuan",
  "updateTime": "2025-12-22 17:47:12"
},
{
  "id": 10,
  "feName": "xzfsjcjsfj",
  "feId": "FE00000000000010",
  "feIp": "10.76.196.8",
  "feRemark": null,
  "feStatus": 0,
  "feStatusName": null,
  "feUserId": 30,
  "feUserName": "xzfsjcjsfj",
  "feUserLoginName": "xzfsjcjsfj",
  "createBy": "caozuoyuan",
  "createTime": "2025-02-18 15:39:11",
  "updateBy": null,
  "updateTime": null
},
{
  "id": 8,
  "feName": "xzfsjcjqz",
  "feId": "FE00000000000008",
  "feIp": "10.76.85.67",
  "feRemark": null,
  "feStatus": 0,
  "feStatusName": null,
  "feUserId": 26,
  "feUserName": "xzfsjcjqz",
  "feUserLoginName": "xzfsjcjqz",
  "createBy": "caozuoyuan",
  "createTime": "2024-12-31 11:02:11",
  "updateBy": null,
  "updateTime": null
},
{
  "id": 7,
  "feName": "xzfsjdkz",
  "feId": "FE00000000000007",
  "feIp": "10.76.199.193",
  "feRemark": null,
  "feStatus": 0,
  "feStatusName": null,
  "feUserId": 25,
  "feUserName": "xzfsjdkz",
  "feUserLoginName": "xzfsjdkz",
  "createBy": "caozuoyuan",
  "createTime": "2024-12-31 10:59:14",
  "updateBy": null,
  "updateTime": null
},
{
  "id": 6,
  "feName": "JdywxtAz",
  "feId": "FE00000000000006",
  "feIp": "10.76.198.21",
  "feRemark": null,
  "feStatus": 0,
  "feStatusName": null,
  "feUserId": 20,
  "feUserName": "JdywxtAz",
  "feUserLoginName": "JdywxtAz",
  "createBy": "caozuoyuan",
  "createTime": "2024-12-27 14:31:52",
  "updateBy": null,
  "updateTime": null
},
{
  "id": 5,
  "feName": "Jdjgxt",
  "feId": "FE00000000000005",

```

```
"feIp": "10.76.198.7",
"feRemark": null,
"feStatus": 0,
"feStatusName": null,
"feUserId": 19,
"feUserName": "Jdjgxt",
"feUserLoginName": "Jdjgxt",
"createBy": "caozuoyuan",
"createTime": "2024-12-27 14:26:20",
"updateBy": null,
"updateTime": null
},
{
  "id": 3,
  "feName": "GzywQzj",
  "feId": "FE00000000000003",
  "feIp": "10.76.199.40",
  "feRemark": null,
  "feStatus": 0,
  "feStatusName": null,
  "feUserId": 13,
  "feUserName": "GzywQzj",
  "feUserLoginName": "GzywQzj",
  "createBy": "caozuoyuan",
  "createTime": "2024-12-27 12:01:48",
  "updateBy": null,
  "updateTime": null
},
{
  "id": 4,
  "feName": "GzglQzj",
  "feId": "FE00000000000004",
  "feIp": "10.76.199.24",
  "feRemark": null,
  "feStatus": 0,
  "feStatusName": null,
  "feUserId": 14,
  "feUserName": "GzglQzj",
  "feUserLoginName": "GzglQzj",
  "createBy": "caozuoyuan",
  "createTime": "2024-12-27 12:01:47",
  "updateBy": null,
  "updateTime": null
},
{
  "id": 2,
  "feName": "desqzj-s",
  "feId": "FE00000000000002",
  "feIp": "10.76.199.20",
  "feRemark": null,
  "feStatus": 0,
  "feStatusName": null,
  "feUserId": 8,
  "feUserName": "前置员1",
  "feUserLoginName": "qianzhiyuan1",
  ...
  ...
  ...
}
```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C/L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/api/sysdict/typeList
实体：	typeList (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
POST /api/sysdict/typeList?pageNum=1&pageSize=10 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VwefIf7B
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
Content-Type: application/json
token: VwefIf7B
Origin: https://10.132.197.11:9044
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqoxzmd61m0kpfk2vweyy10.node0
Content-Length: 12

{
  "query": ""
}

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:18:09 GMT
Content-Type: application/json;charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "total": 2,
  "rows": [
    {
      "dictId": 2,
      "dictName": "加密算法",
      "dictType": "alg",
      "status": "0",
      "createBy": "",
      "createTime": null,
      "updateBy": "caozuoyuan",
      "updateTime": "2026-01-28 10:01:52",
      "remark": null,
      "isDeleted": 0,
      "isSystem": 0
    },
    {
      "dictId": 1,
      "dictName": "业务角色",
      "dictType": "business_role",
      "status": "0",
      "createBy": "",
      "createTime": null,
      "updateBy": "",
      "updateTime": null,
      "remark": null,
      "isDeleted": 0,
      "isSystem": 0
    }
  ],
  "code": 0,
  "msg": "success"
}
```

过度许可的 CORS 访问测试

严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/api/confkeystrategy/list
实体：	list (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /api/confkeystrategy/list HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer WweIf7B
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
token: WweIf7B
sec-ch-ua-mobile: ?0
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqpxzmd61m0kpfk2vweyy10.node0; sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200 OK
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:43 GMT
Content-Type: application/json; charset=utf-8
Transfer-Encoding: chunked
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: *
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Credentials: true
XDomainRequestAllowed: 1
Strict-Transport-Security: max-age=31536000; includeSubDomains

{
  "code": 0,
  "msg": "success",
  "data": [
    {
      "id": 1,
      "identifierId": "FE0000000000000001",
      "useStrategy": "派生子密钥",
      "transferStrategy": "密码信封",
      "genStrategy": "密钥中心",
      "encStrategy": "数字信封",
      "decStrategy": "择授权后解密",
      "fetchStrategy": "线上",
      "operationDate": "2025-07-07 17:44:12",
      "keyStatus": 0
    },
    {
      "id": 2,
      "identifierId": "1",
      "useStrategy": "派生子密钥",
      "transferStrategy": "不传输",
      "genStrategy": "密钥中心",
      "encStrategy": "数字信封",
      "decStrategy": "择授权后解密",
      "fetchStrategy": "离线",
      "operationDate": "2025-06-18 14:16:03",
      "keyStatus": 0
    },
    {
      "id": 3,
      "identifierId": "FE0000000000000002",
      "useStrategy": "数据入库保护",
      "transferStrategy": "密码信封",

```

```

"genStrategy": "密钥中心",
"encStrategy": "数字信封",
"decStrategy": "择授权后解密",
"fetchStrategy": "线上",
"operationDate": "2025-07-07 17:44:37",
"keyStatus": 0
},
{
  "id": 4,
  "identifierId": "FE00000000000004",
  "useStrategy": "派生子密钥",
  "transferStrategy": "不传输",
  "genStrategy": "密钥中心",
  "encStrategy": "数字信封",
  "decStrategy": "择授权后解密",
  "fetchStrategy": "线上",
  "operationDate": "2025-07-07 17:45:07",
  "keyStatus": 0
},
{
  "id": 5,
  "identifierId": "FE00000000000003",
  "useStrategy": "数据入库保护",
  "transferStrategy": "密码信封",
  "genStrategy": "密钥中心",
  "encStrategy": "数字信封",
  "decStrategy": "自主解密",
  "fetchStrategy": "线上",
  "operationDate": "2025-07-07 17:50:05",
  "keyStatus": 0
}
],
"timestamp": 1772532283440
}

```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/api/cert/pagelist
实体：	pagelist (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```

POST /api/cert/pagelist?pageNum=1&pageSize=10 HTTP/1.1
Host: 10.132.197.11:9044
Connection: keep-alive
sec-ch-ua-platform: "Windows"
Authorization: Bearer VwefIf7B
sec-ch-ua: "Not:A-Brand";v="99", "Microsoft Edge";v="145", "Chromium";v="145"
sec-ch-ua-mobile: ?0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36 Edg/145.0.0.0
Accept: application/json, text/plain, */*
Content-Type: application/json
token: VwefIf7B
Origin: https://10.132.197.11:9044
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://10.132.197.11:9044/
Accept-Language: en-US
Cookie: JSESSIONID=node0hfm3tqoxzmd61m0kpfk2vweyy10.node0; sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 37

{

```

问题 12 / 40

过度许可的 CORS 访问测试

严重性： **低**

CVSS 分数： 3.7

CVSS 向量： AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X

URL: <https://10.132.197.11:9044/reuse/js/bootstrap.min.js>

实体： bootstrap.min.js (Page)

风险： 可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息

原因： Web 应用程序编程或配置不安全

固定值： 修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/js/bootstrap.min.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDataSource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABEE399FEC5117FA1522F3380B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:24:56 GMT
Content-Type: application/javascript
Content-Length: 38738
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

if(typeof jQuery==="undefined"){throw new Error("Bootstrap's JavaScript requires jQuery")}+function(b){var a=b.fn.jquery.split(" ")[0].split(".");if((a[0]<2&&a[1]<9)||
(a[0]==1&&a[1]==9&&a[2]<1)||a[0]>3){throw new Error("Bootstrap's JavaScript requires jQuery version 1.9.1 or higher, but lower than version 4")}(jQuery);+function(b)
{function a(){var e=document.createElement("bootstrap");var d={WebkitTransition:"webkitTransitionEnd",MozTransition:"transitionend",OTransition:"oTransitionEnd
ransitionend",transition:"transitionend"};for(var c in d){if(e.style[c]!==undefined){return(end:d[c])}}return false}b.fn.emulateTransitionEnd=function(e){var d=false;var
c=this;b(this).one("bsTransitionEnd",function(){d=true});var f=function(){if(!d){b(c).trigger(b.support.transition.end)}};setTimeout(f,e);return this};b(function(){
b.support.transition=a();if(!b.support.transition){return}b.event.special.bsTransitionEnd=
{bindType:b.support.transition.end,delegateType:b.support.transition.end,handle:function(c){if(b(c.target).is(this)){return c.handleObj.handler.apply(this,arguments)}}}}
(jQuery);+function(e){var d='[data-dismiss="alert"]';var b=function(f)
{e(f).on("click",d,this.close)};b.VERSION="3.3.7";b.TRANSITION_DURATION=150;b.prototype.close=function(j){var i=this;var g=i.attr("data-target");if(!g)
{g=i.attr("href");g=g&&g.replace(/.*(?=#[^\s]*$)/,"")}var h=e(g)("#"?[]:g);if(j){j.preventDefault()}if(!h.length)
{h=i.closest(".alert")}h.trigger(j=e.Event("close.bs.alert"));if(j.isDefaultPrevented()){return}h.removeClass("in");function f()
{h.detach().trigger("closed.bs.alert").remove()}e.support.transition&&h.hasClass("fade")?h.one("bsTransitionEnd",f).emulateTransitionEnd(b.TRANSITION_DURATION):f();function
c(f){return this.each(function(){var h=e(this);var g=h.data("bs.alert");if(!g){h.data("bs.alert",g=new b(this))}if(typeof f=="string"){g[f].call(h)}});var
a=e.fn.alert;e.fn.alert=c;e.fn.alert.Constructor=b;e.fn.alert.noConflict=function(){e.fn.alert=a;return this};e(document).on("click.bs.alert.data-api",d,b.prototype.close)}
(jQuery);+function(d){var b=function(f,e){this.$element=d(f);this.options=d.extend({},b.DEFAULTS,e);this.isLoading=false};b.VERSION="3.3.7";b.DEFAULTS=
{loadingText:"loading..."};b.prototype.setState=function(g){var i="disabled";var e=this.$element;var h=e.is("input")?"val":"html";var
f=e.data();g="Text";if(f.resetText==null){e.data("resetText",e[h]())setTimeout(d.proxy(function(){e[h](f[g]==null?this.options[g]:f[g]);if(g=="loadingText")
{this.isLoading=true;e.addClass(i).attr(i,i).prop(i,true)}else{if(this.isLoading)
{this.isLoading=false;e.removeClass(i).removeAttr(i).prop(i,false)}}},this),0)};b.prototype.toggle=function(){var f=true;var e=this.$element.closest('[data-
toggle="buttons"]');if(e.length){var g=this.$element.find("input");if(g.prop("type")=="radio"){if(g.prop("checked"))
{f=false}e.find("active").removeClass("active");this.$element.addClass("active")}else{if(g.prop("type")=="checkbox")
{if(g.prop("checked"))!this.$element.hasClass("active")}{f=false}this.$element.toggleClass("active")};g.prop("checked",this.$element.hasClass("active"))};if(f)
{g.trigger("change")};else{this.$element.attr("aria-pressed",!this.$element.hasClass("active"))};this.$element.toggleClass("active");function c(e){return
this.each(function(){var h=d(this);var g=h.data("bs.button");var f=typeof e=="object"&&e;if(!g){h.data("bs.button",g=new b(this,f))}if(e=="toggle"){g.toggle()}else{if(e)
{g.setState(e)}}}}var a=d.fn.button;d.fn.button=c;d.fn.button.Constructor=b;d.fn.button.noConflict=function(){d.fn.button=a;return
this};d(document).on("click.bs.button.data-api","[data-toggle='button']",f
...
...
...

```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/reuse/js/content.min.js
实体：	content.min.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/js/content.min.js?v=1.0.0 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasources?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDAF50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:49 GMT
Content-Type: application/javascript
Content-Length: 371
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

$("".collapse-box-tool").click(function() {
    var o = $(this).closest("div.collapse-box")
    , e = $(this).find("i")
    , i = o.find("div.collapse-box-content");
    i.slideToggle(200),
    e.toggleClass("fa-plus").toggleClass("fa-minus"),
    setTimeout(function() {
        o.resize(),
        o.find("[id^=map-]").resize()
    }, 50)
});
```

过度许可的 CORS 访问测试

严重性： **低**

CVSS 分数： 3.7

CVSS 向量： AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X

URL: <https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.js>

实体： bootstrap-table.min.js (Page)

风险： 可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息

原因： Web 应用程序编程或配置不安全

固定值： 修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/ajax/libs/bootstrap-table/bootstrap-table.min.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FEC5117FA1522F3B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:52 GMT
Content-Type: application/javascript
Content-Length: 56068
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/*
 * bootstrap-table - v1.11.0 - 2016-07-02
 * https://github.com/wenzhixin/bootstrap-table
 * Copyright (c) 2016 zhixin wen
 * Licensed MIT License
 */
(function(j){var k=null;var m=function(u){var s=arguments,r=true,t=l;u=u.replace(/%/g,function(){var v=s[t++];if(typeof v=="undefined"){r=false;return""}return v});return r?u:"";var o=function(t,v,u,s){var r="";j.each(t,function(w,x){if(x[v]==s){r=x[u];return false}return true});return r};var i=function(s,t){var r=l;j.each(s,function(u,v){if(v.field==t){r=u;return false}return true});return r};var l=function(u){var y,x,w,A=0,B=[];for(y=0;y<u[0].length;y++){A+=u[0][y].colspan[1]}for(y=0;y<u.length;y++){B[y]=[];for(x=0;x<A;x++){B[y][x]=false}}for(y=0;y<u.length;y++){for(x=0;x<u[y].length;x++){var s=u[y][x],v=s.rowspan[1],t=s.colspan[1],z=j.inArray(false,B[y]);if(t==1){s.fieldIndex=z;if(typeof s.field=="undefined"){s.field=z}for(w=0;w<v;w++){B[y+w][z]=true}for(w=0;w<t;w++){B[y][z+w]=true}}};var a=function(){if(k==null){var t=j("<div>").addClass("fixed-table-scroll-inner"),u=j("<div>").addClass("fixed-table-scroll-outer"),s,r,u.append(t);j("body").append(u);s=t[0].offsetWidth;u.css("overflow","scroll");r=t[0].offsetWidth;if(s==r){r=u[0].clientWidth;u.remove();k=s-r}return k};var q=function(s,u,t,r){var v=u;if(typeof u=="string"){var w=u.split(",");if(w.length>1){v=window;j.each(w,function(x,y){v=v[y]})}else{v=window[u]}}if(typeof v=="object"){return v}if(typeof v=="function"){return v.apply(s,t)}if(!v&&typeof u=="string"&&m.apply(this,[u.concat(t)])){return m.apply(this,[u.concat(t)])}return r};var f=function(s,r,w){var x=Object.getOwnPropertyNames(s),u=Object.getOwnPropertyNames(r),v="";if(w){if(x.length==u.length){return false}}for(var t=0;t<x.length;t++){v+=t;if(j.inArray(v,u)>1){if(s[v]!==r[v]){return false}}return true};var p=function(r){if(typeof r=="string"){return r.replace(/%/g,"&mp;").replace(/</g,"&lt;").replace(/>/g,"&gt;").replace(/"/g,"&quot;").replace(/'/g,"%039;").replace(/`/g,"%60;")}return r};var d=function(s){var r=0;s.children().each(function(){if(r<j(this).outerHeight(true)){r=j(this).outerHeight(true)}});return r};var g=function(t){for(var r in t){var s=r.split(/(?=[A-Z])/).join("-").toLowerCase();if(s!==t[t[s]=t[r];delete t[r]};return t};var o=function(t,w,s){var u=t;if(typeof w!="string"||t.hasOwnProperty(w)){return s?p(t[w]):t[w]}var r=w.split(",");for(var v in r){u=u&&r[v]};return s?p(u):u};var b=function(){return !!navigator.userAgent.indexOf("MSIE")>0}||navigator.userAgent.match(/Trident.*rv:11\./));var h=function(){if(!Object.keys){Object.keys=function(){var t=Object.prototype.hasOwnProperty,u=["toString","toLocaleString","valueOf","hasOwnProperty","isPrototypeOf","propertyIsEnumerable","constructor"],r=s.length;return function(x){if(typeof x!="object"&&(typeof x!="function"||x==null)){throw new TypeError("Object.keys called on non-object")}var v=[],y,w;for(y in x){if(t.call(x,y)){v.push(y)}}if(u){for(w=0;w<r;w++){if(t.call(x,s[w])){v.push(s[w])}};return v}}();var e=function(s,r){this.options=r;this.$el=j(s);this.$el=this.$el.clone();this.timeoutId=0;this.timeoutFooter=0;this.init();e.DEFAULTS={classes:"table table-hover",locale:undefined,height:undefined,undefinedText:"-"},sortName:undefined,sortOrder:"asc",sortStable:false,striped:false,columns:[{}],data:[{}],dataField:"rows",method:"get",url:undefined,ajax:undefined,cache:true,contenttype:"application/json",dataType:"json",ajaxOptions:{},queryParams:function(r){return r},queryParamsType:"limit",responseHandler:function(r){return r},pagination:false,onlyI
...
...
...
```


过度许可的 CORS 访问测试

严重性： **低**

CVSS 分数： 3.7

CVSS 向量： AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X

URL: <https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/toolbar/bootstrap-table-toolbar.min.js>

实体： bootstrap-table-toolbar.min.js (Page)

风险： 可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息

原因： Web 应用程序编程或配置不安全

固定值： 修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/ajax/libs/bootstrap-table/extensions/toolbar/bootstrap-table-toolbar.min.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAFE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABEE399FEC517FA1522F3380B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:24:56 GMT
Content-Type: application/javascript
Content-Length: 4971
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/*
 * bootstrap-table - v1.11.0 - 2016-07-02
 * https://github.com/wenzhixin/bootstrap-table
 * Copyright (c) 2016 zhixin wen
 * Licensed MIT License
 */
!function(a){a("use strict";var b=!1,c=a.fn.bootstrapTable.utils.sprintf,d=function(b,d,f,g){
  (if(a("#avdSearchModal "+g.options.idTable).hasClass("modal"))a("#avdSearchModal "+g.options.idTable).modal();else(var h=c('<div id="avdSearchModal%s" class="modal fade"
  tabindex=-1" role="dialog" aria-labelledby="mySmallModalLabel" aria-hidden="true">', " "+g.options.idTable);h+=c('<div class="modal-dialog modal-xs">',h+=c('<div class="modal-
  content">',h+=c('<div class="modal-header">',h+=c('<button type="button" class="close" data-dismiss="modal" aria-hidden="true" >times;</button>',h+=c('<h4 class="modal-
  title">%s</h4>',d),h+=c('</div>',h+=c('<div class="modal-body modal-body-custom">',h+=c('<div class="container-fluid" id="avdSearchModalContent%s" style="padding-right:
  0px;padding-left: 0px;" >', " "+g.options.idTable);h+=c('</div>',h+=c('</div>',h+=c('</div>',h+=c('</div>',h+=c('</div>',a("body")).append(a(h));var
  i=e(b,f,g),j=0;a("#avdSearchModalContent "+g.options.idTable).append(i.join(""));a("#"+g.options.idForm).off("keyup blur","input").on("keyup blur","input",function(a)
  {clearTimeout(j),j=setTimeout(function(){g.onColumnAdvancedSearch(a),g.options.searchTimeout});a("#btnCloseAvd "+g.options.idTable).click(function()
  {a("#avdSearchModal "+g.options.idTable).modal("hide");a("#avdSearchModal "+g.options.idTable).modal();e=function(a,b,d){var e=[];e.push(c('<form class="form-horizontal"
  id="%s" action="%s" >',d.options.idForm,d.options.actionForm));for(var f in a){var g=a[f];!g.checkbox&&g.visible&&g.searchable&&(e.push(c('<div class="form-
  group">',e.push(c('<label class="col-sm-4 control-label">%s</label>',g.title)),e.push(c('<div class="col-sm-6">',e.push(c('<input type="text" class="form-control input-md"
  name="%s" placeholder="%s" id="%s">',g.field,g.title,g.field)),e.push(c('</div>')),e.push(c('</div>'))}return e.push(c('<div class="form-group">')),e.push(c('<div class="col-sm-offset-
  9 col-sm-3">')),e.push(c('<button type="button" id="btnCloseAvd%s" class="btn btn-default" >s</button>', " "+d.options.idTable,b)),e.push(c('</div>')),e.push(c('</div>')),e.push(c(
  '</form>')),e).extend(a.fn.bootstrapTable.defaults,{advancedSearch:[1,idForm:"advancedSearch",actionForm:"",idTable:void 0,onColumnAdvancedSearch:function()
  {return 1}}),a.extend(a.fn.bootstrapTable.defaults.icons,{advancedSearchIcon:"glyphicon-chevron-down"}),a.extend(a.fn.bootstrapTable.Constructor.EVENTS,{"column-advanced-
  search.bs.table":"onColumnAdvancedSearch"}),a.extend(a.fn.bootstrapTable.locales,{formatAdvancedSearch:function(){return"Advanced
  search"},formatAdvancedCloseButton:function(){return"Close"}}),a.extend(a.fn.bootstrapTable.defaults,a.fn.bootstrapTable.locales);var
  f=a.fn.bootstrapTable.Constructor,g=f.prototype.initToolBar,h=f.prototype.load,i=f.prototype.initSearch,f.prototype.initToolBar=function()
  {if(g.apply(this,Array.prototype.slice.apply(arguments)),this.options.search&&this.options.advancedSearch&&this.options.idTable){var a=this,b=[];b.push(c('<div class="columns
  columns-%s btn-group pull-%s" role="group">',this.options.buttonsAlign,this.options.buttonsAlign)),b.push(c('<button class="btn btn-default%s" type="button"
  name="advancedSearch" title="%s">',void 0===a.options.iconSize?"":a.options.iconSize,a.options.formatAdvancedSearch()));b.push(c('<i class="%s %s">
  </i>',a.options.iconsPrefix,a.options.icons.advancedSearchIcon)),b.push(c('</button></div>')),a.$toolbar.prepend(b.join("")),a.$toolbar.find('button[name="advancedSearch
  ...
  ...
  ...
}
```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL：	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/mobile/bootstrap-table-mobile.min.js
实体：	bootstrap-table-mobile.min.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/ajax/libs/bootstrap-table/extensions/mobile/bootstrap-table-mobile.min.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasources?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABEE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a19598b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:24:56 GMT
Content-Type: application/javascript
Content-Length: 1854
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/*
 * bootstrap-table - v1.11.0 - 2016-07-02
 * https://github.com/wenzhixin/bootstrap-table
 * Copyright (c) 2016 zhixin wen
 * Licensed MIT License
 */
!function(a){
"use strict";
var b=function(b,c){
b.options.columnsHidden.length>0&&a.each(b.columns,function(d,e){
1!=b.options.columnsHidden.indexOf(e.field)&&e.visible!=c&&b.toggleColumn(a.fn.bootstrapTable.utils.getFieldIndex(b.columns,e.field),c,!0)}),c=function(a){
(a.options.height||a.options.showFooter)&&setTimeout(function(){
a.resetView.call(a),1}),d=function(a,b,d){
(a.options.minHeight?b<a.options.minWidth&&c<a.options.minHeight?e(a):b>a.options.minWidth&&c>a.options.minHeight&&f(a):b<a.options.minWidth?e(a):b>a.options.minWidth&&f(a),c(a)},e=function(a){
g(a,!1),b(a,!1)},f=function(a){
g(a,!0),b(a,!0)},g=function(a,b){
a.options.cardView=b,a.toggleView(),h=function(a,b){
var c;return function(){
var d=this,e=arguments,f=function(){
c=null,a.apply(d,e);clearTimeout(c),c=setTimeout(f,b)};a.extend(a.fn.bootstrapTable.defaults,{mobileResponsive:!1,minWidth:562,minHeight:void 0,heightThreshold:100,checkOnInit:!0,columnsHidden:[]});var i=a.fn.bootstrapTable.Constructor,j=i.prototype.init;i.prototype.init=function(){
if(j.apply(this,Array.prototype.slice.apply(arguments)),this.options.mobileResponsive&&this.options.minWidth){
this.options.minWidth<100&&this.options.resizable&&(console.log("The minWidth when the resizable extension is active should be greater or equal than 100"),this.options.minWidth=100);var b=this,c={width:a(window).width(),height:a(window).height()};if(a(window).on("resize orientationchange",h(function(){
var e=a(this).height(),f=a(this).width();(Math.abs(c.height-e)>b.options.heightThreshold|c.width!=f)&&(d(b,f,e),c={width:f,height:e})),200)),this.options.checkOnInit){
var e=a(window).height(),f=a(window).width();d(this,f,e),c={width:f,height:e}}}}(jQuery);
```

过度许可的 CORS 访问测试

严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL：	https://10.132.197.11:9044/reuse/ajax/libs/validate/jquery.validate.min.js
实体：	jquery.validate.min.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多测试请求和响应：

```
GET /reuse/ajax/libs/validate/jquery.validate.min.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasources?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193EC327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CARBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=id20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:53 GMT
Content-Type: application/javascript
Content-Length: 21389
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2024 07:15:10 GMT
Accept-Ranges: bytes

!function(a){"function"==typeof define&&define.amd&&define(["jquery"],a):(a(jQuery)){function(a){a.extend(a.fn,{validate:function(b){if(!this.length)return void(b&&b.debug&&window.console&&console.warn("Nothing selected, can't validate, returning nothing."));var c=a.data(this[0],"validator");return c?(this.attr("novalidate","novalidate"),c=new a.validator(b,this[0]),a.data(this[0],"validator",c),c.settings.onsubmit&&(this.validateDelegate(":submit","click",function(b){c.settings.submitHandler&&(c.submitButton=b.target),a(b.target).hasClass("cancel")&&(c.cancelSubmit=!0,void 0!==a(b.target).attr("formnovalidate")&&(c.cancelSubmit=!0)));this.submit(function(d){var d;return c.settings.submitHandler?(c.submitButton&&(d=a("<input type='hidden'"/>").attr("name",c.submitButton.name).val(a(c.submitButton).val()).appendTo(c.currentForm)),c.settings.submitHandler.call(c,c.currentForm,b),c.submitButton&&d.remove(),!):!0)}:c.settings.debug&&b.preventDefault(),c.cancelSubmit?c.cancelSubmit=!1,d():c.form()?!c.pendingRequest?(c.formSubmitted=!0,!):d():(c.focusInvalid(),!))}),c).valid=function(){var b,c;return a(this[0]).is("form")?b=this.validate().form():(b=!0,c=a(this[0].form).validate(),this.each(function(){b=c.element(this)&&b})),b},removeAttrs:function(b){var c=[];return a.each(b.split(/\//),function(a,b){c[b]=d.attr(b),d.removeAttr(b)}),c},rules:function(b,c){var d,e,f,g,h,i,j;this[0]?(b)this.switch(d=a.data(j.fom,"validator")).settings=e,d.rules=f,a.validator.staticRules(j),b){case"add":a.extend(f,a.validator.normalizeRule(c)),delete f.messages,e[j.name]=f.c.messages&&(d.messages[j.name]=a.extend(d.messages[j.name],c.messages));break;case"remove":return c?{i={},a.each(c.split(/\//),function(b,c){i[c]=f[c],delete f[c],"required"===c&&a(j).removeAttr("aria-required"))},i):(delete e[j.name],f)}return g=a.validator.normalizeRules(a.extend({},a.validator.classRules(j),a.validator.attributeRules(j),a.validator.dataRules(j),a.validator.staticRules(j))),j),g.required&&(h=g.required,delete g.required,g=a.extend({required:h},g),a(j).attr("aria-required","true")),g.remote&&(h=g.remote,delete g.remote,g=a.extend(g,(remote:h))),g)},a.extend(a.expr[":""],{blank:function(b){return!a.trim(""+b.val())},filled:function(b){return!!a.trim(""+b.val())},unchecked:function(b){return!a(b).prop("checked")}}),a.validator.addMethod(b,c)(this.settings.a.extend(!0,{},a.validator.defaults,b),this.currentForm,c,this.init()),a.validator.format=function(b,c){return l=arguments.length?function(){var c=a.makeArray(arguments);return c.unshift(b),a.validator.format.apply(this,c)}:(arguments.length>2&&c.constructor!=Array&&(c=a.makeArray(arguments)).slice(1)),c.constructor!=Array&&(c=[c]),a.each(c,function(a,c){b=b.replace(new RegExp("\\\\("+a+"\\\\)","g"),function(){return c})}),b},a.extend(a.validator,{defaults:{messages:{},groups:{},rules:{},errorClass:"error",validClass:"valid",errorMessage:"label",focusInvalid:!0,errorContainer:a([],errorLabelContainer:a([]),onsubmit:!0,ignoreTitle:!1,onfocusin:function(a){this.lastActive=a,this.settings.focusCleanup&&this.blockFocusCleanup&&(this.settings.unhighlight&&this.settings.unhighlight.call(this,a,this.settings.errorClass,this.settings.validClass),this.hideThese(this.errorsFor(a)))},onfocusout:function(a){this.checkable(a)||!(a.name in this.submitted)&&this.optional(a)||this.element(a)},onkeyup:function(a,b){(9!==(b.which||"")!==(this.elementValue(a)&&(a.name in this.submitted)|a==this.lastElement)&&this.element(a)),onclick:function(a){a.name in this.submitted?this.element(a):a.parentNode.name in this.submitted&&this.element(a.p
```

过度许可的 CORS 访问测试

严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/reuse/ajax/libs/validate/messages_zh.min.js
实体：	messages_zh.min.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/ajax/libs/validate/messages_zh.min.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDAFA50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:04 GMT
Content-Type: application/javascript
Content-Length: 1269
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

! function (a) {
  "function" == typeof define && define.amd ? define(["jquery", "jquery.validate.min"], a) : a(jQuery)
}(function (a) {
  var icon = "<i class='fa fa-times-circle'></i> ";
  a.extend(a.validator.messages, {
    required: icon + "必填",
    remote: icon + "请修正此栏位",
    email: icon + "请输入有效的电子邮件",
    url: icon + "请输入有效的网址",
    date: icon + "请输入有效的日期",
    dateISO: icon + "请输入有效的日期 (YYYY-MM-DD)",
    number: icon + "请输入正确的数字",
    digits: icon + "只能输入数字",
    creditcard: icon + "请输入有效的信用卡号码",
    equalTo: icon + "你的输入不相同",
    extension: icon + "请输入有效的后缀",
    maxlength: a.validator.format(icon + "最多 {0} 个字"),
    minlength: a.validator.format(icon + "最少 {0} 个字"),
    rangelength: a.validator.format(icon + "请输入长度为 {0} 至 {1} 之间的字符串"),
    range: a.validator.format(icon + "请输入 {0} 至 {1} 之间的数值"),
    max: a.validator.format(icon + "请输入不大于 {0} 的数值"),
    min: a.validator.format(icon + "请输入不小于 {0} 的数值")
  })
});
```

过度许可的 CORS 访问测试

严重性： 低

CVSS 分数： 3.7

CVSS 向量： AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X

URL: <https://10.132.197.11:9044/reuse/ajax/libs/validate/jquery.validate.extend.js>

实体： jquery.validate.extend.js (Page)

风险： 可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息

原因： Web 应用程序编程或配置不安全

固定值： [修改“Access-Control-Allow-Origin”头以仅获取允许的站点](#)

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/ajax/libs/validate/jquery.validate.extend.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDataSource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FD8AF50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:55 GMT
Content-Type: application/javascript
Content-Length: 4881
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/*this is basic form validation using for validation person's basic information author:Clara Guo data:2017/07/20*/
$(document).ready(function(){
$.validator.setDefaults({
    submitHandler: function(form) {
        form.submit();
    }
});
//手机号验证身份证正则合并: (^d{15}$)|(^d{17}([0-9]{X})$)
jQuery.validator.addMethod("isPhone",function(value,element){
    var length = value.length;
    var phone=/^[3-9]\d{9}$/;
    return this.optional(element)|| (length == 11 && phone.test(value));
},"请填写正确的11位手机号");
//电话号码验证
jQuery.validator.addMethod("isTel",function(value,element){
    var tel = /^(0\d{2,3}-)?\d{7,8}$/g;//区号3,4位,号码7,8位
    return this.optional(element) || (tel.test(value));
},"请填写正确的座机号码");
//姓名校验
jQuery.validator.addMethod("isName",function(value,element){
    var name=/^[u4e00-u9fa5]{2,6}$/;
    return this.optional(element) || (name.test(value));
},"姓名只能用汉字,长度2-4位");
//校验用户名
jQuery.validator.addMethod("isUserName",function(value,element){
    var userName=/^[a-zA-Z0-9]{2,13}$/;
    return this.optional(element) || (userName.test(value));
},"请输入数字或者字母,不包含特殊字符");

//校验身份证
jQuery.validator.addMethod("isIdentity",function(value,element){
    var id= /^(d{15}$|^d{18}$|^d{17}(\d{X})$)/;
    return this.optional(element) || (id.test(value));
},"请输入正确的15或18位身份证号,末尾为大写X");
//校验二代身份证
jQuery.validator.addMethod("isIdentity18",function(value,element){
```

```

var id= /^(^d{17}(\dX))$/;
return this.optional(element) || (id.test(value));
}, "请输入正确的18位身份证号，末尾若为X请大写");
//校验出生日期
jQuery.validator.addMethod("isBirth", function(value, element) {
    var birth = /^(19|20)\d{2}-(1[0-2]|0?[1-9])-(0?[1-9]|1[0-2]|3[0-1])$/;
    return this.optional(element) || (birth).test(value);
}, "出生日期格式示例2000-01-01");
//校验新旧密码是否相同
jQuery.validator.addMethod("isdiff", function() {
    var p1=$("#pwdOld").val();
    var p2=$("#pwdNew").val();
    if(p1==p2){
        return false;
    }else{
        return true;
    }
});
//校验新密码和确认密码是否相同
jQuery.validator.addMethod("issame", function() {
    var p3=$("#confirm_password").val();
    var p4=$("#pwdNew").val();
    if(p3==p4){
        return true;
    }else{
        return false;
    }
});
//校验基础信息表单
$("#basicInfoForm").validate({
    errorElement: 'span',
    errorClass: 'help-block error-mes',
    rules: {
        name: {
            required: true,
            isName: true
        },
        sex: "required",
        birth: "required",
        mobile: {
            required: true,
            isPhone: true
        },
        email: {
            required: true,
            email: true
        }
    },
    messages: {
        name: {
            required: "请输入中文姓名",
            isName: "姓名只能为汉字"
        },
        sex: {
            required: "请输入性别"
        },
        birth: {
            required: "请输入出生年月"
        },
        mobile: {
            required: "请输入手机号",
            isPhone: "请填写正确的11位手机号"
        },
        email: {
            required: "请输入邮箱",
            email: "请填写正确的邮箱格式"
        }
    },
    errorPlacement: function(error, element) {
        element.next().remove();
        element.closest('.gg-formGroup').append(error);
    },
    highlight: function(element) {
        $(element).closest('.gg-formGroup').addClass('has-error has-feedback');
    },
    success: function(label) {
        var el = label.closest('.gg-formGroup').find("input");
        el.next().remove();
        label.closest('.gg-formGroup').removeClass('has-error').addClass("has-feedback has-success");
        label.remove();
    },
    submitHandler: function(form) {
        alert("保存成功!");
    }
});

//校验修改密码表单
$("#modifyPwd").validate({
    onfocusout: function(element) { $(element).valid(); },
    debug: false, //表示校验通过后是否直接提交表单
    onkeyup: false, //表示按键松开时候监听验证

```

```
rules:{
  pwdOld:{
    required:true,
    minlength:6
  },
  pwdNew:{
    required:true,
    minlength:6,
    isdiff:true,
    //issame:true,
  },
  confirm_password:{
    required:true
  }
}
...
...
...
```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-treetable/bootstrap-treetable.js
实体:	bootstrap-treetable.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/ajax/libs/bootstrap-treetable/bootstrap-treetable.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FD8AF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:56 GMT
Content-Type: application/javascript
Content-Length: 30475
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/**
 * bootstrapTreeTable
 *
 * @author swifly
 */
(function ($) {
  "use strict";

  $.fn.bootstrapTreeTable = function(options, param) {
    var target = $(this).data('bootstrap.tree.table');
```

```

target = target ? target : $(this);
// 如果是调用方法
if (typeof options == 'string') {
    return $.fn.bootstrapTreeTable.methods[options](target, param);
}
// 如果是初始化组件
options = $.extend({}, $.fn.bootstrapTreeTable.defaults, options || {});
target.hasSelectItem = false; // 是否有radio或checkbox
target.data_list = null; // 用于缓存格式化后的数据-按父分组
target.data_obj = null; // 用于缓存格式化后的数据-按id存对象
target.hiddenColumns = []; // 用于存放被隐藏的field
target.lastAjaxParams; // 用户最后一次请求的参数
target.isFixWidth=false; // 是否有固定宽度
// 初始化
var init = function() {
    // 初始化容器
    initContainer();
    // 初始化工具栏
    initToolbar();
    // 初始化表头
    initHeader();
    // 初始化表体
    initBody();
    // 初始化数据服务
    initServer();
    // 动态设置表头宽度
    autoTheadWidth(true);
    // 缓存target对象
    target.data('bootstrap.tree.table', target);
}
// 初始化容器
var initContainer = function() {
    // 在外层包装一下div, 样式用的bootstrap-table的
    var $main_div = $("

问题 22 / 40



TOC



2026/3/3



79


```

过度许可的 CORS 访问测试

严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/export/bootstrap-table-export.js
实体：	bootstrap-table-export.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/ajax/libs/bootstrap-table/extensions/export/bootstrap-table-export.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FD8AF50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:24:56 GMT
Content-Type: application/javascript
Content-Length: 4744
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/**
 * @author zhixin wen <wenzhixin2010@gmail.com>
 * extensions: https://github.com/kayalshri/tableExport.jquery.plugin
 */

(function ($) {
  'use strict';
  var sprintf = $.fn.bootstrapTable.utils.sprintf;

  var TYPE_NAME = {
    csv: 'CSV',
    txt: 'TXT',
    doc: 'Word',
    excel: 'Excel'
  };

  $.extend($.fn.bootstrapTable.defaults, {
    showExport: false,
    exportDataType: 'all', // basic, all, selected
    exportTypes: ['csv', 'txt', 'doc', 'excel'],
    exportOptions: {
      ignoreColumn: [0] //忽略列索引
    }
  });

  $.extend($.fn.bootstrapTable.defaults.icons, {
    export: 'glyphicon glyphicon-save'
  });

  $.extend($.fn.bootstrapTable.locales, {
    formatExport: function () {
      return 'Export data';
    }
  });
  $.extend($.fn.bootstrapTable.defaults, $.fn.bootstrapTable.locales);
```

```

var BootstrapTable = $.fn.bootstrapTable.Constructor,
    _initToolbar = BootstrapTable.prototype.initToolbar;

BootstrapTable.prototype.initToolbar = function () {
    this.showToolbar = this.options.showExport;

    _initToolbar.apply(this, Array.prototype.slice.apply(arguments));

    if (this.options.showExport) {
        var that = this,
            $btnGroup = this.$toolbar.find('>.btn-group'),
            $export = $btnGroup.find('div.export');

        if (!$export.length) {
            $export = $('

问题 23 / 40



TOC



| 过度许可的 CORS 访问测试 |                                                                                                             |
|-----------------|-------------------------------------------------------------------------------------------------------------|
| 严重性:            | 低                                                                                                           |
| CVSS 分数:        | 3.7                                                                                                         |
| CVSS 向量:        | AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/M:X/MA:X |
| URL:            | https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/export/tableExport.js                 |
| 实体:             | tableExport.js (Page)                                                                                       |
| 风险:             | 可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置<br>可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息                           |
| 原因:             | Web 应用程序编程或配置不安全                                                                                            |
| 固定值:            | 修改“Access-Control-Allow-Origin”头以仅获取允许的站点                                                                   |



2026/3/3



81


```

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/ajax/libs/bootstrap-table/extensions/export/tableExport.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABFE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:04:57 GMT
Content-Type: application/javascript
Content-Length: 86336
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/**
 * @preserve tableExport.jquery.plugin
 *
 * Version 1.9.8
 *
 * Copyright (c) 2015-2017 hhurz, https://github.com/hhurz
 *
 * Original Work Copyright (c) 2014 Giri Raj
 *
 * Licensed under the MIT License
 */

(function ($) {
    $.fn.tableExport = function (options) {
        var defaults = {
            consoleLog: false,
            csvEnclosure: '"',
            csvSeparator: ',',
            csvUseBOM: true,
            displayTableName: false,
            escape: false,
            excelFileFormat: 'xlsx', // xlsx = XML Spreadsheet 2003 file format (XMLSS), xlshtml = Excel 2000 html format
            excelRTL: false, // true = Set Excel option 'DisplayRightToLeft'
            excelStyles: [], // e.g. ['border-bottom', 'border-top', 'border-left', 'border-right']
            exportHiddenCells: false, // true = speed up export of large tables with hidden cells (hidden cells will be exported !)
            fileName: 'export',
            htmlContent: false,
            ignoreColumn: [],
            ignoreRow: [],
            jsonScope: 'all', // head, data, all
            jspdf: {
                orientation: 'p',
                unit: 'pt',
                format: 'a4', // jspdf page format or 'bestfit' for automatic paper format selection
                margins: {left: 20, right: 10, top: 10, bottom: 10},
                onDocCreated: null,
                autotable: {
                    styles: {
                        cellPadding: 2,
                        rowHeight: 12,
                        fontSize: 8,
                        fillColor: 255, // color value or 'inherit' to use css background-color from html table
                        textColor: 50, // color value or 'inherit' to use css color from html table
                        fontStyle: 'normal', // normal, bold, italic, bolditalic or 'inherit' to use css font-weight and font-style from html table
                        overflow: 'ellipsis', // visible, hidden, ellipsis or linebreak
                        halign: 'left', // left, center, right
                        valign: 'middle' // top, middle, bottom
                    },
                    headerStyles: {
                        fillColor: [52, 73, 94],
                        textColor: 255,
                        fontStyle: 'bold',
                        halign: 'center'
                    },
                    alternateRowStyles: {
                        fillColor: 245
                    }
                }
            }
        }
    }
}
```

```

tableExport: {
  doc: null, // jsPDF doc object. If set, an already created doc will be used to export to
  onAfterAutotable: null,
  onBeforeAutotable: null,
  onAutotableText: null,
  onTable: null,
  outputImages: true
},
},
numbers: {
  html: {
    decimalMark: '.',
    thousandsSeparator: ',',
  },
  output: { // set output: false to keep number format in exported output
    decimalMark: '.',
    thousandsSeparator: ',',
  }
},
onCellData: null,
onCellHtmlData: null,
onIgnoreRow: null, // onIgnoreRow($tr, rowIndex): function should return true to not export a row
onMsoNumberFormat: null, // Excel 2000 html format only. See readme.md for more information about msonumberformat
outputMode: 'file', // 'file', 'string', 'base64' or 'window' (experimental)
pdfmake: {
  enabled: false, // true: use pdfmake
...
...
...

```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL：	https://10.132.197.11:9044/reuse/ajax/libs/iCheck/icheck.min.js
实体：	icheck.min.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```

GET /reuse/ajax/libs/iCheck/icheck.min.js?v=1.0.3 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FD8AF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABEE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:04 GMT
Content-Type: application/javascript
Content-Length: 5087
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type

```

Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding

Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT

Accept-Ranges: bytes

```
/* !iCheck v1.0.3 by Damir Sultanov, https://github.com/dargullin/ichack, MIT Licensed */
(function(k){function E(a,b,e){var c=a[0],f=e/r.test(e)?"indeterminate":b/l.test(e)?"disabled":"checked",d="update"==e?
{checked:c.checked,disabled:c.disabled,indeterminate:"true"==a.attr("indeterminate")||"false"==a.attr("determinate")}:c[f];if(/^ch|di|in/.test(e)&&!d)B(a,f);else
if(/^un|en|de/.test(e)&&d)v(a,f);else if("update"==e)for(var l in d)d[l]?B(a,l,!0):v(a,l,!0);else b&&"toggle"!=e||
(b){a.trigger("ifClicked"),d?"radio"!=c.type&&(a,f):B(a,f)}function B(a,b,e){var c=a[0],f=a.parent(),
d="checked"==b,l="indeterminate"==b,t="disabled"==b,u=l?"determinate":d?"unchecked":"enabled",x=q(a,u+C(c.type)),y=q(a,b+C(c.type));if(!l==c[b])
{if(!e&&"checked"==b&&"radio"==c.type&&c.name){var z=a.closest("form"),r="input[name='"+c.name+"'"]';r=z.length?z.find(r):k(r);r.each(function()
{this!=c&&k(this).data("iCheck")&&(k(this),b)});l?(c[b]=!0,c.checked&&(a,"checked"),"force"):(e||
(c[b]=!0),d&&c.indeterminate&&(a,"indeterminate",!1));I(a,d,b,e)}c.disabled&&(a,"cursor",!0)&&f.find(".iCheck-helper").css("cursor",
"default");f.addClass(y||q(a,b)||"");f.attr("role")&&!l&&f.attr("aria-"+(t?"disabled":"checked"),"true");f.removeClass(x||q(a,u)||"")}function v(a,b,e){var
c=a[0],f=a.parent(),d="checked"==b,l="indeterminate"==b,t="disabled"==b,u=l?"determinate":d?"unchecked":"enabled",x=q(a,u+C(c.type)),y=q(a,b+C(c.type));if(!l==c[b])
{if(l||e||"force"==e)c[b]=!1;I(a,d,u,e)}!c.disabled&&(a,"cursor",!0)&&f.find(".iCheck-
helper").css("cursor","pointer");f.removeClass(y||q(a,b)||"");f.attr("role")&&!l&&f.attr("aria-"+
(t?"disabled":"checked"),"false");f.addClass(x||q(a,u)||"")}function J(a,b){a.data("iCheck")&&
(a.parent().html(a.attr("style"),a.data("iCheck").s||"")),b&&a.trigger(b),a.off(".i").unwrap(),k("label[for='"+a[0].id+"'").add(a.closest("label")).off(".i"))}function
q(a,b,e){if(a.data("iCheck"))return a.data("iCheck").o[b+(e?"":"Class")]}function C(a){return a.charAt(0).toUpperCase()+a.slice(1)}function I(a,b,e,c){
(b&&a.trigger("ifToggled"),a.trigger("change").trigger("ifChanged").trigger("if"+C(e)))}
var G=/p(hone|od|ad)|android|blackberry|windows phone|opera
mini|silk/i, test=navigator.userAgent||"MacIntel"==navigator.platform&&!navigator.maxTouchPoints;k.fn.iCheck=function(a,b){var e="input[type='checkbox']",
input[type='radio']",c=k(),f=function(g){g.each(function(){var m=k(this);c.m.is(e)?
c.add(m):c.add(m.find(e))});if(/^check|uncheck|toggle|indeterminate|determinate|disable|enable|update|destroy$/i.test(a))return a=a.toLowerCase(),f(this),c.each(function(){
var g=k(this);"destroy"==a?
J(g,"ifDestroyed"):E(g,!0,a);k.isFunction(b)&&b()};if("object"!=typeof a&&a)return this;var
d=k.extend({checkedClass:"checked",disabledClass:"disabled",indeterminateClass:"indeterminate",labelHover:!0},a),l=d.handle,t=d.hoverClass||"hover",u=d.focusClass||"focus",x=
d.activeClass||"active",y=!d.labelHover,z=d.labelHoverClass||"hover",r="("+d.increaseArea).replace("%","")0;if("checkbox"==l||"radio"==l)e="input[type='"+l+"'";-50>r&&(r=-
50);f(this);return c.each(function(){var g=k(this);J(g);var m=
this,H=m.id,F=r+"%",w=100+2*r+"%",w={position:"absolute",top:F,left:F,display:"block",width:w,height:w;margin:0,padding:0;background:"#fff",border:0,opacity:0};F=G?
{position:"absolute",visibility:"hidden"}:r?w:{position:"absolute",opacity:0};var M="checkbox"==m.type?
d.checkboxClass||"iCheckbox":d.radioClass||"iradio",D=k("label[for='"+H+"'").add(g.closest("label")),K=!d.aria,I="iCheck-"+Math.random().toString(36).substr(2,6),h="<div
class='"+M+" '+K?'role='"+m.type+"' '+I';";K&&D.each(function(){
...
...
...

```

过度许可的 CORS 访问测试

严重性: 低

CVSS 分数: 3.7

CVSS 向量: AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X

URL: https://10.132.197.11:9044/reuse/ajax/libs/blockUI/jquery.blockUI.js

实体: jquery.blockUI.js (Page)

风险: 可能会收集有关 Web 应用程序的敏感信息, 如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息

原因: Web 应用程序编程或配置不安全

固定值: 修改"Access-Control-Allow-Origin"头以仅获取允许的站点

差异:

推理: AppScan 检测到"Access-Control-Allow-Origin"头的许可权太多

测试请求和响应:

```
GET /reuse/ajax/libs/blockUI/jquery.blockUI.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BF5E8DAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224A98C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53442713BA05A3CB25C9A71
C98D8CABBE399F5C5117FA1522F3380B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:24:56 GMT
Content-Type: application/javascript
Content-Length: 19627
Access-Control-Allow-Origin: http://10.76.199.148
```

```

Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

;(function() {
/*jshint eqeqeq:false curly:false latodef:false */
"use strict";

function setup($) {
$.fn._fadeIn = $.fn.fadeIn;

var noOp = $.noop || function() {};

// this bit is to ensure we don't call setExpression when we shouldn't (with extra muscle to handle
// confusing userAgent strings on Vista)
var msie = /MSIE/.test(navigator.userAgent);
var ie6 = /MSIE 6.0/.test(navigator.userAgent) && ! /MSIE 8.0/.test(navigator.userAgent);
var mode = document.documentMode || 0;
var setExpr = $.isFunction( document.createElement('div').style.setExpression );

// global $ methods for blocking/unblocking the entire page
$.blockUI = function(opts) { install(window, opts); };
$.unblockUI = function(opts) { remove(window, opts); };

// convenience method for quick growl-like notifications (http://www.google.com/search?q=growl)
$.growlUI = function(title, message, timeout, onClose) {
var $m = $('<div class="growlUI"></div>');
if (title) $m.append('<h1>' + title + '</h1>');
if (message) $m.append('<h2>' + message + '</h2>');
if (timeout === undefined) timeout = 3000;

// Added by konapun: Set timeout to 30 seconds if this growl is moused over, like normal toast notifications
var callBlock = function(opts) {
opts = opts || {};

$.blockUI({
message: $m,
fadeIn: typeof opts.fadeIn !== 'undefined' ? opts.fadeIn : 700,
fadeOut: typeof opts.fadeOut !== 'undefined' ? opts.fadeOut : 1000,
timeout: typeof opts.timeout !== 'undefined' ? opts.timeout : timeout,
centerY: false,
showOverlay: false,
onUnblock: onClose,
css: $.blockUI.defaults.growlCSS
});
};

callBlock();
var noMouseOpacity = $.css('opacity');
$m.mouseover(function() {
callBlock({
fadeIn: 0,
timeout: 30000
});

var displayBlock = $('<div>');
displayBlock.stop(); // cancel fadeout if it has started
displayBlock.fadeTo(300, 1); // make it easier to read the message by removing transparency
}).mouseout(function() {
$('<div>').fadeOut(1000);
});

// End konapun additions
};

// plugin method for blocking element content
$.fn.block = function(opts) {
if ( this[0] === window ) {
$.blockUI( opts );
return this;
}
var fullOpts = $.extend({}, $.blockUI.defaults, opts || {});
this.each(function() {
var $el = $(this);
if (fullOpts.ignoreIfBlocked && $el.data('blockUI.isBlocked'))
return;
$el.unblock({ fadeOut: 0 });
});

return this.each(function() {
if ($.css(this, 'position') === 'static') {
this.style.position = 'relative';
$(this).data('blockUI.static', true);
}
this.style.zoom = 1; // force 'hasLayout' in ie
install(this, opts);
});
};

```

```

};

// plugin method for unblocking element content
$.fn.unblock = function(opts) {
  if ( this[0] === window ) {
    $.unblockUI( opts );
    return this;
  }
  return this.each(function() {
    remove(this, opts);
  });
};

$.blockUI.version = 2.70; // 2nd generation blocking at no extra cost!

// override these in your code to change the default behavior and style
$.blockUI.defaults = {
  // message displayed when blocking (use null for no message)
  message: '<div class="loaderbox"><div class="loading-activity"></div> 加载中.....</div>',

  title: null, // title string; only used when theme = true
  draggable: true, // only used when theme = true (requires jquery-ui.js to be loaded)

  theme: false, // set to true to use with jQuery UI themes

  // styles for the message when blocking; if you wish to disable
  // these and use an external stylesheet then
  ...
  ...
  ...

```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/layer/layer.min.js
实体:	layer.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```

GET /reuse/ajax/libs/layer/layer.min.js?v=3.5.1 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:04 GMT
Content-Type: application/javascript
Content-Length: 23568
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type

```

Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

```
/*! layui-v3.5.1 Web 通用弹出层组件 MIT License */
!function(d){var e=i.layui&&layui.define,f,h,j=(getPath:function(){var m=document.currentScript?document.currentScript.src:function(){var p=document.scripts,o=p.length-1,q;for(var n=o;n>0;n--){if(p[n].readyState=="interactive"){q=p[n].src;break}}return q||p[o].src})();l=i.LAYUI_GLOBAL||{};return l.layui_dir||m.substring(0,m.lastIndexOf("/")+1)}(),config:{},end:{},minIndex:0,minLeft:[],btn:["%x786E;%x5B9A;", "%x53D6;%x6D88;"],type:["dialog","page","iframe","loading","tips"],getStyle:function(n,l){var m=n.currentStyle?n.currentStyle:i.getComputedStyle(n,null);return m[m.getPropertyValue?"getPropertyValue":"getAttribute"](l)},link:function(l,t,m){if(!g.path){return}var u=document.getElementsByTagName("head")[0],s=document.createElement("link");if(typeof t=="string"){m=t;var o=(m||l).replace(/\.\/g,"");var n="layui.css"+o,p="creating",r=0;s.rel="stylesheet";s.href=g.path+l;s.id=n;if(!document.getElementById(n)){u.appendChild(s)}if(typeof t!="function"){return}(function q(v){var w=100,x=document.getElementById(n);if(++r>1000/w){return i.console&&console.error(o+"css: Invalid")}if(parseInt(j.getStyle(x,"width"))==1989){if(v==p){x.removeAttribute("lay-status");x.setAttribute("lay-status")==p?setTimeout(q,w):t()}else{x.setAttribute("lay-status",p);setTimeout(function(){q(p),w})()}}};var g=(v:"3.5.1",ie:function(){var l=navigator.userAgent.toLowerCase();return(!i.ActiveXObject||"ActiveXObject" in i)?(l.match(/msie\s(\d+)/)||[1])||"11":false}(),index:(i.layer&&i.layer.v)?100000:0,path:j.getPath,config:function(l,m){l=l||{};g.cache=j.config=f.extend({},j.config,l);g.path=j.config.path||g.path;typeof l.extend=="string"&&(l.extend||l.extend());if(j.config.path){j.config.path=j.config.path||l.config.path;if(!l.extend){return this}e?layui.addcss("modules/layer/"+l.extend):j.link("theme/"+l.extend);return this},ready:function(o){var m="layer",l="",n=e?"modules/layer/":"theme/"+"default/layer.css?v="+g.v+l;e?layui.addcss(n,o,m):j.link(n,o,m);return this},alert:function(n,l,o){var m=typeof l=="function";if(m){o=l;return g.open(f.extend({content:n,yes:o},m?{}:{}))};confirm:function(o,l,p,n){var m=typeof l=="function";if(m){n=p;p=l;return g.open(f.extend({content:o,btn:j.btn,yes:p,btn2:n},m?{}:{}))};msg:function(o,m,l){var n=typeof m=="function",r=j.config.skin;var q=(r?" "+r+"-msg":"")||"layui-layer-msg";var p=c.anim.length-1;if(n){l=m;return g.open(f.extend({content:o,time:3000,shade:false,skin:g.title:false,closeBtn:false,btn:false,resize:false,end:l},n&&!j.config.skin)?{skin:q+" layui-layer-hui",anim:p}:function(){m=m||{};if(m.icon==1||m.icon==d&&!j.config.skin){m.skin=q+" "+(m.skin||"layui-layer-hui")}return m})());load:function(m,l){return g.open(f.extend({type:3,icon:m||0,resize:false,shade:0.01,l}))};tips:function(n,l,m){return g.open(f.extend({type:4,content:[n,l],closeBtn:false,time:3000,shade:false,resize:false,fixed:false,maxWidth:260},m))};var b=function(m){var n=this,l=function(){n.creat();n.index+=g.index;n.config.maxWidth=f(h).width()-15*2;n.config=f.extend({},n.config,j.config,m);document.body?l():setTimeout(function(){l()},30)};b.pt=b.prototype;var c=["layui-layer",".layui-layer-title",".layui-layer-main",".layui-layer-dialog","layui-layer-iframe","layui-layer-content","layui-layer-btm","layui-layer-close"];c.anim=["layer-anim-00","layer-anim-01","layer-anim-02","layer-anim-03","layer-anim-04","layer-anim-05","layer-anim-06"];c.SHADE="layui-layer-shade";c.MOVE="layui-layer-move";b.pt.config={type:0,shade:0.3,fixed:true,move:c[1],title:"%x4FEE;%x606F;",offset:"auto",area:"auto",closeBtn:1,time:0,zIndex:19891014,maxWidth:360,anim:0,isOutAnim:0};...
...
...
...
}
```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/layui/layui.min.js
实体:	layui.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改"Access-Control-Allow-Origin"头以仅获取允许的站点

差异:

推理: AppScan 检测到"Access-Control-Allow-Origin"头的许可权太多

测试请求和响应:

```
GET /reuse/ajax/libs/layui/layui.min.js?v=2.7.6 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC534471213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:06 GMT
Content-Type: application/javascript
Content-Length: 291146
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
```

```
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/** 2.7.6 | MIT Licensed */!function(d){"use strict";var t,h=d.document,m={modules:{},status:{},timeout:10,event:{}},r=function(){this.v="2.7.6"},e=d.LAYUI_GLOBAL||{}},v=
(t=h.currentScript?h.currentScript.src:function(){for(var t,e=h.scripts,o=e.length-1,r=o;0<r;r--)if("interactive"===e[r].readyState){t=e[r].src;break}return t||e[o].src}
()&#x2D;dir|t.substr(0,t.lastIndexOf("/")+1)),g=function(t,e){e||"log",d.console&&console[e]&&console[e]("layui error hint: "+t)},b="undefined"!==typeof opera&&
[object Opera]"===opera.toString(),N=m.builtin=
{lay:"lay",layer:"layer",laydate:"laydate",laypage:"laypage",laytpl:"laytpl",layedit:"layedit",form:"form",upload:"upload",dropdown:"dropdown",transfer:"transfer",tree:"tree"
,table:"table",element:"element",rate:"rate",colorpicker:"colorpicker",slider:"slider",carousel:"carousel",flow:"flow",util:"util",code:"code",jquery:"jquery",all:"all",layui
i.all:"layui.all"},s=(r.prototype.cache=m,r.prototype.define=function(t,r){return"function"===typeof t&&(r=t,t=[]),this.use(t,function(){var o=function(t,e)
{layui[t]=e,m.status[t]=0;return"function"===typeof r&&r(function(t,e){o(t,e),m.callback[t]=function(){r(o)}},this,null,"define"),this,r.prototype.use=function(o,t,e,r)
{var n=this,i=m.dir&#x2D;dir||v,a=h.getElementsByTagName("head")[0],v=(o="string"===typeof o?o:"function"===typeof o?(t=o,["all"]):o,d.jquery&&jquery.fn.cn&&
(n.each(o,function(t,e){t="jquery"===e&&o.splice(t,1)}),layui.jquery=layui.$=jquery),o[0]),l=0;function s(t,e){var o="PlaySTATION
3"===navigator.platform?/^complete$/:/^(complete|loaded)$/;"load"!==t.type&&!o.test((t.currentTarget||t.srcElement).readyState)||m.modules[u]=e,a.removeChild(p),function r()
{return++l>le3*m.timeout/4?g(u+" is not a valid module","error"):void(m.status[u]?c():setTimeout(r,4))}()}function c(){e.push(layui[u]),l<o.length?
n.use(o.slice(1),t,e,r):"function"===typeof t&&(layui.jquery&&"function"===typeof layui.jquery&&"define"!===r?layui.jquery(function()
{t.apply(layui,e)}):t.apply(layui,e))if(e=||[]&#x2D;host=m.host||i.match(/\/([\s\S]+?)\/)/)||["//"+location.host+"/"]&#x2D;length||layui["layui.all"]&&N[u])return
c(),n;var p,y=(y=N[u]?i+"modules/":"/^{\s\/}/.test(n.modules[u])&&m.base||""))+(n.modules[u]||u)+"js").replace(/^\{\/}/,"");return!m.modules[u]&&layui[u]&&
(m.modules[u]=y),m.modules[u]?function f(){return++l>le3*m.timeout/4?g(u+" is not a valid module","error"):void("string"===typeof m.modules[u]&&m.status[u]?
c():setTimeout(f,4))}():((p=h.createElement("script"))["async"]=!0,p.charset="utf-8",p.src=y+(i=!0===m.version?m.v||&#x2D;(new Date).getTime():m.version||""))?"?
v="+i+""),a.appendChild(p),p.attachEvent||p.addEventListener.to&#x2D;String&&p.attachEvent.to&#x2D;String().indexOf("[native code")<0||b?p.addEventListener("load",function(t)
{s(t,y)},!1):p.attachEvent("onreadystatechange",function(t){s(t,y)}),m.modules[u]=y),n),r.prototype.disuse=function(t){var o=this;return t=o.isArray(t)?t:
[t],o.each(t,function(t,e){m.status[e],delete o[e],delete N[e],delete o.modules[e],delete m.status[e],delete m.modules[e]}),o),r.prototype.getStyle=function(t,e)
{t=t.currentStyle||d.getComputedStyle(t,null);return t.getPropertyValue?"getPropertyValue":"getAttribute"}(e)},r.prototype.link=function(o,r,t){var
n=this,e=h.getElementsByTagName("head")[0],i=h.createElement("link"),t=(t="string"===typeof r?r:t)||o.replace(/\.\/\//g,""),a=i.id="layuicss-"+t,u="creating",l=0;return
i.rel="stylesheet",i.href=o+(m.debug?"?v="+&#x2D;(new Date).getTime():&#x2D;""),i.media="all",h.getElementById(a)||e.appendChild(i),"function"!===typeof r||function s(t){var
e=h.getElementById(a);return++l>le3*m.timeout/100?g(o+" timeout"):void(1989===parseInt(n.getStyle
...
...
...

```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/systemplus/js/common.js
实体:	common.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/systemplus/js/common.js?v=20220809 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FD8AF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:07 GMT
Content-Type: application/javascript
Content-Length: 29188
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
```

```
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes
```

```
/**
 * 通用方法封装处理
 * Copyright (c) 2018 systemplus
 */
var startLayerDate;
var endLayerDate;
$(function() {
    // layer扩展皮肤
    /*if (window.layer !== undefined) {
        layer.config({
            extend: 'moon/style.css',
            skin: 'layer-ext-moon'
        });
    }*/

    // 回到顶部绑定
    if ($.fn.scrollToTop !== undefined) {
        $('#scroll-up').scrollTop();
    }

    // select2复选框事件绑定
    if ($.fn.select2 !== undefined) {
        $.fn.select2.defaults.set("theme", "bootstrap");
        $("select.form-control:not(.noselect2)").each(function () {
            $(this).select2().on("change", function () {
                $(this).valid();
            })
        })
    }

    // iCheck单选框及复选框事件绑定
    if ($.fn.iCheck !== undefined) {
        $(".checkbox-box:not(.noicheck),.radio-box:not(.noicheck)").each(function () {
            $(this).iCheck({
                checkboxClass: 'checkbox-blue',
                radioClass: 'radio-blue',
            })
        })
    }

    // 气泡弹出框特效（移到元素时）
    $(document).on("mouseenter", '.table [data-toggle="popover"]', function () {
        var _this = this;
        $(this).popover("show");
        $(".popover").on("mouseleave", function () {
            $(this).popover('hide');
        });
    })

    // 气泡弹出框特效（离开元素时）
    $(document).on("mouseleave", '.table [data-toggle="popover"]', function () {
        var _this = this;
        setTimeout(function () {
            if (!$(".popover:visible").length) $(this).popover("hide");
        }, 100);
    });

    // 取消回车自动提交表单
    $(document).on("keypress", ":input:not(textarea):not([type=submit])", function (event) {
        if (event.keyCode === 13) {
            event.preventDefault();
        }
    });

    // select2复选框事件绑定
    if ($.fn.select2 !== undefined) {
        $("select.form-control:not(.noselect2)").each(function () {
            $(this).select2().on("change", function () {
                $(this).valid();
            })
        })
    }

    // checkbox 事件绑定
    if ($(".checkbox-box").length > 0) {
        $(".checkbox-box").iCheck({
            checkboxClass: 'checkbox-blue',
            radioClass: 'radio-blue',
        })
    }

    // radio 事件绑定
    if ($(".radio-box").length > 0) {
        $(".radio-box").iCheck({
            checkboxClass: 'checkbox-blue',
            radioClass: 'radio-blue',
        })
    }
})
```

```
// laydate 时间控件绑定
if ($("#select-time").length > 0) {
    layui.use('laydate', function() {
        var laydate = layui.laydate;
        var startDate = laydate.render({
            elem: '#startTime',
            max: $('#endTime').val(),
            theme: 'molv',
            trigger: 'click',
            done: function(value, date) {
                // 结束时间大于开始时间
                if (value !== '') {
                    endDate.config.min.year = date.year;
                    endDate.config.min.month = date.month - 1;
                    endDate.config.min.date = date.date;
                } else {
                    endDate.config.min.year = '';
                    endDate.config.min.month = '';
                    endDate.config.min.date = '';
                }
            }
        });
        var endDate = laydate.render({
            elem: '#endTime',
            min: $('#startTime').val(),
            theme: 'molv',
            trigger: 'click',
            done: function(value, date) {
                // 开始时间小于结束时间
                if (value !== '') {
                    startDate.config.max.year = date.year;
                    startDate.config.max.month = date.month - 1;
                    startDate.config.max.date = date.date;
                } else {
                    startDate.config.max.year = '';
                    startDate.config.max.month = '';
                    startDate.config.max.date = '';
                }
            }
        });
    });
}
// laydate time-input 时间控件绑定
/*if ($("#time-input").length > 0) {
    layui.use('laydate', function() {
        var laydate = layui.laydate;
        var times = $("#time-input");
        for (var i = 0; i < times.length; i++) {
            var time = times[i];
            laydate.
...
...
...
*/
```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/IAR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MAX:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/toastr/toastr.min.js
实体:	toastr.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/ajax/libs/toastr/toastr.min.js HTTP/1.1
Accept-Language: en-US
```

```
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDataources?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F3380B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:10 GMT
Content-Type: application/javascript
Content-Length: 4286
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

!function(e){e(["jquery"]),function(e){return function(t){function t(e,t,n){return
f({type:0,error,iconClass:g().iconClasses.error,message:e,optionsOverride:n,title:t})}function n(t,n){return t||(t=g()),v=e("#"+t.containerId),v.length?v:(n&&
(v=c(t)),v)}function i(e,t,n){return f({type:0,info,iconClass:g().iconClasses.info,message:e,optionsOverride:n,title:t})}function o(e){w=e}function s(e,t,n){return
f({type:0,success,iconClass:g().iconClasses.success,message:e,optionsOverride:n,title:t})}function a(e,t,n){return
f({type:0,warning,iconClass:g().iconClasses.warning,message:e,optionsOverride:n,title:t})}function r(e){var t=g();v|n(t),l(e,t)|u(t)}function d(t){var i=g();return
v|n(i),t&&0===(":"focus",t).length?void h(t):void(v.children().length&&v.remove())}function u(t){for(var n=v.children(),i=n.length-1;i>0;i--)l(e(n[i]),t)}function l(t,n)
{return t&&0===(":"focus",t).length?(t[n.hideMethod]({duration:n.hideDuration,easing:n.hideEasing,complete:function(){h(t)})),!0:!1}function c(t){return v=e("
<div/>").attr("id",t.containerId).addClass(t.positionClass).attr("aria-live","polite").attr("role","alert"),v.appendTo(e(t.target)),v}function p()
{return tapToDismiss:!0,toastClass:"toast",containerId:"toast-container",debug:!1,showMethod:"fadeIn",showDuration:300,showEasing:"swing",onShown:void
0,hideMethod:"fadeOut",hideDuration:1e3,hideEasing:"swing",onHidden:void 0,extendedTimeOut:1e3,iconClasses:{error:"toast-error",info:"toast-info",success:"toast-
success",warning:"toast-warning"},iconClass:"toast-info",positionClass:"toast-top-right",timeOut:5e3,titleClass:"toast-title",messageClass:"toast-
message",target:"body",closeHtml:'<button type="button">&times;</button>',newestOnTop:!0,preventDuplicates:!1,progressBar:!1}}function m(e){w&&w(e)}function f(t){function
i(t){return!e(":"focus",l).length|t?(clearTimeout(0.intervalId),l[r.hideMethod]({duration:r.hideDuration,easing:r.hideEasing,complete:function()
{h(l),r.onHidden&&"hidden"!>b.state&&r.onHidden(),b.state="hidden",b.endTime=new Date,m(b)})):void 0}function o(){(r.timeOut>0|>r.extendedTimeOut>0)&&
(u=setTimeout(i,r.extendedTimeOut),O.maxHideTime=parseFloat(r.extendedTimeOut),O.hideEta=(new Date).getTime()+O.maxHideTime)}function s()
{clearTimeout(u),O.hideEta=0,l.stop(!0,!0)[r.showMethod]({duration:r.showDuration,easing:r.showEasing})}function a(){var e=(O.hideEta-(new
Date).getTime())/O.maxHideTime*100;f.width(e+"%")}var r=g(),d=t.iconClass||r.iconClass;if("undefined"!>typeof t.optionsOverride&&
(r=e.extend(r,t.optionsOverride),d=t.optionsOverride.iconClass|d,r.preventDuplicates){if(t.message==>C)return;C=t.message;T++,v=n(r,!0);var u=null,l=e(">div/>"),c=e("
<div/>"),p=e(">div/>"),f=e(">div/>"),w=e(r.closeHtml),O={intervalId:null,hideEta:null,maxHideTime:null},b={toastId:T,state:"visible",startTime:new
Date,options:r,map:t};return t.iconClass&&l.addClass(r.toastClass).addClass(d),t.title&&(c.append(t.title).addClass(r.titleClass),l.append(c)),t.message&&
(p.append(t.message).addClass(r.messageClass),l.append(p)),r.closeButton&&(w.addClass("toast-close-button").attr("role","button"),l.prepend(w)),r.progressBar&&
(f.addClass("toast-progress"),l.prepend(f)),l.hide(),r.newestOnTop?v.prepend(l):v.append(l),l[r.showMethod]
({duration:r.showDuration,easing:r.showEasing,complete:r.onShown}),r.timeOut>0&&(u=setTimeout(i,r.timeOut),O.maxHideTime=parseFloat(r.timeOut),O.hideEta=(new
Date).getTime()+O.maxHideTime,r.progressBar&&(O.intervalId=setInterval(a,10))),l.hover(s,o),!r.onClick&&r.tapToDismiss&&l.click(i),r.closeButton&&w&&w.click(function(e)
{e.stopPropagation?e.stopPropagation():void 0!>e.cancelBubble&&e.cancelBubble=!>0&&(e.cancelBubble=!>0),i
...
...
...

```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/N:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/M:X/MA:X
URL：	https://10.132.197.11:9044/reuse/systemplus/js/ry-ui.js
实体：	ry-ui.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/systemplus/js/ry-ui.js?v=20220809 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0
```

```
HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:09 GMT
Content-Type: application/javascript
Content-Length: 78486
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes
```

```
/**
 * 通用js方法封装处理
 * Copyright (c) 2018 systemplus
 */
(function ($) {
    $.extend({
        _treeTable: {},
        _tree: {},
        // 表格封装处理
        table: {
            _option: {},
            btTable: {},
            _params: {},
            // 记住选择实例组
            rememberSelecteds: {},
            // 记住选择ID组
            rememberSelectedIds: {},
            // 初始化表格参数
            init: function(options) {
                var defaults = {
                    id: "bootstrap-table",
                    type: 0, // 0 代表bootstrapTable 1代表bootstrapTreeTable
                    method: 'post',
                    height: undefined,
                    sidePagination: "server",
                    sortName: undefined,
                    sortOrder: "asc",
                    pagination: true,
                    paginationLoop: false,
                    pageSize: 10,
                    pageNumber: 1,
                    pageList: [10, 25, 50, 100, 200, 500, 1000],
                    toolbar: "toolbar",
                    loadingFontSize: 13,
                    striped: false,
                    escape: false,
                    firstLoad: true,
                    showFooter: false,
                    search: false,
                    showSearch: true,
                    showPageGo: false,
                    showRefresh: true,
                    showColumns: true,
                    showToggle: false,
                    showExport: false,
                    clickToSelect: true,
                    singleSelect: false,
                    mobileResponsive: true,
                    maintainSelected: false,
                    rememberSelected: false,
                    fixedColumns: false,
                    fixedNumber: 0,
                    rightFixedColumns: false,
                    rightFixedNumber: 0,
                    queryParams: $.table.queryParams,
                    rowStyle: undefined,
                };
                var options = $.extend(defaults, options);
                $.table._option = options;
                $.table.initEvent();
                $('[' + options.id + ']').bootstrapTable({
                    url: options.url, // 请求后台的URL (*)
                    contentType: "application/x-www-form-urlencoded", // 编码类型
```

```
method: options.method, // 请求方式 (*)
cache: false, // 是否使用缓存
height: options.height, // 表格的高度
striped: options.striped, // 是否显示行间隔色
sortable: true, // 是否启用排序
sortStable: true, // 设置为 true 将获得稳定的排序
sortName: options.sortName, // 排序列名称
sortOrder: options.sortOrder, // 排序方式 asc 或者 desc
pagination: options.pagination, // 是否显示分页 (*)
  paginationLoop: options.paginationLoop, // 是否启用分页条无限循环的功能
pageNumber: 1, // 初始化加载第一页，默认第一页
pageSize: options.pageSize, // 每页的记录行数 (*)
pageList: options.pageList, // 可供选择的每页的行数 (*)
firstLoad: options.firstLoad, // 是否首次请求加载数据，对于数据较大可以配置false
escape: options.escape, // 转义HTML字符串
showFooter: options.showFooter, // 是否显示表尾
iconSize: 'outline', // 图标大小: undefined默认的按钮尺寸 xs超小按钮sm小按钮lg大按钮
toolbar: '#' + options.toolbar, // 指定工作栏
  loadingFontSize: options.loadingFontSize, // 自定义加载文本的字体大小
sidePagination: options.sidePagination, // server启用服务端分页client客户端分页
search: options.search, // 是否显示搜索框功能
  searchText: options.searchText, // 搜索框初始显示的内容，默认为空
showSearch: options.showSearch, // 是否显示检索信息
showPageGo: options.showPageGo, // 是否显示跳转页
showRefresh: options.showRefresh,
...
...
...
```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/M:X/MA:X
URL:	https://10.132.197.11:9044/reuse/systemplus/js/fast.js
实体：	fast.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/systemplus/js/fast.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDataSource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:10 GMT
Content-Type: application/javascript
Content-Length: 25961
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
```

Accept-Ranges: bytes

```
var GlobalConfig={
  msg_type:"toastr",//消息提示样式, 可选的有 toastr和 layer
  msg_type_toastr:"toastr",
  msg_type_layer:"layer",
}
/**
 * 判断非空
 * @param val
 * @returns {Boolean}
 */
function isEmpty(val) {
  val = $.trim(val);
  if (val == null)
    return true;
  if (val == undefined || val == 'undefined')
    return true;
  if (val == "")
    return true;
  if (val.length == 0)
    return true;
  if (!/^(\s*$)|(\s*$)/.test(val))
    return true;
  return false;
}
function isNotEmpty(val) {
  return !isEmpty(val);
}
function isEmail(v) {
  var myreg = /^[a-zA-Z0-9]+[_|\_|\.]?*[a-zA-Z0-9]+\@([a-zA-Z0-9]+[_|\_|\.]?*[a-zA-Z0-9]+\.[a-zA-Z]{2,3})$/;
  if (!myreg.test(v))//对输入的值进行判断
  {
    return false;
  }
  return true;
}
function isQQ(v){
  if (/^[0-9]{5,10}$/ .test(v)){
    return true;
  }else{
    return false;
  }
}
function addFav(title,url) {// 加入收藏夹
  if(document.all)
  {
    window.external.addFavorite(url,title);
  }
  else if(window.sidebar)
  {
    window.sidebar.addPanel(title,url, "" );
  }
}

String.prototype.endsWith = function (str){
  return this.slice(-str.length) == str;
};

$(function(){
  baseMoetheds.init();
});
var baseMoetheds = function(){
  // lazyLoad
  var lazyLoad = function(){
    try{
      $("img.lazy").lazyload({threshold: 100,effect: "fadeIn"});
    }catch (ex){}
  };
  var imgError = function(){
    document.addEventListener("error", function (e) {
      var elem = e.target;
      if (elem.tagName.toLowerCase() == "img") {
        elem.src = "/resources/myblog/assets/i/f10.jpg";
      }
    }, true);
  };
  var imgNull = function(){
    $("img.lazy").each(function(){
      var _newImg = '/resources/myblog/assets/i/f10.jpg';
      var _thisSrc = $(this).attr('src');
      if( _thisSrc == '' || _thisSrc == undefined){
        $(this).attr('src',_newImg);
      }
    });
    document.addEventListener("error", function (e) {
      var elem = e.target;
      if (elem.tagName.toLowerCase() == "img") {
        elem.src = "/resources/myblog/assets/i/f10.jpg";
      }
    }, true);
  };
};
var goTop=function() {// 返回顶部
```

```
$.toTop().toTop({
  autohide: true, //返回顶部按钮是否自动隐藏。可以设置true或false。默认为true
  offset: 100, //页面滚动到距离顶部多少距离时隐藏返回顶部按钮。默认值为420
  speed: 500, //滚动和渐隐的持续时间，默认值为500
  right: 25, //返回顶部按钮距离屏幕右边的距离，默认值为15
  bottom: 50 //返回顶部按钮距离屏幕顶部的距离，默认值为30
});
}
var bubble=function () {
  if ($.bubble) {
    $.bubble.init();
  }
}
var websocket=function(){
  if ($.websocket) {
    var host=window.location.host;
    host="ws://" + host + "/websocket";
    $.websocket.open({
      host: host,
      reconnect: true,
      callback: function (result) {
        var resultJson = JSON.parse(result);
        websocketMsgResolver[resultJson["fun"]](resultJson["msg"]);
      }
    });
  }
}
return{
  init: function(){

    lazyLoad();
    //imgError();
    //imgNull();
    goTop();
    bubble();
    //websocket();
  }
}
}();
/**
 * websocket消息解析器
 *
 * @type {{online: websocketMsgResolver.online}}
 */
var websocketMsgResolver = {
  online: function (value) {
    value && $("".onlineNum").html(value);
  },
  notification: function (value) {
    value && Fast.msg_info(decodeURIComponent(value))
  }
}
...
...
...

```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/systemplus/js/security.js
实体:	security.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/systemplus/js/security.js HTTP/1.1
Accept-Language: en-US
```

```
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABFE399FBC5117FA1522F3380B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0
```

```
HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:11 GMT
Content-Type: application/javascript
Content-Length: 18382
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes
```

```
/*
 * RSA, a suite of routines for performing RSA public-key computations in JavaScript.
 * Copyright 1998-2005 David Shapiro.
 * Dave Shapiro
 * dave@ohdave.com
 * changed by Fuchun, 2010-05-06
 * fcrpg2005@gmail.com
 */
```

```
(function($w) {

if(typeof $w.RSAUtils === 'undefined')
  var RSAUtils = $w.RSAUtils = {};

var biRadixBase = 2;
var biRadixBits = 16;
var bitsPerDigit = biRadixBits;
var biRadix = 1 << 16; // = 2^16 = 65536
var biHalfRadix = biRadix >>> 1;
var biRadixSquared = biRadix * biRadix;
var maxDigitVal = biRadix - 1;
var maxInteger = 9999999999999999;

//maxDigits:
//Change this to accommodate your largest number size. Use setMaxDigits()
//to change it!
//
//In general, if you're working with numbers of size N bits, you'll need 2*N
//bits of storage. Each digit holds 16 bits. So, a 1024-bit key will need
//
//1024 * 2 / 16 = 128 digits of storage.
//
var maxDigits;
var ZERO_ARRAY;
var bigZero, bigOne;

var BigInt = $w.BigInt = function(flag) {
  if (typeof flag == "boolean" && flag == true) {
    this.digits = null;
  } else {
    this.digits = ZERO_ARRAY.slice(0);
  }
  this.isNeg = false;
};

RSAUtils.setMaxDigits = function(value) {
  maxDigits = value;
  ZERO_ARRAY = new Array(maxDigits);
  for (var iza = 0; iza < ZERO_ARRAY.length; iza++) ZERO_ARRAY[iza] = 0;
  bigZero = new BigInt();
  bigOne = new BigInt();
  bigOne.digits[0] = 1;
};
RSAUtils.setMaxDigits(20);

//The maximum number of digits in base 10 you can convert to an
//integer without JavaScript throwing up on you.
var dpl10 = 15;

RSAUtils.biFromNumber = function(i) {
  var result = new BigInt();
  result.isNeg = i < 0;
  i = Math.abs(i);
  var j = 0;
  while (i > 0) {
    result.digits[j++] = i & maxDigitVal;
```

```

    i = Math.floor(i / biRadix);
  }
  return result;
};

//lr10 = 10 ^ dpl10
var lr10 = RSAUtils.biFromNumber(1000000000000000);

RSAUtils.biFromDecimal = function(s) {
  var isNeg = s.charAt(0) === '-';
  var i = isNeg ? 1 : 0;
  var result;
  // Skip leading zeros.
  while (i < s.length && s.charAt(i) === '0') ++i;
  if (i === s.length) {
    result = new BigInt();
  }
  else {
    var digitCount = s.length - i;
    var fgl = digitCount % dpl10;
    if (fgl === 0) fgl = dpl10;
    result = RSAUtils.biFromNumber(Number(s.substr(i, fgl)));
    i += fgl;
    while (i < s.length) {
      result = RSAUtils.biAdd(RSAUtils.biMultiply(result, lr10),
        RSAUtils.biFromNumber(Number(s.substr(i, dpl10))));
      i += dpl10;
    }
    result.isNeg = isNeg;
  }
  return result;
};

RSAUtils.biCopy = function(bi) {
  var result = new BigInt(true);
  result.digits = bi.digits.slice(0);
  result.isNeg = bi.isNeg;
  return result;
};

RSAUtils.reverseStr = function(s) {
  var result = "";
  for (var i = s.length - 1; i > -1; --i) {
    result += s.charAt(i);
  }
  return result;
};

var hexatrigesimalToChar = [
  '0', '1', '2', '3', '4', '5', '6', '7', '8', '9',
  'a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j',
  'k', 'l', 'm', 'n', 'o', 'p', 'q', 'r', 's', 't',
  'u', 'v', 'w', 'x', 'y', 'z'
];

RSAUtils.biToString = function(x, radix) { // 2 <= radix <= 36
  var b = new BigInt();
  b.digits[0] = radix;
  var qr = RSAUtils.biDivideModulo(x, b);
  var result = hexatrigesimalToChar[qr[1].digits[0]];
  while (RSAUtils.biCompare(qr[0], bigZero) === 1) {
    qr = RSAUtils.biDivideModulo(qr[0], b);
    digit = qr[1].digits[0];
    result += hexatrigesimalToChar[qr[1].digits[0]];
  }
  return (x.isNeg ? "-" : "") + RSAUtils.reverseStr(result);
};

RSAUtils.biToDecimal = function(x) {
  var b = new BigInt();
  b.digits[0] = 10;
  var qr = RSAUtils.biDivideModulo(x, b);
  var result = String(qr[1].digits[0]);
  while (RSAUtils.biCompare(qr[0], bigZero) === 1) {
    qr = RSAUtils.biDivideModulo(qr[0], b);
    result += String(qr[
...
...
...

```

过度许可的 CORS 访问测试

严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/reuse/systemplus/js/base64.js
实体：	base64.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理：AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```
GET /reuse/systemplus/js/base64.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDAF50D5466959CDBF2BC53447213BA05A3CE25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:09 GMT
Content-Type: application/javascript
Content-Length: 2743
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

(function(f) {

    'use strict';

    /* istanbul ignore else */
    if (typeof exports === 'object' && exports !== null &&
        typeof exports.nodeType !== 'number') {
        module.exports = f ();
    } else if (typeof define === 'function' && define.amd !== null) {
        define ([], f);
    } else {
        var base64 = f ();
        var global = typeof self !== 'undefined' ? self : $.global;
        if (typeof global.btoa !== 'function') global.btoa = base64.btoa;
        if (typeof global.atob !== 'function') global.atob = base64.atob;
    }

})(function() {

    'use strict';

    var chars = 'ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/=';

    function InvalidCharacterError(message) {
        this.message = message;
    }
    InvalidCharacterError.prototype = new Error ();
    InvalidCharacterError.prototype.name = 'InvalidCharacterError';

    // encoder
    // [https://gist.github.com/999166] by [https://github.com/nignag]
    function btoa(input) {
        var str = String (input);
        for (
            // initialize result and counter
            var block, charCode, idx = 0, map = chars, output = '';

```

```
// if the next str index does not exist:
//   change the mapping table to ""
//   check if d has no fractional digits
str.charCodeAt (idx | 0) || (map = '', idx % 1);
// "8 - idx % 1 * 8" generates the sequence 2, 4, 6, 8
output += map.charCodeAt (63 & block >> 8 - idx % 1 * 8)
) {
  charCode = str.charCodeAt (idx += 3 / 4);
  if (charCode > 0xFF) {
    throw new InvalidCharacterError ("'btoa' failed: The string to be encoded contains characters outside of the Latin1 range.");
  }
  block = block << 8 | charCode;
}
return output;
}

// decoder
// [https://gist.github.com/1020396] by [https://github.com/atk]
function atob(input) {
  var str = (String (input)).replace (/[=+$/]/, ''); // #31: ExtendScript bad parse of /=
  if (str.length % 4 !== 1) {
    throw new InvalidCharacterError ("'atob' failed: The string to be decoded is not correctly encoded.");
  }
  for (
    // initialize result and counters
    var bc = 0, bs, buffer, idx = 0, output = '';
    // get next character
    buffer = str.charCodeAt (idx++); // eslint-disable-line no-cond-assign
    // character found in table? initialize bit storage and add its ascii value;
    ~buffer && (bs = bc % 4 ? bs * 64 + buffer : buffer,
      // and if not first of each 4 characters,
      // convert the first 8 bits to one ascii character
      bc += 4) ? output += String.fromCharCode (255 & bs >> (-2 * bc & 6)) : 0
  ) {
    // try to find character in table (0-63, not found => -1)
    buffer = chars.index0f (buffer);
  }
  return output;
}

return {btoa: btoa, atob: atob};
})();
```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/systemplus/sPage/jquery.sPage.js
实体:	jquery.sPage.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/systemplus/sPage/jquery.sPage.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FD8AF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABBE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=1d20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0
```

```

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:15 GMT
Content-Type: application/javascript
Content-Length: 6964
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin, access-control-request-method, access-control-request-headers, accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/*
 * jQuery分页插件sPage
 * by 凌晨四点半
 * 20190729
 * v1.2.0
 * https://github.com/jvbei/sPage
 */
; (function ($, window, document, undefined) {
    'use strict';
    var defaults = {
        page: 1, //当前页
        pageSize: 10, //每页显示多少条
        total: 0, //数据总条数
        showTotal: false, //是否显示总条数
        totalTxt: "共(total)条", //数据总条数文字描述
        noData: false, //没有数据时是否显示分页, 默认false不显示, true显示第一页
        showSkip: false, //是否显示跳页
        showFN: true, //是否显示上下翻页
        prevPage: "上一页", //上翻页按钮文字
        nextPage: "下一页", //下翻页按钮文字
        backFun: function (page) {
            //点击分页按钮回调函数, 返回当前页码
        }
    };

    function Plugin(element, options) {
        this.element = $(element);
        this.settings = $.extend({}, defaults, options);
        this.pageNum = 1, //记录当前页码
        this.pageList = [], //页码集合
        this.pageTotal = 0; //记录总页数
        this.init();
    }

    $.extend(Plugin.prototype, {
        init: function () {
            this.element.empty();
            this.viewHtml();
        },
        creatHtml: function (i) {
            i = this.settings.page ? this.pageList.push('<span class="active" data-page=' + i + '>' + i + '</span>') : this.pageList.push('<span data-page=' + i + '>' + i + '</span>');
        },
        viewHtml: function () {
            var settings = this.settings;
            var pageTotal = 0;
            if (settings.total > 0) {
                pageTotal = Math.ceil(settings.total / settings.pageSize);
            } else {
                if (settings.noData) {
                    pageTotal = 1;
                    settings.page = 1;
                    settings.total = 0;
                } else {
                    return;
                }
            }
            this.pageTotal = pageTotal;
            var pageArr = []; //分页元素集合, 减少dom重绘次数
            this.pageNum = settings.page;
            if (settings.showTotal) {
                pageArr.push('<div class="space-total">' + settings.totalTxt.replace(/\{(\w+)\}/gi, settings.total) + '</div>');
            }
            pageArr.push('<div class="space-number">');
            this.pageList = []; //页码元素集合, 包括上下页
            if (settings.showFN) {
                settings.page == 1 ? this.pageList.push('<span class="span-disabled" data-page="prev">' + settings.prevPage + '</span>') : this.pageList.push('<span data-page="prev">' + settings.prevPage + '</span>');
            }
            if (pageTotal <= 6) {
                for (var i = 1; i < pageTotal + 1; i++) {
                    this.creatHtml(i);
                }
            } else {
                if (settings.page < 5) {
                    for (var i = 1; i <= 5; i++) {
                        this.creatHtml(i);
                    }
                }
            }
        }
    });

```

```

        this.pageList.push('<span data-page="none">...</span><span data-page=' + pageTatol + '>' + pageTatol + '</span>');
    } else if (settings.page > pageTatol - 4) {
        this.pageList.push('<span data-page="1">1</span><span data-page="none">...</span>');
        for (var i = pageTatol - 4; i <= pageTatol; i++) {
            this.creatHtml(i);
        }
    } else {
        this.pageList.push('<span data-page="1">1</span><span data-page="none">...</span>');
        for (var i = settings.page - 2; i <= Number(settings.page) + 2; i++) {
            this.creatHtml(i);
        }
    }
    this.pageList.push('<span data-page="none">...</span><span data-page=' + pageTatol + '>' + pageTatol + '</span>');
}
}
if (settings.showPN) {
    ...
    ...
    ...
}

```

过度许可的 CORS 访问测试	
严重性：	低
CVSS 分数：	3.7
CVSS 向量：	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL：	https://10.132.197.11:9044/reuse/js/bootstrap-show-password.js
实体：	bootstrap-show-password.js (Page)
风险：	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因：	Web 应用程序编程或配置不安全
固定值：	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异：

推理： AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应：

```

GET /reuse/js/bootstrap-show-password.js?v=1.2.1 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a19598b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:15 GMT
Content-Type: application/javascript
Content-Length: 17561
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/**
 * bootstrap-show-password - Show/hide password plugin for twitter bootstrap.
 *
 * @version v1.2.1
 * @homepage https://github.com/wenzhixin/bootstrap-show-password
 * @author zhixin wen <wenzhixin2010@gmail.com>
 * @license MIT

```

```
*/
(function(a,b){"object"==typeof exports&&"undefined"!==typeof module?b(require("jquery")):"function"==typeof define&&define.amd?define(["jquery"],b):(a=a||self,b(a.jQuery)))
(this,function(a){'use strict';var h=Math.max,i=Math.min,j=Math.floor;function b(a,b){return b={exports:{}},a(b,b.exports),b.exports}function c(a){return c="function"==typeof
Symbol&&"symbol"==typeof Symbol.iterator?function(a){return typeof a}:function(a){return a instanceof b})throw new TypeError("Cannot call a class as a
function")}function e(a,b){for(var c,d=0;c<b.length;d++)c=b[d],c.enumerable=c.enumerable||!1,c.configurable=!0,"value"in c&&
(c.writable=!0),Object.defineProperty(a,c.key,c)}function g(a,b,c){return b&&e(a.prototype,b),c&&e(a,c),a=a&&a.hasOwnProperty("default")?a["default"]:a;var k,l,m,n=
{}.toString,o=function(a){return n.call(a).slice(8,-1)},p=Array.isArray||function(a){return"Array"==o(a)},q=function(a){return"object"==typeof a?null!=a:"function"==typeof
a},r=function(a){if(a==null)throw TypeError("Can't call method on "+a);return a},s=function(a){return Object(r(a))},t=Math.ceil,u=function(a){return isNaN(a==a)?0:(0<a?j:t)
(a)},v=function(a){return 0<a?i(u(a),9007199254740991):0},w=function(a,b){if(!q(a))return a;var c,d;if(b&&"function"==typeof(c=a.toString)&&q(d=c.call(a)))return
d;if("function"==typeof(c=a.valueOf)&&q(q(d=c.call(a)))return d;throw TypeError("Can't convert object to
primitive value")},x=function(a){try{return!a()}catch(a){return!0}},y=!x(function(){return 7!=Object.defineProperty({},a",{get:function(){return 7}}).a}),z="object"==typeof
window&&window.Math==Math?window:"object"==typeof self&&self&&self.Math==Math?self:Function("return this")(),A=z.document,B=q(A)&&q(A.createElement),C=function(a)
{return B?A.createElement(a):{}},D=!y&&!x(function(){return 7!=Object.defineProperty(C("div"),"a",{get:function(){return 7}}).a}),E=function(a){if(!q(a))throw TypeError(a+"
is not an object");return a},F=Object.defineProperty,G=y?F:function(a,b,c){if(E(a),b=w(b,!0),E(c),D)try{return F(a,b,c)}catch(a){if("get"in c||"set"in c)throw
TypeError("Accessors not supported");return"value"in c&&(a[b]=c.value),a},f={f:G},H=function(a,b){return{enumerable:!1,l:a},configurable:!1,l:a),writable:!
1,l:a},I=function(a,b,c){var d=w(b);d in a?f.f(a,d,H(0,c)):a[d]=c},J=y?function(a,b,c){return f.f(a,b,H(1,c))}:function(a,b,c){return a[b]=c},K=function(a,b)
{try{J(z,a,b)}catch(c){z[a]=b}return b},L=f(function(a){var b=z["__core-js_shared__"]||K("__core-js_shared__",{});a.exports=function(a,c){return b[a]||b[a]=c==void 0?
{}:c})("versions",[]).push({version:"3.0.1",mode:"global",copyright:"\xA9 2019 Denis Pushkarev (zloirock.ru)"}),M=0,N=Math.random(),O=function(a)
{return"Symbol"!="concat"==void 0?"":a,"",(+M+N).toString(36)}),P=!x(function(){return!(Symbol() + "")}),Q=L("wks"),R=z.Symbol,S=function(a){return Q[a]||Q[a]=P&&R[a]||P?
R(a)("Symbol."+a)),T=S("species"),U=function(a,b){var c;return p(a)&&(c=a.constructor,"function"==typeof c&&(c==Array||p(c.prototype))?c==void 0?q(c)&&(c=c[T],null==c&&
(c=void 0))),new(void 0==c?Array:c)(0==b?0:b)},V=S("species"),W={}.propertyIsEnumerable,X=Object.getOwnPropertyDescriptor,Y=X&&!W.call({1:2},1),Z=Y?function(a){va
...
...
...

```

问题 36 / 40

TOC

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/ajax/libs/pdf/pdfobject.min.js
实体:	pdfobject.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/ajax/libs/pdf/pdfobject.min.js?v=20220825 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B27F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABBE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:24:56 GMT
Content-Type: application/javascript
Content-Length: 4951
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes
```

```

/**
 * PDFObject v2.1.1
 * https://github.com/pipwerks/PDFObject
 * @license
 * Copyright (c) 2008-2018 Philip Hutchison
 * MIT-style license: http://pipwerks.mit-license.org/
 * UMD module pattern from https://github.com/umdjs/umd/blob/master/templates/returnExports.js
 */
!function(root,factory){(function(){typeof define&&define.amd?define([],factory):"object"===typeof module&&module.exports?module.exports=factory():root.PDFObject=factory()})
(this,function(){(function(){if("undefined"===typeof window||"undefined"===typeof navigator)return!1;var
supportsPDFs,supportsPdfActiveX,createAXO,buildFragmentString,log,embedError,embed,getTargetElement,generatePDFUSiframe,generateEmbedElement,ua=window.navigator.userAgent,sup
portsPdfMimeType=void 0!==navigator.mimeTypes&&void 0!==navigator.mimeTypes["application/pdf"],isModernBrowser=void 0!==window.Promise,isFirefoxWithPDFUS=
1!==ua.indexOf("irefox")&&18<parseInt(ua.split("rv:")[1].split("."))&&[0,10],isIOS=/iphone|ipad|ipod/i.test(ua.toLowerCase());return createAXO=function(type){var ax;try{ax=new
ActiveXObject(type)}catch(e){ax=null}return ax},supportsPdfActiveX=function(){return!(!createAXO("AcroPDF.PDF")&&!createAXO("PDF.PdfCtrl"))},supportsPDFs=!isIOS&&
(isFirefoxWithPDFUS||supportsPdfMimeType)||function(){return!!(window.ActiveXObject||"ActiveXObject"in window)}
()&&supportsPdfActiveX(),buildFragmentString=function(pdfParams){var prop,string="";if(pdfParams){for(prop in pdfParams)pdfParams.hasOwnProperty(prop)&&
(string+=encodeURIComponent(prop)+"="+encodeURIComponent(pdfParams[prop]))&&"};string=string&&(string="#"+"string).slice(0,string.length-1)}return string},log=function(msg)
{"undefined"!=="type"of console&&console.log&&console.log(["PDFObject"]+msg)},embedError=function(msg){return log(msg),!1},getTargetElement=function(targetSelector){var
targetNode=document.body;return"string"===typeof targetSelector?targetNode=document.querySelector(targetSelector):"undefined"!=="type"of jQuery&&targetSelector instanceof
jQuery&&targetSelector.length?targetNode=targetSelector.get(0):void 0!=="targetSelector.nodeType&&1==targetSelector.nodeType&&
(targetNode=targetSelector),targetNode),generatePDFUSiframe=function(targetNode,url,pdfOpenFragment,pdfURL,id){var fullURL=pdfURL+"?
file="+encodeURIComponent(url)+pdfOpenFragment,iframe="<div style='"+(isIOS?"-webkit-overflow-scrolling: touch; overflow-y: scroll; ":"overflow: hidden;")+"position:
absolute; top: 0; right: 0; bottom: 0; left: 0;'><iframe "+id+" src='"+fullURL+"' style='border: none; width: 100%; height: 100%;' frameborder='0'></iframe></div>";return
targetNode.className+=" pdfobject-
container",targetNode.style.position="relative",targetNode.style.overflow="auto",targetNode.innerHTML=iframe,targetNode.getElementsByTagName("iframe")
[0]},generateEmbedElement=function(targetNode,targetSelector,url,pdfOpenFragment,width,height,id){var style="";return
style=targetSelector&&targetSelector!=document.body?"width: "+width+"; height: "+height+";":"position: absolute; top: 0; right: 0; bottom: 0; left: 0; width: 100%; height:
100%;",targetNode.className+=" pdfobject-container",targetNode.innerHTML+=<embed "+id+" class='pdfobject' src='"+url+pdfOpenFragment+"' type='application/pdf'
style='overflow: auto; "+style+"'>/>,targetNode.getElementsByTagName("embed")[0]},embed=function(url,targetSelector,options){if("string"!==typeof url)return embedError("URL is
not valid");targetSelector=void 0!=="targetSelector&&targetSelector;var pdfOpenFragment,id=(options=void 0!=="options?options:{}).id&&"string"===typeof
options.id?"id"+"options.id+""":"",page=!options.page&&options.page,pdfOpenParams=options.pdfOp
...
...
...

```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MXV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/M:X/MAX
URL:	https://10.132.197.11:9044/reuse/ajax/libs/magnify/jquery.magnify.min.js
实体:	jquery.magnify.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改"Access-Control-Allow-Origin"头以仅获取允许的站点

差异:

推理: AppScan 检测到"Access-Control-Allow-Origin"头的许可权太多

测试请求和响应:

```

GET /reuse/ajax/libs/magnify/jquery.magnify.min.js?v=20220816 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E32724E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:19 GMT
Content-Type: application/javascript
Content-Length: 38537
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS

```


Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:04 GMT
Content-Type: application/javascript
Content-Length: 383832
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

```
window.Player = function (e) {
  var t = {};

  function n(r) {
    if (t[r]) return t[r].exports;
    var a = t[r] = {i: r, l: !1, exports: {}};
    return e[r].call(a.exports, a, a.exports, n), a.l = !0, a.exports
  }

  return n.m = e, n.c = t, n.d = function (e, t, r) {
    n.o(e, t) || Object.defineProperty(e, t, {enumerable: !0, get: r})
  }, n.r = function (e) {
    "undefined" != typeof Symbol && Symbol.toStringTag && Object.defineProperty(e, Symbol.toStringTag, {value: "Module"}), Object.defineProperty(e, "__esModule", {value: !0})
  }, n.t = function (e, t) {
    if (1 & t && (e = n(e)), 8 & t) return e;
    if (4 & t && "object" === typeof e && e.__esModule) return e;
    var r = Object.create(null);
    if (n.r(r), Object.defineProperty(r, "default", {enumerable: !0, value: e}), 2 & t && "string" != typeof e) for (var a in e) n.d(r, a, function (t) {
      return e[t]
    }).bind(null, a));
    return r
  }, n.n = function (e) {
    var t = e && e.__esModule ? function () {
      return e.default
    } : function () {
      return e
    };
    return n.d(t, "a", t), t
  }, n.o = function (e, t) {
    return Object.prototype.hasOwnProperty.call(e, t)
  }, n.p = "", n(n.s = 7)
}([function (e, t, n) {
  "use strict";
  Object.defineProperty(t, "__esModule", {value: !0});
  var r = function () {
    function e(e, t) {
      for (var n = 0; n < t.length; n++) {
        var r = t[n];
        r.enumerable = r.enumerable || !1, r.configurable = !0, "value" in r && (r.writable = !0), Object.defineProperty(e, r.key, r)
      }
    }

    return function (t, n, r) {
      return n && e(t.prototype, n), r && e(t, r), t
    }
  }(), a = f(n(9)), i = f(n(2)), o = f(n(26)), l = f(n(5)), s = f(n(3)), u = f(n(27)), c = n(32), p = f(n(33)), d = n(4);

  function f(e) {
    return e && e.__esModule ? e : {default: e}
  }

  function g(e, t) {
    if (!e) throw new ReferenceError("this hasn't been initialised - super() hasn't been called");
    return !t || "object" != typeof t && "function" != typeof t ? e : t
  }

  var h = function (e) {
    function t(e) {
      !function (e, t) {
        if (!(e instanceof t)) throw new TypeError("Cannot call a class as a function")
      }(this, t);
      var n = g(this, (t.__proto__ || Object.getPrototypeOf(t)).call(this, e));
      if (n.config = i.default.deepCopy({width: 600, height: 337.5, ignores: [], whitelist: [], lang: (document.documentElement.getAttribute("lang") || navigator.language || "zh-cn").toLocaleLowerCase()}),

```

```
inactive: 3e3,
volume: .6,
controls: !0,
controlsList: ["nodownload"]
}, e), n.version = d.version, n.userTimer = null, n.waitTimer = null, n.database = new o.default, n.history = [], n.isProgressMoving = !1, n.root =
i.default.findDom(document, "#" + n.config.id), n.controls = i.default.createDom("xg-controls", "", {
unselectable: "on",
onselectstart: "return false
...
...
...
```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MJI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/js/mycostern-ui-plus.js
实体:	mycostern-ui-plus.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/js/mycostern-ui-plus.js?v=20250628 HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FD8AF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FBC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:05:23 GMT
Content-Type: application/javascript
Content-Length: 812
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT, User-Agent, X-Requested-With, Content-Type
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/**
 * 子系统自定义js文件
 */

// $(document).ready(function() {
//     $('#bootstrap-tree-table').on('load-success.bs.tree.table', function(e, data) {
//         // 表格体渲染完成后执行
//         hideIconsWithText();
//     });
//     $('#bootstrap-table').on('post-body.bs.table', function(e, data) {
//         // 表格体渲染完成后执行
//         hideIconsWithText();
//     });
// });
```

```
// });
// function hideIconsWithText() {
//   $('i').each(function() {
//     const nextNode = this.nextSibling;
//     const hasText = nextNode &&
//       nextNode.nodeType === 3 &&
//       nextNode.textContent.trim() !== '';
//     if (hasText) {
//       $(this).hide();
//       // 或者 $(this).css('visibility', 'hidden');
//     }
//   });
// }
```

过度许可的 CORS 访问测试	
严重性:	低
CVSS 分数:	3.7
CVSS 向量:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A/N/E:X/RL:X/RC:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MPR:X/MUI:X/MS:X/MC:X/MI:X/MA:X
URL:	https://10.132.197.11:9044/reuse/js/plugins/multiselect/multiselect.min.js
实体:	multiselect.min.js (Page)
风险:	可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置 可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
原因:	Web 应用程序编程或配置不安全
固定值:	修改“Access-Control-Allow-Origin”头以仅获取允许的站点

差异:

推理: AppScan 检测到“Access-Control-Allow-Origin”头的许可权太多

测试请求和响应:

```
GET /reuse/js/plugins/multiselect/multiselect.min.js HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.132.197.11:9044/reuse/meta/etlDatasource?
utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4E2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FD8AF50D5466959CDBF2BC53447213BA05A3CB25C9A71
C98D8CABEE399FEC5117FA1522F33B0B5
Host: 10.132.197.11:9044
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: sid=ld20f516-00e7-4799-bf31-964a195988b3
Content-Length: 0

HTTP/1.1 200
Server: nginx/1.24.0
Date: Tue, 03 Mar 2026 10:25:09 GMT
Content-Type: application/javascript
Content-Length: 10972
Access-Control-Allow-Origin: http://10.76.199.148
Access-Control-Allow-Origin: *
Access-Control-Allow-Credentials: true
Access-Control-Allow-Methods: POST, GET, OPTIONS
Access-Control-Allow-Methods: GET, POST, OPTIONS
Access-Control-Max-Age: 3600
Access-Control-Allow-Headers: *
Access-Control-Allow-Headers: DNT,User-Agent,X-Requested-With,Content-Type
Vary: origin,access-control-request-method,access-control-request-headers,accept-encoding
Last-Modified: Thu, 29 Jan 2026 07:15:10 GMT
Accept-Ranges: bytes

/*
 * @license
 *
 * Multiselect v2.5.6
 * http://crlcu.github.io/multiselect/
 *
 * Copyright (c) 2016-2020 Adrian Crisan
 * Licensed under the MIT license (https://github.com/crlcu/multiselect/blob/master/LICENSE)
 */

if ("undefined" === typeof jQuery) throw new Error("multiselect requires jQuery");!function(){"use strict";var t=jQuery.fn.jquery.split(" ")[0].split(".");if(t[0]<2&&t[1]<7)throw
```

```

new Error("multiselect requires jQuery version 1.7 or higher"))(),function(t){"function"==typeof define&&define.amd?define(["jQuery"],t):t(jQuery)}(function(i){"use
strict";var s,r=(s=i,t.prototype={init:function(){var o=this;o.undoStack=[],o.redoStack=[],o.options.keepRenderingSort&&(!o.skipInitSort=!0)!&=&o.callbacks.sort&&
(o.callbacks.sort={left:function(t,e){return s(t).data("position")>s(e).data("position")?-1:right:function(t,e){return s(t).data("position")>s(e).data("position")?-1:-
1}}),o.$left.attachIndex(),o.$right.each(function(t,e){s(e).attachIndex()}}),"function"==typeof o.callbacks.startUp&&o.callbacks.startUp(o.$left,o.$right),o.skipInitSort||
("function"==typeof o.callbacks.sort.left&&o.$left.mSort(o.callbacks.sort.left),"function"==typeof o.callbacks.sort.right&&o.$right.each(function(t,e)
{s(e).mSort(o.callbacks.sort.right)})),o.options.search&&o.options.search.left&&
(o.options.search.$left=s(o.options.search.left),o.$left.before(o.options.search.$left)),o.options.search&&o.options.search.right&&
(o.options.search.$right=s(o.options.search.right),o.$right.before(s(o.options.search.$right))),o.events(), "function"==typeof
o.callbacks.afterInit&&o.callbacks.afterInit(),events:function(){var o=this;o.options.search&&o.options.search.$left&&o.options.search.$left.on("keyup",function(t)
{o.callbacks.fireSearch(this.value)?
(o.$left.find('option:search="'+this.value+'"').mShow(),o.$left.find('option:not(:search="'+this.value+'"')).mHide(),o.$left.find("option").closest("optgroup").mHide(),o.$l
eft.find("option:not(.hidden)").parent("optgroup").mShow():o.$left.find("option,
optgroup").mShow()}),o.options.search&&o.options.search.$right&&o.options.search.$right.on("keyup",function(t){o.callbacks.fireSearch(this.value)?
(o.$right.find('option:search="'+this.value+'"').mShow(),o.$right.find('option:not(:search="'+this.value+'"')).mHide(),o.$right.find("option").closest("optgroup").mHide(),o
.$right.find("option:not(.hidden)").parent("optgroup").mShow():o.$right.find("option, optgroup").mShow()}),o.$right.closest("form").on("submit",function(t)
{o.options.search&&
(o.options.search.$left&&o.options.search.$left.val("").trigger("keyup"),o.options.search.$right&&o.options.search.$right.val("").trigger("keyup")),o.$left.find("option").pro
p("selected",o.options.submitAllLeft),o.$right.find("option").prop("selected",o.options.submitAllRight)}),o.$left.on("dblclick","option",function(t){t.preventDefault();var
e=o.$left.find("option:selected:not(.hidden)");e.length&&o.moveToRight(e,t)}),o.$left.on("click","optgroup",function(t)
{"OPTGROUP"==s(t.target).prop("tagName")&&s(this).children().prop("selected",!0)}),o.$left.on("keypress",function(t){var e;13==t.keyCode&&t.preventDefault(),
(e=o.$left.find("option:selected:not(.hidden)").length&&o.moveToRight(e,t)}),o.$right.on("dblclick","option",function(t){t.preventDefault();var
e=o.$right.find("option:selected:not(.hidden)");e.length&&o.moveToLeft(e,t)}),o.$right.on("click","optgroup",function(t)
{"OPTGROUP"==s(t.target).prop("tagName")&&s(this).children().prop("selected",!0)}),o.$right.on("keydown",function(t){var e;8!=t.keyCode&&46!=t.keyCode||t.preventDefault(),
(e=o.$right.find("option:selected:not(.hidden)").length&&o.moveToLeft(e,t)}),na
...
...
...

```

修复方法

具有不安全、不正确或缺少 SameSite 属性的 Cookie

TOC

原因:

具有不正确、不安全或缺少 SameSite 属性的敏感 Cookie

风险:

通过将 Cookie 限制为第一方或同一站点上下文，防止 Cookie 信息泄露
如果没有额外的保护措施（例如反 CSRF 令牌），攻击可能会扩展到跨站点请求伪造 (CSRF) 攻击。
SameSite 属性控制如何为跨域请求发送 Cookie。
该属性可以有三个值：“Lax”、“Strict”或“None”。如果使用“None”，Web 站点可能会向另一个 Web 站点创建跨域 POST HTTP 请求，浏览器会自动向该请求添加 Cookie。
如果没有适当的保护措施（例如反 CSRF 令牌），则可能会导致跨站请求伪造 (CSRF) 攻击。
模式及其用途：
“Lax”模式：Cookie 将仅随顶级 GET 请求一起发送。“Strict”模式：即使用户点击另一个 Web 站点的链接，也不会以任何跨站点使用方式发送该 Cookie。“None”模式：Cookie 将随跨站点请求一起发送。
具有“Lax”或“None”的属性必须设置“Secure”标志，并且必须通过 https 传输。示例 - Set-Cookie: key=value; SameSite=Lax; Secure
建议将属性设置为“Strict”。
示例 - Set-Cookie: key=value; SameSite=Strict

受影响产品:

此问题可能影响不同类型的产品。

修订建议:

常规

[1] 查看将 SameSite Cookie 属性配置为推荐值的可能解决方案。[2] 将 Cookie 限制为第一方或同一站点上下文。[3] 验证并将 Cookie 的 SameSite 属性设置为 Strict，以确保仅在第一方上下文中发送 Cookie。[4] 或者，如果要放宽第一方上下文的限制，请验证 Cookie 的 SameSite 属性并将其设置为 Lax，同时启用 Secure 标志并通过 HTTPS 进行传输。

CWE:

1275
284
923

外部引用:

WASC 威胁分类：信息泄露
SameSite Cookie

加密会话（SSL）Cookie 中缺少 Secure 属性

TOC

原因:

Web 应用程序通过 SSL 发送不安全的 cookie

风险:

可能会窃取在加密的会话期间发送的用户和会话信息（cookie）
在应用程序测试过程中，检测到在加密会话过程中，所测试的 Web 应用程序设置了不含“secure”属性的 cookie。由于这个 cookie 不包含“secure”属性，因此，也可能在未加密的会话过程中将它发送到站点。任何以明文形式发送到服务器的 cookie、会话令牌或用户凭证之类的信息都可能被窃取，并在稍后用于身份盗窃或用户伪装。
此外，若干隐私法规指出，用户凭证之类的敏感信息要始终以加密的方式发送到 Web 站点

受影响产品：

该问题可能会影响各种类型的产品

修订建议：

常规

基本上，cookie 的唯一必需属性是“name”字段。常见的可选属性如下：“comment”、“domain”、“path”，等等。常见的可选属性如下：“comment”、“domain”、“path”，等等。必须相应地设置“secure”属性，才能防止以未加密的方式发送 cookie。

有关如何设置安全标志的更多信息，请参阅 OWASP“安全属性”备忘单，地址为：
https://cheatsheetsseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#secure-attribute

RFC 2965 指出：

“Secure 属性（不含值）会指导用户代理程序不管何时返回此 cookie，都只用（未指定）安全方法来联络原始服务器，以保护 cookie 中的信息的机密性和真实性。”如需进一步的引用，请参阅“HTTP 状态管理机制”RFC 2965，网址为：
<http://www.ietf.org/rfc/rfc2965.txt>

，如需使用“HTTP 状态管理机制”的“当前最佳做法”，请参阅
<http://tools.ietf.org/html/rfc2964>

CWE:

614
311
319

外部引用：

金融隐私权：The Gramm-Leach Bliley Act
Health Insurance Portability and Accountability Act（HIPAA）
Sarbanes-Oxley Act
California SB1386

支持较老的 TLS 版本

TOC

原因：

Web 服务器或应用程序服务器是以不安全的方式配置的

风险：

可能会窃取或操纵客户会话和 Cookie，它们可能用于假冒合法用户，从而使黑客能够以该用户身份查看或变更用户记录以及执行事务

服务器支持不提供加密或使用弱加密算法的 TLS 密码套件。因此，攻击者可能能够解密客户端和服务端之间的安全通信，或成功对客户端执行“中间人”攻击，使他们能够查看敏感信息以及代表客户端执行操作。

当前最安全的 TLS 版本是 1.3

受影响产品：

此问题可能影响不同类型的产品。

修订建议：

常规

重新配置服务器以避免使用弱密码套件。配置更改是特定于服务器的。

对于 Microsoft Windows XP 和 Microsoft Windows Server 2003，请按照以下说明操作：
<http://support.microsoft.com/kb/245030>

对于 Microsoft Windows Vista、Microsoft Windows 7 和 Microsoft Windows Server 2008，请按照以下说明从受支持的密码套件列表中除去被识别为弱的密码套件：
[http://msdn.microsoft.com/en-us/library/windows/desktop/bb870930\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/windows/desktop/bb870930(v=vs.85).aspx)

对于 Apache TomCat 服务器，请按照以下说明操作：
https://www.owasp.org/index.php/Talk:Securing_tomcat#Disabling_weak_ciphers_in_Tomcat

对于 Apache 服务器，请按照以下说明操作：
https://httpd.apache.org/docs/trunk/ssl/ssl_howto.html

CWE:

327

外部引用：
[弃用 TLS 1.0 和 1.1](#)
[TLS 1.3 概述](#)

检测到 SHA-1 密码套件

TOC

原因：
Web 服务器或应用程序服务器是以不安全的方式配置的

风险：
它可能窃取或操纵客户会话和 cookie，这可能用于假冒合法用户，从而使攻击者能够查看或更改用户记录，并以该用户的身份执行事务。
服务器支持 SHA-1 密码套件。
NIST 在 2011 年淘汰了 SHA-1，但是许多应用程序仍然依赖它。
直到目前 (2017) 为止，已知只有推论上的攻击是针对 SHA-1，这就是为何许多应用程序仍然依赖它的原因。
最近，CWI Amsterdam 和 Google Research 团队 ([1] 和 [2]) 才引入实际的攻击。

受影响产品：
该问题可能会影响各种类型的产品。

修订建议：

常规

安全密码套件最佳实践：
[1]
链接：现代兼容性
[2]
链接：SSL 和 TLS 部署最佳实践：使用安全密码套件

CWE：
327

外部引用：
[1] SHATTERED
[2] 完整 SHA-1 的第一个冲突

HTTP Strict-Transport-Security 头缺失或不安全

TOC

原因：
Web 应用程序编程或配置不安全

风险：
可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息。
HTTP 严格传输安全 (HSTS) 是防止安全的 (HTTPS) 网站降级为不安全的 HTTP 网站的一种机制。该机制可让 Web 服务器指导其客户机（Web 浏览器或其他用户代理程序）在与该服务器交互时使用安全的 HTTPS 连接，禁止使用不安全的 HTTP 协议。
请务必将 'max-age' 设置为一个足够高的值，以防止过早地回到不安全连接。
HTTP 严格传输安全策略由服务器使用名为“Strict-Transport-Security”的响应头传达给其客户机。此响应头的值是一个时间段，在此时间段内客户机应仅以 HTTPS 访问服务器。其他响应头属性包括“includeSubDomains”和“preload”。

受影响产品：
此问题可能影响不同类型的产品。

修订建议:

常规

通过将“Strict-Transport-Security”响应头添加到 Web 应用程序响应来实施 HTTP 严格传输安全策略。
有关更多信息，请参阅
https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html

CWE:

200
693

外部引用:

OWASP“HTTP 严格传输安全”
HSTS 规范

“Content-Security-Policy”头缺失

TOC

原因:

Web 应用程序编程或配置不安全

风险:

可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
CSP 值缺失或不当会导致 Web 应用程序容易受到 XSS、点击劫持等的攻击。
“Content-Security-Policy”头旨在修改浏览器呈现页面的方式，从而防止各种跨站点注入，包括跨站点脚本编制。以不会妨碍 Web 站点正常运行的方式正确设置头值非常重要。例如，如果头设置为阻止执行内联 JavaScript，则 Web 站点不得在其页面中使用内联 JavaScript。
要防止跨站点脚本编制攻击、跨框架脚本编制攻击和点击劫持，请务必使用正确的值设置以下策略：
“default-src”和“frame-ancestors”策略*或“script-src”、“object-src”和“frame-ancestors”策略
对于“default-src”、“script-src”和“object-src”，应避免使用不安全的值，例如“*”、“data:”、“unsafe-inline”或“unsafe-eval”。
对于“frame-ancestors”，应避免使用不安全的值，例如“*”或“data:”。
此外，对于“script-src”和“default-src”（“script-src”的备用指令），“self”被认为是不安全的，应该避免使用。
请参考以下链接以获取更多信息。
请注意，“Content-Security-Policy”包括四个不同的测试。常规测试用于验证是否正在使用“Content-Security-Policy”标头，另外三个测试用于检查“Frame-Ancestors”、“Object-Src”和“Script-Src”是否配置正确。

受影响产品:

此问题可能影响不同类型的产品

修订建议:

常规

配置服务器以发送“Content-Security-Policy”头。
建议将 Content-Security-Policy 头配置为其指令的安全值，如下所示：
对于“default-src”和“script-src”，需要使用诸如“none”或 <https://any.example.com> 之类的安全值。
对于“frame-ancestors”和“object-src”，需要使用诸如“self”、“none”或 <https://any.example.com> 之类的安全值。
在任何情况下都不得使用“unsafe-inline”和“unsafe-eval”。使用 nonce/hash 只会被视为短期解决方法。
关于 Apache，请参阅：
http://httpd.apache.org/docs/2.2/mod/mod_headers.html
关于 IIS，请参阅：
<https://technet.microsoft.com/pl-pl/library/cc753133%28v=ws.10%29.aspx>
关于 nginx，请参阅：
http://nginx.org/en/docs/http/nginx_http_headers_module.html

CWE:

1032
79
693
830
1021

外部引用：
一些安全头的列表
内容安全策略简介
MDN Web 文档 - 内容安全策略

“X-Content-Type-Options”头缺失或不安全

TOC

原因：
Web 应用程序编程或配置不安全

风险：
可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息。
“X-Content-Type-Options”头（具有“nosniff”值）防止 IE 和 Chrome 忽略响应的内容类型。
此操作可能防止不可信内容（例如，用户上传内容）在用户浏览器上执行（例如，在恶意命名之后）。

受影响产品：
此问题可能影响不同类型的产品

修订建议：
常规

将服务器配置为针对所有外发请求发送具有值“nosniff”的“X-Content-Type-Options”头。
关于 Apache，请参阅：
http://httpd.apache.org/docs/2.2/mod/mod_headers.html
关于 IIS，请参阅：
<https://technet.microsoft.com/pl-pl/library/cc753133%28v=ws.10%29.aspx>
关于 nginx，请参阅：
http://nginx.org/en/docs/http/nginx_http_headers_module.html

CWE：
200
693

外部引用：
有用 HTTP 头列表
减少 MIME 类型安全风险

发现可高速缓存的 SSL 页面

TOC

原因：
浏览器可能已将敏感信息高速缓存

风险：
可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
缺省情况下，大部分 Web 浏览器都配置成会在使用期间高速缓存用户的页面。这表示也会高速缓存 SSL 页面。不建议让 Web 浏览器保存任何 SSL 信息，因为当有漏洞存在时，可能会危及这个信息。

受影响产品：
该问题可能会影响各种类型的产品。

修订建议：

常规

在所有 SSL 页面及含有敏感数据的所有页面上，禁用高速缓存。

通过使用你您 SSL 页面标题中的“Cache-Control: no-store”和“Pragma: no-cache”或“Cache-Control: no-cache”响应伪指令来实现此操作。

Cache-Control: private - 此伪指令可向代理指示某个页面中包含私有信息，因此不能由共享高速缓存进行高速缓存。但是，它不会指示浏览器阻止高速缓存此页面。

Cache-Control: no-cache - 此伪指令也可向代理指示某个页面中包含私有信息，因此不能高速缓存。它还会指示浏览器重新验证服务器以检查是否有新的版本可用。这意味着浏览器可能会存储敏感页面或要在重新验证中使用的信息。某些浏览器不一定会跟踪 RFC，因此可能会将 no-cache 视为 no-store。

Cache-Control: no-store - 这是最安全的伪指令。它同时指示代理和浏览器不要高速缓存此页面或将其存储为它们的高速缓存文件夹。

Pragma: no-cache - 对于不支持高速缓存控制标题的较旧浏览器，该伪指令是必需的。

CWE:

525
524
668
200

在应用程序中发现不必要的 Http 响应头

TOC

原因：

不安全的 Web 应用程序编程或配置

风险：

可能会收集有关 Web 服务器类型、版本、操作系统等的敏感信息。

AppScan 检测到不必要的 Http 响应头。

出于安全和隐私方面的原因，“Server”、“X-Powered-By”、“X-AspNetMvc-Version”和“X-AspNet-Version”等 Http 响应头不应出现在网页中。

“Server”头是每当服务器向客户机发送响应时通常会缺省添加的头。

“X-Powered-By”头是每当服务器向客户机发送响应时可能会缺省添加的头。

这些添加的头可能会泄露有关内部服务器软件版本和类型的敏感信息，从而使攻击者能够对其进行指纹识别并有针对性地利用漏洞进行攻击。此外，当一个新的漏洞为公众所知时，服务器很可能会受到利用该漏洞发起的攻击。

受影响产品：

此问题可能会影响不同类型的产品。

修订建议：

常规

配置服务器以除去向所有外发请求发送的缺省“Server”头。

关于 IIS，请参阅：
<https://techcommunity.microsoft.com/t5/iis-support-blog/remove-unwanted-http-response-headers/ba-p/369710>

关于 nginx，请参阅：
<https://www.getpagespeed.com/server-setup/nginx/how-to-remove-the-server-header-in-nginx>

关于 Weblogic，请参阅：
https://docs.oracle.com/cd/E13222_01/wls/docs81/adminguide/web_server.html

关于 Apache，请参阅：
<https://techglimpse.com/set-modify-response-headers-http-tip/>

CWE:

200
668
497

外部引用：

指纹
防止信息泄露

检测到隐藏目录

原因：

Web 服务器或应用程序服务器是以不安全的方式配置的

风险：

可能会检索有关站点文件系统结构的信息，这可能会帮助攻击者映射此 Web 站点 Web 应用程序显现了站点中的目录。虽然目录并没有列出其内容，但此信息可以帮助攻击者发展对站点进一步的攻击。例如，知道目录名称之后，攻击者便可以猜测它的内容类型，也许还能猜出其中的文件名或子目录，并尝试访问它们。内容的敏感度越高，此问题也可能越严重。

受影响产品：

该问题可能会影响各种类型的产品。

修订建议：

常规

如果不需要禁止的资源，请将其从站点中除去。
可能的话，请发出改用“404 — 找不到”响应状态代码，而不是“403 — 禁止”。这项更改会将站点的目录模糊化，可以防止泄漏站点结构。

CWE:

200
497

过度许可的 CORS 访问测试

原因：

Web 应用程序编程或配置不安全

风险：

可能会收集有关 Web 应用程序的敏感信息，如用户名、密码、机器名和/或敏感文件位置
可能会劝说初级用户提供诸如用户名、密码、信用卡号、社会保险号等敏感信息
跨源资源共享 (CORS) 是允许 web 站点从外部站点请求资源的机制，从而避免复制资源。向外部站点授予访问权时，它们可对授予权限的站点执行各种操作，以及在这些站点上面执行脚本。因此，除了可信站点之外，不向任何其他站点授予访问权则非常重要。

受影响产品：

该问题可能会影响各种类型的产品。

修订建议：

常规

准备可信站点的列表，并将它们设置为“Access-Control-Allow-Origin”头的值。如果外部访问权不需要该值，请完全地除去该头。

CWE:

200
668
664

外部引用：

启用跨源资源共享

应用程序数据

已访问的 URL 68

TOC

URL
https://10.132.197.11:9044/
https://10.132.197.11:9044/api/login/imgCode?t=1772532072071
https://10.132.197.11:9044/api/login/sign-in
https://10.132.197.11:9044/api/login/imgCode?t=1772532085837
https://10.132.197.11:9044/api/login/sign-in
https://10.132.197.11:9044/api/resource/user-menu-tree/2
https://10.132.197.11:9044/api/login/imgCode?t=1772532092336
https://10.132.197.11:9044/api/sysdict/typeList?pageNum=1&pageSize=10
https://10.132.197.11:9044/api/fe/pagelist?pageSize=10&pageNum=1
https://10.132.197.11:9044/reuse/meta/etlDatasource?utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABBE399FBC5117FA1522F33B0B5
https://10.132.197.11:9044/api/conf-rootkey/pagelist?pageSize=10&pageNum=1
https://10.132.197.11:9044/api/app/feAndAppList
https://10.132.197.11:9044/api/sysdict/dataList?pageNum=1&pageSize=10
https://10.132.197.11:9044/api/conf-rootkey/pagelist?pageSize=100&pageNum=1
https://10.132.197.11:9044/api/confkeyuse/list
https://10.132.197.11:9044/api/confkeystrategy/list
https://10.132.197.11:9044/api/cert/pagelist?pageNum=1&pageSize=10
https://10.132.197.11:9044/js/71.23c7d214.js
https://10.132.197.11:9044/js/675.40ad3fd9.js
https://10.132.197.11:9044/js/997.119a01bc.js
https://10.132.197.11:9044/api/login/imgCode?t=1772532143744
https://10.132.197.11:9044/api/login/imgCode?t=1772532184812
https://10.132.197.11:9044/api/login/imgCode?t=1772532187665
https://10.132.197.11:9044/api/login/imgCode?t=1772532188960
https://10.132.197.11:9044/config.js
https://10.132.197.11:9044/js/app.70143959.js
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/locale/bootstrap-table-zh-CN.min.js
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/mobile/bootstrap-table-mobile.min.js
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/toolbar/bootstrap-table-toolbar.min.js
https://10.132.197.11:9044/js/chunk-vendors.567c62f0.js
https://10.132.197.11:9044/reuse/js/jquery.min.js?v=3.7.1
https://10.132.197.11:9044/reuse/js/bootstrap.min.js
https://10.132.197.11:9044/reuse/js/content.min.js?v=1.0.0
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.js
https://10.132.197.11:9044/reuse/ajax/libs/validate/jquery.validate.min.js
https://10.132.197.11:9044/reuse/ajax/libs/validate/messages_zh.min.js
https://10.132.197.11:9044/reuse/ajax/libs/validate/jquery.validate.extend.js
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-treetable/bootstrap-treetable.js
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/export/bootstrap-table-export.js
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/export/tableExport.js
https://10.132.197.11:9044/reuse/ajax/libs/blockUI/jquery.blockUI.js
https://10.132.197.11:9044/reuse/ajax/libs/iCheck/icheck.min.js?v=1.0.3

https://10.132.197.11:9044/reuse/ajax/libs/layer/layer.min.js?v=3.5.1
https://10.132.197.11:9044/reuse/ajax/libs/layui/layui.min.js?v=2.7.6
https://10.132.197.11:9044/reuse/systemplus/js/common.js?v=20220809
https://10.132.197.11:9044/reuse/systemplus/js/ry-ui.js?v=20220809
https://10.132.197.11:9044/reuse/ajax/libs/toastr/toastr.min.js
https://10.132.197.11:9044/reuse/systemplus/js/fast.js
https://10.132.197.11:9044/reuse/systemplus/js/security.js
https://10.132.197.11:9044/reuse/systemplus/js/base64.js
https://10.132.197.11:9044/reuse/systemplus/sPage/jquery.sPage.js
https://10.132.197.11:9044/reuse/js/bootstrap-show-password.js?v=1.2.1
https://10.132.197.11:9044/reuse/ajax/libs/magnify/jquery.magnify.min.js?v=20220816
https://10.132.197.11:9044/reuse/ajax/libs/pdf/pdfobject.min.js?v=20220825
https://10.132.197.11:9044/reuse/ajax/libs/video/video.js?v=20220825
https://10.132.197.11:9044/reuse/js/plugins/multiselect/multiselect.min.js
https://10.132.197.11:9044/reuse/js/mycostern-ui-plus.js?v=20250628
https://10.132.197.11:9012/
...
https://10.132.197.11:9012/assets/index.35618b0a.js
https://10.132.197.11:9012/assets/arco.93d87e4a.js
https://10.132.197.11:9012/assets/vue.01692e01.js
https://10.132.197.11:9012/assets/chart.79d621fb.js
https://10.132.197.11:9012/pdfJsPreview/web/viewer.html?file=
https://10.132.197.11:9012/pdfJsPreview/web/locale/locale.properties
https://10.132.197.11:9012/pdfJsPreview/build/pdf.js
https://10.132.197.11:9012/pdfJsPreview/web/viewer.js
https://10.132.197.11:9012/pdfJsPreview/build/imgData.data;

参数 40

TOC

名称	值	URL	类型
->"	1772532072071	https://10.132.197.11:9044/api/login/sign-in	JSON
"	1772532085837		
pa	1	https://10.132.197.11:9044/api/sysdict/dataList?pageNum=1&pageSize=10	简单链接
ge			
Nu			
m			
v	20250628	https://10.132.197.11:9044/reuse/js/mycostern-ui-plus.js?v=20250628	简单链接
v	20220809	https://10.132.197.11:9044/reuse/systemplus/js/common.js?v=20220809	简单链接
->"	alg	https://10.132.197.11:9044/api/sysdict/dataList?pageNum=1&pageSize=10	JSON
dic			
tTy			
pe"			
v	20220825	https://10.132.197.11:9044/reuse/ajax/libs/pdf/pdfobject.min.js?v=20220825	简单链接

->" null se arc hQ uer y"	https://10.132.197.11:9044/api/conf-rootkey/pagelist?pageSize=10&pageNum=1	JSON
->" ajaq ma 46rk ge Co de"	https://10.132.197.11:9044/api/login/sign-in	JSON
pa 1 ge Nu m	https://10.132.197.11:9044/api/sysdict/typeList?pageNum=1&pageSize=10	简单 链接
pa 10 ge Siz e	https://10.132.197.11:9044/api/fe/pagelist?pageSize=10&pageNum=1	简单 链接
v 3.7.1	https://10.132.197.11:9044/reuse/js/jquery.min.js?v=3.7.1	简单 链接
pa 1 ge Nu m	https://10.132.197.11:9044/api/fe/pagelist?pageSize=10&pageNum=1	简单 链接
->" null ae sSt atu s"	https://10.132.197.11:9044/api/conf-rootkey/pagelist?pageSize=10&pageNum=1	JSON
v 20220809	https://10.132.197.11:9044/reuse/systemplus/js/ry-ui.js?v=20220809	简单 链接
pa 10 ge Siz e	https://10.132.197.11:9044/api/cert/pagelist?pageNum=1&pageSize=10	简单 链接
->" null se arc hQ uer y"	https://10.132.197.11:9044/api/cert/pagelist?pageNum=1&pageSize=10	JSON
v 2.7.6	https://10.132.197.11:9044/reuse/ajax/libs/layui/layui.min.js?v=2.7.6	简单 链接
->" 3c2e2d283be7764dab29daf180ebde6e pa ss wo rd"	https://10.132.197.11:9044/api/login/sign-in	JSON
v 3.5.1	https://10.132.197.11:9044/reuse/ajax/libs/layer/layer.min.js?v=3.5.1	简单 链接
->" null be gin Ti me "	https://10.132.197.11:9044/api/fe/pagelist?pageSize=10&pageNum=1	JSON
pa 10 ge Siz e	https://10.132.197.11:9044/api/sysdict/dataList?pageNum=1&pageSize=10	简单 链接
pa 1 ge Nu m	https://10.132.197.11:9044/api/conf-rootkey/pagelist?pageSize=10&pageNum=1	简单 链接
->" qu ery "	https://10.132.197.11:9044/api/sysdict/dataList?pageNum=1&pageSize=10	JSON

v	1.0.3	https://10.132.197.11:9044/reuse/ajax/libs/iCheck/iCheck.min.js?v=1.0.3	简单链接
->"	null	https://10.132.197.11:9044/api/fe/pagelist?pageSize=10&pageNum=1	JSON
se			
arc			
hQ			
uer			
y"			
t	1772532072071 1772532085837 1772532092336 1772532143744 1772532184812 ...	https://10.132.197.11:9044/api/login/imgCode?t=1772532072071	简单链接
pa	10	https://10.132.197.11:9044/api/sysdict/typeList?pageNum=1&pageSize=10	简单链接
ge			
Siz			
e			
v	20220816	https://10.132.197.11:9044/reuse/ajax/libs/magnify/jquery.magnify.min.js?v=20220816	简单链接
v	1.0.0	https://10.132.197.11:9044/reuse/js/content.min.js?v=1.0.0	简单链接
->"	caozuoyuan	https://10.132.197.11:9044/api/login/sign-in	JSON
ogi			
nN			
am			
e"			
->"	null	https://10.132.197.11:9044/api/fe/pagelist?pageSize=10&pageNum=1	JSON
en			
dTi			
me			
"			
pa	10	https://10.132.197.11:9044/api/conf-rootkey/pagelist?pageSize=10&pageNum=1	简单链接
ge	100		
Siz			
e			
v	20220825	https://10.132.197.11:9044/reuse/ajax/libs/video/video.js?v=20220825	简单链接
pa	1	https://10.132.197.11:9044/api/cert/pagelist?pageNum=1&pageSize=10	简单链接
ge			
Nu			
m			
uto	047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABBE399FBC5117FA1522F33B0B5	https://10.132.197.11:9044/reuse/meta/etlDatasource?utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABBE399FBC5117FA1522F33B0B5	简单链接
ke			
n			
v	1.2.1	https://10.132.197.11:9044/reuse/js/bootstrap-show-password.js?v=1.2.1	简单链接
	70143959	https://10.132.197.11:9044/js/app.70143959.js	定制
->"		https://10.132.197.11:9044/api/sysdict/typeList?pageNum=1&pageSize=10	JSON
qu			
ery			
"			
->"	null	https://10.132.197.11:9044/api/cert/pagelist?pageNum=1&pageSize=10	JSON
ae			
sSt			
atu			
s"			
file		https://10.132.197.11:9012/pdfJsPreview/web/viewer.html?file=	简单链接

URL	原因
https://10.132.197.11:9044/404.html	响应状态“404” — 找不到
https://10.132.197.11:9044/reuse/ajax/libs/pdf/[url]	响应状态“400” — 错误请求
https://10.132.197.11:9044/new folder (2)?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/new folder (3)?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/js?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/img?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/.sh_history?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/.svn?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/css?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/.bashrc?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/.git?t=1772532085837	响应状态“403” — 禁止
https://10.132.197.11:9044/.mysql_history?t=1772532085837	响应状态“403” — 禁止

已过滤的 URL 45

TOC

URL	原因
https://10.132.197.11:9044/favicon.ico	文件扩展名
https://10.132.197.11:9044/css/chunk-vendors.b92d2e46.css	文件扩展名
https://10.132.197.11:9044/css/app.0b5a2094.css	文件扩展名
https://10.132.197.11:9044/reuse/css/bootstrap.min.css	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/fontawesome-free/css/all.min.css	文件扩展名
https://10.132.197.11:9044/reuse/css/font-awesome.min.css	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/layui/css/layui.css	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.css	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-treetable/bootstrap-treetable.css	文件扩展名
https://10.132.197.11:9044/reuse/css/animate.css	文件扩展名
https://10.132.197.11:9044/reuse/css/style.css?v=20250430	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/select/select2.css	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/select2/select2.min.css	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/select2/select2-bootstrap.css	文件扩展名
https://10.132.197.11:9044/reuse/systemplus/css/ry-ui.css?v=20250628	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/toastr/toastr.min.css	文件扩展名
https://10.132.197.11:9044/reuse/systemplus/sPage/jquery.sPage.css	文件扩展名
https://10.132.197.11:9044/reuse/systemplus/icon/iconfont.css	文件扩展名
https://10.132.197.11:9044/reuse/systemplus/mycostern/iconfont.css?v=20220901	文件扩展名
https://10.132.197.11:9044/reuse/systemplus/fonts/remixicon.css?v=20250611	文件扩展名
https://10.132.197.11:9044/reuse/systemplus/indexPage/fonts/iconfont.css?v=20250707	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/magnify/jquery.magnify.min.css	文件扩展名
https://10.132.197.11:9044/reuse/ajax/libs/magnify/magnify-white-theme.css	文件扩展名
https://10.132.197.11:9044/reuse/css/mycostern-ui-plus.css?v=20250618	文件扩展名
https://10.132.197.11:9044/reuse/css/subApp.css?v=20250628	文件扩展名
https://10.132.197.11:9044/reuse/css/multiselect/style.css	文件扩展名
https://10.132.197.11:9044/reuse/css/icons.css?v=20250328	文件扩展名
https://10.132.197.11:9044/	类似 DOM
https://10.132.197.11:9044/reuse/ajax/libs/layui/modules/code.css?v=3	文件扩展名
https://10.132.197.11:9012/assets/indexa7991558.css	文件扩展名
http://www.w3.org/2000/xmlns/	未测试的 Web Server
http://www.w3.org/XML/1998/namespace	未测试的 Web Server
https://10.132.197.11:9012/assets/Node.js	类似主体
http://mozilla.github.io/	未测试的 Web Server
https://10.132.197.11:9012/pdfJsPreview/web/document.pdf	文件扩展名

http://www.w3.org/2000/svg	未测试的 Web Server
http://www.w3.org/1998/Math/MathML	未测试的 Web Server
http://www.w3.org/1999/xlink	未测试的 Web Server
https://10.132.197.11:9044/resources/myblog/assets/i/f10.jpg	文件扩展名
https://asdfghjq.oss-cn-guangzhou.aliyuncs.com/555.docx	未测试的 Web Server
https://10.132.197.11:9012/pdfsPreview/web/viewer.css	文件扩展名
http://www.apache.org/licenses/LICENSE-2.0	未测试的 Web Server
https://github.com/adobe-type-tools/cmap-resources	未测试的 Web Server
http://example.com/	未测试的 Web Server
https://10.132.197.11:9012/pdfsPreview/build/==	类似主体

URL	注释
https://10.132.197.11:9044/	<!doctype html>
https://10.132.197.11:9044/reuse/meta/etlDatasource	<!DOCTYPE HTML>
https://10.132.197.11:9044/reuse/meta/etlDatasource	bootstrap-table 表格插件样式
https://10.132.197.11:9044/reuse/meta/etlDatasource	分页插件
https://10.132.197.11:9044/reuse/meta/etlDatasource	 <i class="fa fa-edit"></i> 修改
https://10.132.197.11:9044/reuse/meta/etlDatasource	 <i class="fa fa-remove"></i> 删除
https://10.132.197.11:9044/reuse/meta/etlDatasource	bootstrap-table 表格插件
https://10.132.197.11:9044/reuse/meta/etlDatasource	jquery-validate 表单验证插件
https://10.132.197.11:9044/reuse/meta/etlDatasource	jquery-validate 表单树插件
https://10.132.197.11:9044/reuse/meta/etlDatasource	jquery-export 表格导出插件
https://10.132.197.11:9044/reuse/meta/etlDatasource	遮罩层
https://10.132.197.11:9012/	<!DOCTYPE html>
https://10.132.197.11:9012/pdfsPreview/web/viewer.html	Copyright 2012 Mozilla Foundation Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License. Adobe CMap resources are covered by their own copyright but the same license: Copyright 1990-2015 Adobe Systems Incorporated. See https://github.com/adobe-type-tools/cmap-resources
https://10.132.197.11:9012/pdfsPreview/web/viewer.html	This snippet is used in production (included from viewer.html)
https://10.132.197.11:9012/pdfsPreview/web/viewer.html	sidebarContainer
https://10.132.197.11:9012/pdfsPreview/web/viewer.html	findbar
https://10.132.197.11:9012/pdfsPreview/web/viewer.html	secondaryToolbar
https://10.132.197.11:9012/pdfsPreview/web/viewer.html	mainContainer
https://10.132.197.11:9012/pdfsPreview/web/viewer.html	overlayContainer
https://10.132.197.11:9012/pdfsPreview/web/viewer.html	outerContainer

URL / 代码

<https://10.132.197.11:9044/reuse/meta/etlDatasource>

```
var ctx = "\reuse/";
$("[data-toggle='tooltip']").tooltip();
if(!String.prototype.replaceAll) {
  String.prototype.replaceAll = function(pattern, replaceValue) {
    const regex = new RegExp(pattern, 'g');
    return this.replace(regex, replaceValue);
  }
}
var userLang = "zh_CN";
```

<https://10.132.197.11:9044/reuse/meta/etlDatasource>

```
var prefix = ctx + "meta/etlDatasource";

$(function() {
  var options = {
    code: "id",
    parentCode: "pid",
    uniqueId: "id",
    url: prefix + "/list",
    createUrl: prefix + "/add",
    updateUrl: prefix + "/edit/{id}",
    removeUrl: prefix + "/remove",
    exportUrl: prefix + "/export",
    importUrl: prefix + "/importData",
    importTemplateUrl: prefix + "/importTemplate",
    modelName: "数据源",
    search: false,
    showSearch: false,
    showExport: false,
    showRefresh: false,
    showColumns: false,
    showToggle: false,
    type: "POST",
    columns: [
      {
        field: 'id',
        title: '编号',
        visible: false,
        sortable: false
      },
      {
        field: 'name',
        title: '数据源名称',
        width: '15',
        widthUnit: "%",
        sortable: false,
        formatter: function(value, row, index) {
          var linktype = "";
          if(row.linktype!=null){
            linktype = "("+row.linktype+")";
            return '<i class="fa fa-database"></i> <a class="tb-view" href="javascript:void(0)" onclick="$$.operate.edit(\'' + row.id + '\')">' + row.name + linktype+'</a>';
          }else{
            return '<i class="fa fa-list"></i> ' + value;
          }
        }
      },
      {
        field: 'linktype',
        title: '数据库类型',
        sortable: false,
        width: '10',
        widthUnit: "%",
        formatter: function(value, row, index) {
          if(value!=null){
            return value;
          }else{
            return "--";
          }
        }
      },
      {
        field: 'ipaddress',
        title: '数据库IP及端口',
        sortable: false,
        width: '10',
```

```

        widthUnit:"%",
formatter: function(value, row, index) {
    var port = "";
    if(row.ipport!=null){
        port = ":"+row.ipport;
    }
    if(value!=null){
        return value+port;
    }else{
        return "--";
    }
}
},
/* {
    field : 'ipport',
    title : '数据库端口号',
    sortable: false,
    width:'10',
    widthUnit:"%",
formatter: function(value, row, index) {
    if(value!=null){
        return value;
    }else{
        return "--";
    }
}
}, */
{
    field : 'dbname',
    title : '数据库名称',
    sortable: false,
    width:'15',
    widthUnit:"%",
formatter: function(value, row, index) {
    var isForeignServer = "";
    if(row.isForeignServer==true){
        isForeignServer = " <B>(外部库)</B>";
    }
    var hasSchema = "";
    if(row.dbschema!=null){
        hasSchema = "."+row.dbschema;
    }
    if(value!=null){
        return value+hasSchema+isForeignServer;
    }else{
        return "--";
    }
}
},
// {
//     field : 'uname',
//     title : '用户名',
//     sortable: false,
//     width:'8',
//     widthUnit:"%",
//     formatter: function(value, row, index) {
//         if(value!=null){
//             return value;
//         }else{
//             return "--";
//         }
//     }
// },
{
    field : 'connectionStatus',
    title : '连通状态',
    sortable: false,
    width:'5',
    widthUnit:"%",
formatter: function(value, row, index) {
    if(value!=null){
        if(value=='已连通'){
            return '<span class="badge badge-primary">'+value+'</span>';
        }else{
            return '<span class="badge badge-danger">'+value+'</span>';
        }
    }
}
},
/* {
    field : 'extParams',
    title : '额外参数',
    formatter: function(value, row, index) {
        return $.table.tooltip(value);
    }
}, */
/* {
    field : 'isForeignServer',
    title : '是否外部库',
    width:'8',
    widthUnit:"%",
formatter: function(value, row, index) {
    if(value==true){

```

```

return "是";
}else if (value=="false"){
    return "否";
}else{
    return "--";
}
}
}, */
{
    title: '操作',
    align: 'left',
    width: '10',
    widthUnit: "%",
    formatter: function(value, row, index) {
        var actions = []; console.log(row.isForeignServer);
        if (row.pid!=0){
            if (row.isForeignServer!="true"){
                actions.push('<a class="btn btn-info btn-xs" href="#" onclick="testConnection(\'\' + row.id + '\')">i class="fa fa-sync"</i> 测试连接</a> ');
            }
            if (row.linktype=='psql'){
                actions.push('<a class="btn btn-info btn-xs" href="#" onclick="addForeignConnection(\'\' + row.id + '\',\'\' + row.linktype+\')">i class="fa fa-sync"</i> 添加外部库连接</a> ');
            }
        }
        else{
            actions...
        }
    }
}

```

<https://10.132.197.11:9044/reuse/meta/etlDatasource>

```
<form id="importForm" enctype="multipart/form-data" class="mt20 mb10">
<div class="col-xs-offset-1">
<input id="location" disabled>
<a class="btn btn-success" onclick="$('#file').click();">
<i class="fa fa-plus"></i>选择文件
</a>
<input type="file" id="file" name="file" accept=".xls,.xlsx"
onchange="$('#location').val($('#file').val());" style="display: none"/>
<div class="mt10 pt5">
<!-- <input type="checkbox" id="updateSupport" name="updateSupport"
title="如果已经存在，更新这条数据。"> 是否更新已经存在数据 &nbsp;&nbsp;&nbsp;&--> <a
onclick="$$.table.importTemplate()" class="btn btn-default btn-xs"><i
class="fa fa-file-excel-o"></i> 下载模板</a>
</div>
<font color="red" class="pull-left mt10">提示：仅允许导入“xls”或“xlsx”格式文件！ </font>
</div>
</form>
```

<https://10.132.197.11:9044/reuse/meta/etlDatasource>

<https://10.132.197.11:9044/reuse/meta/etlDatasource>

<https://10.132.197.11:9044/reuse/meta/etlDatasource>

<https://10.132.197.11:9044/reuse/meta/etlDatasource>

```
$.table.importExcel()
```

<https://10.132.197.11:9044/js/71.23c7d214.js>

```
"use strict";(self["webpackChunkdataEncryptionServer"]=self["webpackChunkdataEncryptionServer"]||[]).push([[71],[9306:function(t,n,r){var e=r(4901),o=r(6823),i=TypeError;t.exports=function(t){if(e(t))return t;throw new i(o(t)+" is not a function")}},8551:function(t,n,r){var e=r(34),o=String,i=TypeError;t.exports=function(t){if(e(t))return t;throw new i(o(t)+" is not an object")}},2195:function(t,n,r){var e=r(9504),o=({}).toString,i=(""||).slice;t.exports=function(t){return i(o(t),8,-1)}},6699:function(t,n,r){var e=r(3724),o=r(4913),i=r(6980);t.exports=e?function(t,n,r){return o.f(t,n,i(l,r))}:function(t,n,r){return t[n]=r,t}},6980:function(t){t.exports=function(t,n
```


<https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/locale/bootstrap-table-zh-CN.min.js>

https://10.132.197.11:9044/js/app.70143959.js

https://10.132.197.11:9044/config.js

2026/3/3 126

```
days: 90,  
//登录跳转地址  
loginUrl: menuUrl + "/micro-aiSzs-fportal/#/login",  
};
```

https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/toolbar/bootstrap-table-toolbar.min.js

[illegible]

<https://10.132.197.11:9044/reuse/ajaxlibs/bootstrap-table/extensions/mobile/bootstrap-table-mobile.min.js>

```

/*
 * bootstrap-table - v1.11.0 - 2016-07-02
 * https://github.com/wenzhixin/bootstrap-table
 * Copyright (c) 2016 zhixin wen
 * Licensed MIT License
 */
!function(a){"use strict";var b=function(b,c){b.options.columnsHidden.length>0&a.each(b.columns,function(d,e){-1==b.options.columnsHidden.indexOf(e.field)&&e.visible!=c&b.toggleColumn(a.fn.bootstrapTable.utils.getFieldIndex(b.columns,e.field),c,!0)}),c=function(a){a.options.height||a.options.showFooter}&&setTimeout(function(){a.resetView.call(a),!1}),d=function(a,b,d){a.options.minHeight?b<a.options.minWidth&&c<a.options.minHeight?e(a)>b>a.options.minWidth&&c>a.options.minHeight&&f(a):b<a.options.minWidth?e(a):b>a.options.minWidth&&f(a),c(a)},e=function(a){g(a,!1),b(a,!1)},f=function(a){g(a,!0),b(a,!0)},g=function(a,b){a.options.cardView=b,a.toggleView(!1)},h=function(a,b){return function(){var d=this,e=arguments,f=function(){c=null,a.apply(d,e)};clearTimeout(c),c=setTimeout(f,b)};a.extend(a.fn.bootstrapTable.defaults,{mobileResponsive:!1,minWidth:562,minHeight:void 0,heightThreshold:100,checkOnInit:!0,columnsHidden:[]})var i=a.fn.bootstrapTable.Constructor,j=i.prototype.init;i.prototype.init=function(){if(j.apply(this,Array.prototype.slice.apply(arguments)),this.options.mobileResponsive&&this.options.minWidth(this.options.minWidth<100&&this.options.resizable&&(console.log("The minWidth when the resizable extension is active should be greater or equal than 100")),this.options.minWidth=100);var b=this,c={width:a(window).width(),height:a(window).height()};if(a(window).on("resize orientationchange",h(function(){var e=a(this).height(),f=a(this).width();(Math.abs(c.height-e)>b.options.heightThreshold||c.width!=f)&&(d(b,f,e),c={width:f,height:e})),200)),this.options.checkOnInit){var e=a(window).height(),f=a(window).width();d(this,f,e),c={width:f,height:e}}}}(jQuery);

```

https://10.132.197.11:9044/reuse/ajax/libs/validate/messages_zh.min.js

```
! function (a) {
    "function" == typeof define && define.amd ? define(["jquery", "jquery.validate.min"], a) : a(jQuery)
}(function (a) {
    var icon = "<i class='fa fa-times-circle'></i> ";
    a.extend(a.validator.messages, {
        required: icon + "必填",
        remote: icon + "请修正此栏位",
        email: icon + "请输入有效的电子邮件",
        url: icon + "请输入有效的网址",
        date: icon + "请输入有效的日期",
    })
})
```

```
dateISO: icon + "请输入有效的日期 (YYYY-MM-DD)",
number: icon + "请输入正确的数字",
digits: icon + "只能输入数字",
creditcard: icon + "请输入有效的信用卡号码",
equalTo: icon + "你的输入不相同",
extension: icon + "请输入有效的后缀",
maxlength: a.validator.format(icon + "最多 {0} 个字"),
minlength: a.validator.format(icon + "最少 {0} 个字"),
rangelength: a.validator.format(icon + "请输入长度为 {0} 至 {1} 之间的字串"),
range: a.validator.format(icon + "请输入 {0} 至 {1} 之间的数值"),
max: a.validator.format(icon + "请输入不大于 {0} 的数值"),
min: a.validator.format(icon + "请输入不小于 {0} 的数值")
))
});
```

<https://10.132.197.11:9044/reuse/js/bootstrap.min.js>

```
if(typeof jQuery==="undefined"){throw new Error("Bootstrap's JavaScript requires jQuery")}+function(b){var a=b.fn.jquery.split(" ")[0].split(".");if((a[0]<2&&a[1]<9)||
(a[0]==1&&a[1]==9&&a[2]<1)||((a[0]>3)){throw new Error("Bootstrap's JavaScript requires jQuery version 1.9.1 or higher, but lower than version 4")}}(jQuery);+function(b){function a(){var
e=document.createElement("bootstrap");var d={WebkitTransition:"webkitTransitionEnd",MsTransition:"transitionend",oTransition:"oTransitionEnd
ransitionend",transition:"transitionend"}};for(var c in d){if(e.style[c]==undefined){return(end;d[c])}}return false}b.fn.emulateTransitionEnd=function(e){var d=false;var
c=this;b(this).one("bsTransitionEnd",function(){d=true});var f=function(){if(!d){b(c).trigger(b.support.transition.end)};setTimeout(f,e);return this};b(function(){
b.support.transition=a();if(!b.support.transition){return}b.event.special.bsTransitionEnd={bindType:b.support.transition.end,delegateType:b.support.transition.end,handle:function(c)
{if(b(c.target).is(this)){return c.handleObj.handler.apply(this,arguments)}}}}(jQuery);+function(e){var d='[data-dismiss="alert"]';var b=function(f)
{e(f).on("click",d,this.close)};b.VERSION="3.3.7";b.TRANSITION_DURATION=150;b.prototype.close=function(j){var i=e(this);var g=i.attr("data-target");if(!g)
(g=i.attr("href"));g=g&&g.replace(/.(?=[^$]*)$/, "");var h=e(g);var h=e("#"?[]:g);if(j){j.preventDefault()}if(h.length)
(h=i.closest(".alert"))h.trigger(j=e.Event("close.bs.alert"));if(j.isDefaultPrevented()){return}h.removeClass("in");function f()
{h.detach().trigger("closed.bs.alert").remove()}e.support.transition&&h.hasClass("fade"?h.one("bsTransitionEnd",f).emulateTransitionEnd(b.TRANSITION_DURATION):f());function c(f){return
this.each(function(){var h=e(this);var g=h.data("bs.alert");if(!g){h.data("bs.alert",g=new b(this))}if(typeof f=="string"){g(f).call(h)}})var
a=e.fn.alert;e.fn.alert=c;e.fn.alert.Constructor=b;e.fn.alert.noConflict=function(){e.fn.alert=a;return this};e(document).on("click.bs.alert.data-api",d,b.prototype.close)}
(jQuery);+function(d){var b=function(f,e){this.$element=d(f);this.options=d.extend({},b.DEFAULTS,e);this.isLoading=false};b.VERSION="3.3.7";b.DEFAULTS=
{loadingText:"loading..."};b.prototype.setState=function(g){var i="disabled";var e=this.$element;var h=e.is("input"? "val": "html";var f=e.data();g+="Text";if(f.resetText==null)
(e.data("resetText",e.html()))setTimeout(d.proxy(function(){e.html(f[g]==null?this.options[g]:f[g]);if(g=="loadingText")
{this.isLoading=true;e.addClass(i).prop(i,true)}else{if(this.isLoading)
{this.isLoading=false;e.removeClass(i).removeAttr(i).prop(i,false)}}},this),0)};b.prototype.toggle=function(){var f=true;var e=this.$element.closest('[data-
toggle="buttons"]');if(e.length){var g=this.$element.find("input");if(g.prop("type")=="radio"){if(g.prop("checked"))
{f=false}e.find(".active").removeClass("active");this.$element.addClass("active")}else{if(g.prop("type")=="checkbox"){if((g.prop("checked"))!=this.$element.hasClass("active"))
{f=false}this.$element.toggleClass("active")}g.prop("checked")}this.$element.addClass("active")};if(g.trigger("change"))}else{this.$element.attr("aria-
pressed"),this.$element.hasClass("active")};this.$element.toggleClass("active")};function c(e){return this.each(function(){var h=d(this);var g=h.data("bs.button");var f=typeof
e=="object"&&e;if(!g){h.data("bs.button",g=new b(this,f))}if(e=="toggle"){g.toggle()}else{if(e){g.setState(e)}}}var
a=d.fn.button;c.d.fn.button=c;dn.button.Constructor=b;dn.button.noConflict=function(){dn.button.noConflict=return this};d(document).on("click.bs.button.data-api",'[data-
toggle="button"]',function(g){var f=d(g.target).closest(".btn");c.call(f,"toggle");if(!d(g.target).is("input[type='radio'], input[type='checkbox']"))
{g.preventDefault();if(f.is("input,button")){f.trigger("focus")}else{f.find("input:visible,button:visible").first().trigger("focus")}}}.on("focus.bs.button.data-api blur.bs.button.data-
api",'[data-toggle="button"]',function(f){d(f.target).closest(".btn").toggleClass("focus",/^focus(in)?$/i.test(f.type))}})(jQuery);+function(c){var d=function(g,f)
{this.$element=c(g);this.$indicators=this.$element.find(".carousel-
indicators");this.options=f;this.paused=null;this.sliding=null;this.interval=null;this.$active=null;this.$items=null;this.options.keyboard&&this.$element.on("keydown.bs.carousel",c.proxy(
this.keydown,this));this.options.pause=="hover"&&!("ontouchstart" in
document.documentElement)&&this.$element.on("mouseenter.bs.carousel",c.proxy(this.pause,this)).on("mouseleave.bs.carousel",c.proxy(this.cycle,this));d.VERSION="3.3.7";d.TRANSITION_DURATI
ON=600;d.DEFAULTS={interval:5000,pause:"hover",wrap:true,keyboard:true};d.prototype.keydown=function(f){if(!/input|textarea/i.test(f.target.tagName)){return}switch(f.which){case
37:this.prev();break;case 39:this.next();break;default:return}f.preventDefault();d.prototype.cycle=function(f){f||(this.paused=false);this.interval&&clearInterval(...
```

<https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/bootstrap-table.min.js>

```
/*
 * bootstrap-table - v1.11.0 - 2016-07-02
 * https://github.com/wenzhixin/bootstrap-table
 * Copyright (c) 2016 zhixin wen
 * Licensed MIT License
 */
(function(j){var k=null;var m=function(u){var s=arguments,r=true,t=1;u=u.replace(/%s/g,function(){var v=s[t++];if(typeof v=="undefined"){r=false;return""}return v});return r?u:"";var
c=function(t,v,u,s){var r="";j.each(t,function(w,x){if(x[v]==s){r=x[u];return false}return r});var i=function(s,t){var r=1;j.each(s,function(u,v){if(v.field==t){r=u;return
false}return true});return r};var l=function(u){var y,x,w,A=0,B=[];for(y=0;y<u.length;y++){A=u[0][y].colspan||1}for(y=0;y<u.length;y++){B[y]=[];for(x=0;x<A;x++){B[y]
[x]=false}for(y=0;y<u.length;y++){for(x=0;x<u[y].length;x++){var s=u[y][x],v=s.rowspan||1,t=s.colspan||1,z=.inArray(false,B[y]);if(t==1){s.fieldIndex=z;if(typeof s.field=="undefined")
(s.field=z)}for(w=0;w<v;w++){B[y+w][z]=true}for(w=0;w<t;w++){B[y][z+w]=true}}};var a=function(){if(k==null){var t=j("<tr>").addClass("fixed-table-scroll-inner"),u=j("<div>")
.addClass("fixed-table-scroll-outer"),s,r,u.append(t);j("tbody").append(u);s=t[0].offsetWidth;u.css("overflow","scroll");r=t[0].offsetWidth;if(s==r)
(r=u[0].clientWidth);u.remove();k=s-r}return k};var q=function(s,u,t,r){var v=u;if(typeof u=="string"){var w=u.split(" ");if(w.length>1){v=window;j.each(w,function(x,y)
{v=v[y]})}else{v=window[u]}}if(typeof v=="object"){return v;if(typeof v=="function"){return v.apply(s,t)}if(!v&&typeof u=="string"&&m.apply(this,
[u].concat(t))return r}var f=function(s,r,w){var x=Object.getOwnPropertyNames(s),u=Object.getOwnPropertyNames(r),v="";if(w){if(x.length==u.length){return false}for(var
t=0;tx.length;t++){v=x[t];if(j.inArray(v,u)>1){if(s[v]!==r[v]){return false}}return true};var p=function(r){if(typeof r=="string"){return
r.replace(/%s/g,"&mp;").replace(/</g,"&lt;").replace(/>/g,"&gt;").replace(/"/g,"&quot;").replace(/'/g,"%039;").replace(/`/g,"%x60;")}return r};var d=function(s){var
r=0;s.children().each(function(){if(r<j(this).outerHeight(true)){r=j(this).outerHeight(true)}});return r};var g=function(t){for(var r in t){var s=r.split(/(?=[A-Z])/).join("-"
).toLowerCase();if(s!==r){t[s]=t[r];delete t[r]}}return t};var n=function(t,w,s){var u=t;if(typeof w!="string"||t.hasOwnProperty(w)){return s?p(t[w]):t[w]}var r=w.split(".").join("-"
);in r){var u=s&&[r[v]]}return s?p(u):u};var b=function(){return !!navigator.userAgent.indexOf("MSIE ")>0}||navigator.userAgent.match(/Trident.*rv:11\./)};var h=function(o){if(!Object.keys)
(Object.keys=function(o){var t=Object.prototype.hasOwnProperty,u=((toString:null)).propertyIsEnumerable("toString"),s=
["toString","toLocaleString","valueOf","hasOwnProperty","isPrototypeOf","propertyIsEnumerable","constructor"],r=s.length;return function(x){if(typeof x!="object"&&(typeof
x!="function"||x==null)){throw new TypeError("Object.keys called on non-object")}var v=[],y,w;for(y in x){if(t.call(x,y)){v.push(y)}}if(u){for(w=0;w<r;w++){if(t.call(x,s[w]))
{v.push(s[w])}}}return v}})();return e=function(s,r,t){this.options=r;this.$el=j(s);this.$el=this.$el.clone();this.timeoutId=0;this.timeoutFooter=0;this.init();e.DEFAULTS={classes:"table
table-hover",locale:undefined,height:undefined,undefinedText:"-",sortName:undefined,sortOrder:"asc",sortStable:false,striped:false,columns:[{}],data:
[],dataField:"rows",method:"get",url:undefined,ajax:undefined,cache:true,contentType:"application/json",dataType:"json",ajaxOptions:{},queryParams:function(r){return
r},queryParamsType:"limit","responseHandler":function(r){return r},pagination:false,onlyInfoPagination:false,sidePagination:"client",totalRows:0,pageNumber:1,pageSize:10,pagedList:
[10,25,50,100],paginationAlign:"right",paginationAlign:"bottom",paginationDetailAlign:"left",paginationPreText:"&lascquo;",paginationNextText:"&rscquo;",search:false,searchOnEnterKey:fa
lse,strictSearch:false,searchAlign:"right",selectItemName:"btSelectItem",showHeader:true,showFooter:false,showColumns:false,showSearch:false,showPaginationSwitch:false,showRefresh:false,s
howToggle:false,buttonsAlign:"right",smartDisplay:true,escape:false,minimumCountColumns:1,textField:undefined,uniqueId:undefined,cardView:false,detailView:false,detailFormatter:functio
n(r,s)
){return""},trimOnSearch:true,clickToSelect:false,singleSelect:false,toolbar:undefined,toolbarAlign:"left",checkboxHeader:true,sortable:true,silentSort:true,maintainSelected:false,searchFi
```

```
meOut:500,searchText:"",iconSize:undefined,buttonsClass:"default",iconsPrefix:"glyphicon",icons:{search:"glyphicon-search",paginationSwitchDown:"glyphicon-collapse-down icon-chevron-down",paginationSwitchUp:"glyphicon-collapse-up icon-chevron-up",refresh:"glyphicon-refresh icon-refresh",toggle:"glyphicon-list-alt icon-list-alt",columns:"glyphicon-th icon-th",detailOpen:"glyphicon-plus icon-plus",detailClose:"glyphicon-minus icon-minus"},customSearch:j.noop,customSort:j.noop,rowStyle:function(s,r){return{}},rowAttribu...
```

<https://10.132.197.11:9044/reuse/ajax/libs/validate/jquery.validate.min.js>

```
!function(a){function t=typeof define&&define.amd?define(["jquery"],a):a(jQuery)}(function(a){a.extend(a.fn,{validate:function(b){if(!this.length)return void(b&&b.debug&&window.console&&console.warn("Nothing selected, can't validate, returning nothing."));var c=a.data(this[0],"validator");return c?(this.attr("novalidate","novalidate"),c=new a.validator(b,this[0]),c.data(this[0],"validator"),c.settings.onsubmit&&(this.validateDelegate(":submit","click",function(b){c.settings.submitHandler&&(c.submitButton=b.target),a(b.target).hasClass("cancel")&&(c.cancelSubmit=!0),void 0!==a(b.target).attr("formnovalidate")&&(c.cancelSubmit=!0))),this.submit(function(b){function d(){var d;return c.settings.submitHandler?(c.submitButton&&(d=a("<input type='hidden'/>").attr("name",c.submitButton.name).val(a(c.submitButton).val()).appendTo(c.currentForm)),c.settings.submitHandler.call(c,c.currentForm,b),c.submitButton&&d.remove(),!1):!0}return c.settings.debug&&b.preventDefault(),c.cancelSubmit?c.cancelSubmit=!1,d():c.form()?c.pendingRequest?(c.formSubmitted=!0,!1):d():c.focusInvalid(!1))),c).valid:function(){var b,c;return a(this[0]).is("form")?b=this.validate().form():b=!0,c=a(this[0].form).validate(),this.each(function(){b=c.element(this)&&b)),b),removeAttrs:function(b){var c={},d=this;return a.each(b.split(/\s/),function(a,b){c[b]=d.attr(b),d.removeAttr(b)}),c),rules:function(b,c){var d,e,f,g,h,i,j=this[0];if(b)switch(d=a.data(j.form,"validator").settings,e=d.rules,f=a.validator.staticRules(j),b){case"add":a.extend(f,a.validator.normalizeRule(c)),delete f.messages,e[j.name]=f,c.messages&&(d.messages[j.name]=a.extend(d.messages[j.name],c.messages));break;case"remove":return c?(i={},a.each(c.split(/\s/),function(b,c){i[c]=f[c],delete f[c],"required"===c&&a(j).removeAttr("aria-required")}),i):(delete e[j.name],f)return g=a.validator.normalizeRules(a.extend({},a.validator.classRules(j),a.validator.attributeRules(j),a.validator.dataRules(j),a.validator.staticRules(j)),j),g.required&&(h=g.required,delete g.required,g.a.extend({required:h}),g),a(j).attr("aria-required","true")),g.remove&&(h=g.remove,delete g.remove,g.a.extend(g,{remove:h})),g))),a.extend(a.expr[":"],{blank:function(b){return!a.trim(""+b).val()}},filled:function(b){return!a.trim(""+b).val()}},unchecked:function(b){return!a(b).prop("checked")})),a.validator=function(b,c){this.settings=a.extend(!0,{},a.validator.defaults,b),this.currentForm=c,this.init(),a.validator.format=function(b,c){return 1==arguments.length?function(){var c=a.makeArray(arguments);return c.unshift(b),a.validator.format.apply(this,c)}:(arguments.length>2&&c.constructor!==Array&&(c=a.makeArray(arguments)).slice(1)),c.constructor!==Array&&(c=[c]),a.each(c,function(a,c){b=b.replace(new RegExp("\\{\\+?\\+?\\}\\","g"),function(){return c})),b),a.extend(a.validator,{defaults:{messages:{},groups:{},rules:{},errorClass:"error",validClass:"valid",errorElement:"label",focusInvalid:!0,errorContainer:a({}),errorLabelContainer:a({),onsubmit:!0,ignore:"hidden",ignoreTitle:!1,onfocusin:function(a){this.lastActive=a,this.settings.focusCleanup&&this.blockFocusCleanup&&(this.settings.unhighlight&&this.settings.unhighlight.call(this,a,this.settings.errorClass,this.settings.validClass),this.hideThese(this.errorsFor(a))),onfocusout:function(a){this.checkable(a)||!(a.name in this.submitted&&this.optional(a)||this.element(a)),onkeyup:function(a,b){(9!==b.which||!this.elementValue(a))&&(a.name in this.submitted||a===this.lastElement)&&this.element(a),onclick:function(a){a.name in this.submitted?this.element(a):a.parentNode.name in this.submitted&&this.element(a.parentNode)},highlight:function(b,c,d){("radio"===b.type?this.findByName(b.name).addClass(c).removeClass(d):a(b).addClass(c).removeClass(d)),setDefaults:function(b){a.extend(a.validator.defaults,b),messages:{required:"This field is required.",remote:"Please fix this field.",email:"Please enter a valid email address.",url:"Please enter a valid URL.",date:"Please enter a valid date.",dateISO:"Please enter a valid date ( ISO ).",number:"Please enter a valid number.",digits:"Please enter only digits.",creditcard:"Please enter a valid credit card number.",equalTo:"Please enter the same value again.",maxlength:a.validator.format("Please enter no more than {0} characters."),minlength:a.validator.format("Please enter at least {0} characters."),rangelength:a.validator.format("Please enter a value between {0} and {1} characters long."),range:a.validator.format("Please enter a value between {0} and {1}."),max:a.validator.format("Please enter a value less than or equal to {0}."),min:a.validator.format("Please enter a value greater than or equal to {0}.)"},autoCreateRanges:!1,prototype:{init:function(){function b(b){var c=a.data(this[0].form,"validator"),d="on"+b.type.replace(/~/validate/, ""),e=c.settings,e[d]&&!this.is(...
```

<https://10.132.197.11:9044/reuse/js/content.min.js>

```
$( ".collapse-box-tool" ).click(function() {
    var o = $(this).closest("div.collapse-box")
    , e = $(this).find("i")
    , i = o.find("div.collapse-box-content");
    i.slideToggle(200),
    e.toggleClass("fa-plus").toggleClass("fa-minus"),
    setTimeout(function() {
        o.resize(),
        o.find("[id~='map']").resize()
    }, 50)
});
```

<https://10.132.197.11:9044/reuse/ajax/libs/validate/jquery.validate.extend.js>

```
/*this is basic form validation using for validation person's basic information author:Clara Quo data:2017/07/20*/
$(document).ready(function(){
$.validator.setDefaults({
    submitHandler: function(form) {
        form.submit();
    }
});
//手机号码验证身份证正则合并: (^\\d{15}$|^\\d{17}$([0-9]{X}$)
jQuery.validator.addMethod("isPhone",function(value,element){
    var length = value.length;
    var phone=/^1[3-9]\\d{9}$/;
    return this.optional(element)|| (length == 11 && phone.test(value));
},"请填写正确的11位手机号");
//电话号验证
jQuery.validator.addMethod("isTel",function(value,element){
    var tel = /^0\\d{2,3}-?\\d{7,8}$/g;//区号3,4位,号码7,8位
    return this.optional(element)|| (tel.test(value));
},"请填写正确的座机号码");
//姓名校验
jQuery.validator.addMethod("isName",function(value,element){
    var name=/^[\\u4e00-\\u9fa5]{2,6}$/;
    return this.optional(element)|| (name.test(value));
},"姓名只能用汉字,长度2-4位");
//校验用户名
jQuery.validator.addMethod("isUserName",function(value,element){
```

```

var userName=/^[a-zA-Z0-9]{2,13}$/;
return this.optional(element) || (userName).test(value);
}, '请输入数字或者字母,不包含特殊字符');

//校验身份证
jQuery.validator.addMethod("isIdentity", function(value, element) {
    var id= /^(d{15}$|^d{18}$|^d{17}(d{X})$)/;
    return this.optional(element) || (id.test(value));
}, "请输入正确的15或18位身份证号,末尾为大写X");
//校验二代身份证
jQuery.validator.addMethod("isIdentity18", function(value, element) {
    var id= /^(^d{17}(d{X})$)/;
    return this.optional(element) || (id.test(value));
}, "请输入正确的18位身份证号,末尾若为X请大写");
//校验出生日期
jQuery.validator.addMethod("isBirth", function(value, element) {
    var birth = /^(19|20)d{2}-(1[0-2]|0?[1-9])-(0?[1-9]|[1-2][0-9]|3[0-1])$/;
    return this.optional(element) || (birth).test(value);
}, "出生日期格式示例2000-01-01");
//校验新旧密码是否相同
jQuery.validator.addMethod("isdiff", function() {
    var p1=$("#pwdOld").val();
    var p2=$("#pwdNew").val();
    if (p1==p2){
        return false;
    }else{
        return true;
    }
});
//校验新密码和确认密码是否相同
jQuery.validator.addMethod("issame", function() {
    var p3=$("#confirm_password").val();
    var p4=$("#pwdNew").val();
    if (p3==p4){
        return true;
    }else{
        return false;
    }
});
//校验基础信息表单
$("#basicInfoForm").validate({
    errorElement: 'span',
    errorClass: 'help-block error-mes',
    rules: {
        name: {
            required: true,
            isName: true
        },
        sex: "required",
        birth: "required",
        mobile: {
            required: true,
            isPhone: true
        },
        email: {
            required: true,
            email: true
        }
    },
    messages: {
        name: {
            required: "请输入中文姓名",
            isName: "姓名只能为汉字"
        },
        sex: {
            required: "请输入性别"
        },
        birth: {
            required: "请输入出生年月"
        },
        mobile: {
            required: "请输入手机号",
            isPhone: "请填写正确的11位手机号"
        },
        email: {
            required: "请输入邮箱",
            email: "请填写正确的邮箱格式"
        }
    },
    errorPlacement: function(error, element) {
        element.next().remove();
        element.closest('.gg-formGroup').append(error);
    },
    highlight: function(element) {
        $(element).closest('.gg-formGroup').addClass('has-error has-feedback');
    },
    success: function(label) {
        var el = label.closest('.gg-formGroup').find("input");
        el.next().remove();
        label.closest('.gg-formGroup').removeClass('has-error').addClass("has-feedback has-success");
        label.remove();
    }
});

```

```

},
submitHandler:function(form){
    alert("保存成功!");
}
});

//校验修改密码表单
$("#modifyPwd").validate({
    onfocusout: function(element) { $(element).valid() },
    debug:false, //表示校验通过后是否直接提交表单
    onkeyup:false, //表示按键盘松开会监听验证
    rules:{
        pwdOld:{
            required:true,
            minlength:6
        },
        pwdNew:{
            required:true,
            minlength:6,
            isdiff:true,
            //issame:true,
        },
        confirm_password:{
            required:true,
            minlength:6,
            issame:true,
        }
    },
    messages:{
        pwdOld: {
            required:'必填',
            minlength:$.validator.format('密码长度要大于6')
        },
        pwdNew: {
            required:'必填',
            minlength:$.validator.format('密码长度要大于6'),
            isdiff:'原密码与新密码不能重复',
        },
        confirm_password:{
            required:'必填',
            minlength:$.validator.format('密码长度要大于6'),
            issame:'新密码要与确认新密码一致',
        }
    },
    errorElement:"mes",
    errorClass:"gg-star",
    errorPlacement: function(error, element)
    {
        element.closest('.gg-formGroup').append(error);
    }
});
});
});

```

<https://10.132.197.11:9044/reuse/js/jquery.min.js>

[illegible]

https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-treetable/bootstrap-treetable.js

```
/**
 * bootstrapTreeTable
 *
 * @author swifly
 */
(function($) {
    "use strict";

    $.fn.bootstrapTreeTable = function(options, param) {
        var target = $(this).data('bootstrap.tree.table');
        target = target ? target : $(this);
        // 如果是调用方法
        if (typeof options == 'string') {
            return $.fn.bootstrapTreeTable.methods[options](target, param);
        }
        // 如果是初始化组件
        options = $.extend({}, $.fn.bootstrapTreeTable.defaults, options || {});
        target.hasSelectedItem = false; // 是否有radio或checkbox
        target.data_list = null; // 用于缓存格式化后的数据-按父分组
        target.data_obj = null; // 用于缓存格式化后的数据-按id存对象
        target.hiddenColumns = []; // 用于存放被隐藏的field
        target.lastAjaxParams; // 用户最后一次请求的参数
        target.isFixWidth=false; // 是否有固定宽度
        // 初始化
        var init = function() {
            // 初始化容器
            initContainer();
            // 初始化工具栏
            initToolbar();
            // 初始化表头
            initHeader();
            // 初始化表体
            initBody();
            // 初始化数据服务
            initServer();
            // 动态设置表头宽度
            autoTheadWidth(true);
            // 缓存target对象
            target.data('bootstrap.tree.table', target);
        }
        // 初始化容器
        var initContainer = function() {
            // 在外层包装一下div, 样式用的bootstrap-table的
            var $main_div = $("

2026/3/3



132


```

```

        if (typeof column.visible === "undefined" || column.visible === true) {
            _li = $('<li role="menuitem"><label><input type="checkbox" checked="checked" data-field="'+column.field+'" value="'+column.field+'" > '+column.title+'</label></li>');
        } else {
            _li = $('<li role="menuitem"><label><input type="checkbox" data-field="'+column.field+'" value="'+column.field+'" > '+column.title+'</label></li>');
        }
        target.hiddenColumns.push(column.field);
    }
    $columns_ul.append(_li);
}
});
$columns_div.append($columns_ul);
$rightToolbar.append($columns_div);
// 注册列选项事件
registerColumnClickEvent();
} else {
    $.each(options.columns, function(i, column) {
        if (column.field !== 'selectItem') {
            if (! (typeof column.visible === "undefined" || column.visible === true)) {
                target.hiddenColumns.push(column.field);
            }
        }
    });
}
}
// 初始化隐藏列
var initHiddenColumns = function() {
    $.each(target.hiddenColumns, function(i, field) {
        target.find("." + field + "_cls").hide();
    });
}
// 初始化表头
var initHeader ...

```

<https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/export/bootstrap-table-export.js>

```

/**
 * @author zhixin wen <wenzhixin2010@gmail.com>
 * extensions: https://github.com/kayalshri/tableExport.jquery.plugin
 */

(function ($) {
    'use strict';
    var sprintf = $.fn.bootstrapTable.utils.sprintf;

    var TYPE_NAME = {
        csv: 'CSV',
        txt: 'TXT',
        doc: 'Word',
        excel: 'Excel'
    };

    $.extend($.fn.bootstrapTable.defaults, {
        showExport: false,
        exportDataType: 'all', // basic, all, selected
        exportTypes: ['csv', 'txt', 'doc', 'excel'],
        exportOptions: {
            ignoreColumn: [0] //忽略列索引
        }
    });

    $.extend($.fn.bootstrapTable.defaults.icons, {
        export: 'glyphicon glyphicon-save'
    });

    $.extend($.fn.bootstrapTable.locales, {
        formatExport: function () {
            return 'Export data';
        }
    });
    $.extend($.fn.bootstrapTable.defaults, $.fn.bootstrapTable.locales);

    var BootstrapTable = $.fn.bootstrapTable.Constructor,
        _initToolbar = BootstrapTable.prototype.initToolbar;

    BootstrapTable.prototype.initToolbar = function () {
        this.showToolbar = this.options.showExport;

        _initToolbar.apply(this, Array.prototype.slice.apply(arguments));

        if (this.options.showExport) {
            var that = this,
                $btnGroup = this.$toolbar.find('>.btn-group'),
                $export = $btnGroup.find('div.export');

            if (!$export.length) {
                $export = $('

2026/3/3



133


```

```

' dropdown-toggle" ' +
'title="' + this.options.formatExport() + '" ' +
'data-toggle="dropdown" type="button">',
sprintf('<i class="%s %s"></i> ', this.options.iconsPrefix, this.options.icons.export),
'<span class="caret"></span>',
'</button>',
'<ul class="dropdown-menu" role="menu">',
'</ul>',
'</div>'].join('')).appendTo($btnGroup);

var $menu = $export.find('.dropdown-menu'),
exportTypes = this.options.exportTypes;

if (typeof this.options.exportTypes === 'string') {
var types = this.options.exportTypes.slice(1, -1).replace(/ /g, '').split(',');

exportTypes = [];
$.each(types, function (i, value) {
exportTypes.push(value.slice(1, -1));
});
}
$.each(exportTypes, function (i, type) {
if (TYPE_NAME.hasOwnProperty(type)) {
$menu.append(['<li data-type="' + type + '">',
'<a href="javascript:void(0)">',
TYPE_NAME[type],
'</a>',
'</li>'].join(''));
}
});

$menu.find('li').click(function () {
var type = $(this).data('type'),
doExport = function () {
that.$el.tableExport($.extend({}, that.options.exportOptions, {
type: type,
escape: false
}));
};

if (that.options.exportDataType === 'all' && that.options.pagination) {
that.$el.one(that.options.sidePagination === 'server' ? 'post-body.bs.table' : 'page-change.bs.table', function () {
doExport();
that.togglePagination();
});
that.togglePagination();
} else if (that.options.exportDataType === 'selected') {
//修改sidePagination属性为server无法导出选中数据
var trs = that.$body.children();
for (var i = 0; i < trs.length; i++) {
var $this = $(trs[i]);
if (!$this.find(sprintf(' [name="%s"]', that.options.selectItemName)).prop('checked')) {
$this['hide']();
}
}
doExport();
that.getRowsHidden(true);
} else {
doExport();
}
});
}
});
})(jQuery);

```

<https://10.132.197.11:9044/reuse/ajax/libs/video/video.js>

```

window.Player = function (e) {
var t = {};

function n(r) {
if (t[r]) return t[r].exports;
var a = t[r] = {i: r, l: !1, exports: {}};
return e[r].call(a.exports, a, a.exports, n), a.l = !0, a.exports
}

return n.m = e, n.c = t, n.d = function (e, t, r) {
n.o(e, t) || Object.defineProperty(e, t, {enumerable: !0, get: r})
}, n.r = function (e) {
"undefined" != typeof Symbol && Symbol.toStringTag && Object.defineProperty(e, Symbol.toStringTag, {value: "Module"}), Object.defineProperty(e, "__esModule", {value: !0})
}, n.t = function (e, t) {
if (1 & t && (e = n(e)), 8 & t) return e;
if (4 & t && "object" === typeof e && e && e.__esModule) return e;
var r = Object.create(null);
if (n.r(r), Object.defineProperty(r, "default", {
enumerable: !0,
value: e
}), 2 & t && "string" != typeof e) for (var a in e) n.d(r, a, function (t) {
return e[t]
}

```

```

    }.bind(null, a));
    return r
  }, n.n = function (e) {
    var t = e && e.__esModule ? function () {
      return e.default
    } : function () {
      return e
    };
    return n.d(t, "a", t), t
  }, n.o = function (e, t) {
    return Object.prototype.hasOwnProperty.call(e, t)
  }, n.p = "", n(n.s = 7)
}([function (e, t, n) {
  "use strict";
  Object.defineProperty(t, "__esModule", {value: !0});
  var r = function () {
    function e(e, t) {
      for (var n = 0; n < t.length; n++) {
        var r = t[n];
        r.enumerable = r.enumerable || !1, r.configurable = !0, "value" in r && (r.writable = !0), Object.defineProperty(e, r.key, r)
      }

      return function (t, n, r) {
        return n && e(t.prototype, n), r && e(t, r), t
      }
    }(), a = f(n(9)), i = f(n(2)), o = f(n(26)), l = f(n(5)), s = f(n(3)), u = f(n(27)), c = n(32), p = f(n(33)),
    d = n(4);

    function f(e) {
      return e && e.__esModule ? e : {default: e}
    }

    function g(e, t) {
      if (!e) throw new ReferenceError("this hasn't been initialised - super() hasn't been called");
      return !t || "object" !== typeof t && "function" !== typeof t ? e : t
    }

    var h = function (e) {
      function t(e) {
        !function (e, t) {
          if (!(e instanceof t)) throw new TypeError("Cannot call a class as a function")
        }(this, t);
        var n = g(this, (t.__proto__ || Object.getPrototypeOf(t)).call(this, e));
        if (n.config = i.default.deepCopy({
          width: 600,
          height: 337.5,
          ignores: [],
          whitelist: [],
          lang: (document.documentElement.getAttribute("lang") || navigator.language || "zh-cn").toLocaleLowerCase(),
          inactive: 3e3,
          volume: .6,
          controls: !0,
          controlsList: ["nodownload"]
        }), e, n.version = d.version, n.userTimer = null, n.waitTimer = null, n.database = new o.default, n.history = [], n.isProgressMoving = !1, n.root = i.default.findDom(document,
        "xg" + n.config.id), n.controls = i.default.createDom("xg-controls", "", {
          unselectable: "on",
          onselectstart: "return false"
        }), "xgplayer-controls"), !n.root) {
          var r = n.config.el;
          if (!r || 1 !== r.nodeType) return n.emit("error", new s.default("use", n.config.vid, {
            line: 32,
            handle: "Constructor",
            msg: "container id can't be empty"
          })), !1, g(n, !1);
          n.root = r
        }
        if (i.default.addClass(n.root, "xgplayer xgplayer-" + l.default.device + " xgplayer-nostart " + (n.config.controls ? "" : "no-controls")), n.root.appendChild(n.controls),
        n.config.fluid ? (n.root.style["max-width"] = "100%", n.root.style.width = "100%", n.root.style.height = "0", n.root.style["padding-top"] = 100 * n.config.height / n.config.width + "%",
        n.video.style.position = "absolute", n.video.style.top = "0", n.video.style.left = "0") : (n.config.width && ("number" !== typeof n.config.width ? n.root.style.width = n.config.width :
        n.root.style.width = n.config.width + "px"), n.config.height && ("number" !== typeof n.config.height ? n.root.style.height = n.config.height : n.root.style.height = n.config.height +
        "px")), n.config.execBeforePluginsCall && n.config.execBeforePluginsCall.forEach(function (e) {
          e.call(n, n)
        }), n.config.controlStyle && "Stri...

```

<https://10.132.197.11:9044/reuse/systemplus/js/base64.js>

```

(function(f) {
  'use strict';

  /* istanbul ignore else */
  if (typeof exports === 'object' && exports !== null &&
    typeof exports.nodeType !== 'number') {
    module.exports = f ();
  } else if (typeof define === 'function' && define.amd !== null) {
    define([], f);
  } else {
    var base64 = f ();

```

```

var global = typeof self !== 'undefined' ? self : $.global;
if (typeof global.btoa !== 'function') global.btoa = base64.btoa;
if (typeof global.atob !== 'function') global.atob = base64.atob;
}

} (function() {

'use strict';

var chars = 'ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/=';

function InvalidCharacterError(message) {
  this.message = message;
}
InvalidCharacterError.prototype = new Error ();
InvalidCharacterError.prototype.name = 'InvalidCharacterError';

// encoder
// [https://gist.github.com/999166] by [https://github.com/nignag]
function btoa(input) {
  var str = String (input);
  for (
    // initialize result and counter
    var block, charCode, idx = 0, map = chars, output = '';
    // if the next str index does not exist:
    // change the mapping table to "="
    // check if d has no fractional digits
    str.charAt (idx | 0) || (map = '=', idx % 1);
    // "8 - idx % 1 * 8" generates the sequence 2, 4, 6, 8
    output += map.charAt (63 & block >> 8 - idx % 1 * 8)
  ) {
    charCode = str.charCodeAtAt (idx += 3 / 4);
    if (charCode > 0xFF) {
      throw new InvalidCharacterError ("btoa' failed: The string to be encoded contains characters outside of the Latin1 range.");
    }
    block = block << 8 | charCode;
  }
  return output;
}

// decoder
// [https://gist.github.com/1020396] by [https://github.com/atk]
function atob(input) {
  var str = (String (input)).replace (/[=]+$/, ''); // #31: ExtendScript bad parse of /=
  if (str.length % 4 !== 1) {
    throw new InvalidCharacterError ("atob' failed: The string to be decoded is not correctly encoded.");
  }
  for (
    // initialize result and counters
    var bc = 0, bs, buffer, idx = 0, output = '';
    // get next character
    buffer = str.charAt (idx++); // eslint-disable-line no-cond-assign
    // character found in table? initialize bit storage and add its ascii value;
    ~buffer && (bs = bc % 4 ? bs * 64 + buffer : buffer,
      // and if not first of each 4 characters,
      // convert the first 8 bits to one ascii character
      bc++ % 4) ? output += String.fromCharCode (255 & bs >> (-2 * bc & 6)) : 0
  ) {
    // try to find character in table (0-63, not found => -1)
    buffer = chars.indexOf (buffer);
  }
  return output;
}

return {btoa: btoa, atob: atob};

})();

```

<https://10.132.197.11:9044/reuse/systemplus/sPage/jquery.sPage.js>

```

/*
 * jQuery分页插件sPage
 * by 凌晨四点半
 * 20190729
 * v1.2.0
 * https://github.com/jvbsei/sPage
 */
; (function ($, window, document, undefined) {
  'use strict';
  var defaults = {
    page: 1, //当前页
    pageSize: 10, //每页显示多少条
    total: 0, //数据总条数
    showTotal: false, //是否显示总条数
    totalTxt: "共{total}条", //数据总条数文字描述
    noData: false, //没有数据时是否显示分页, 默认false不显示, true显示第一页
    showSkip: false, //是否显示跳页
    showPn: true, //是否显示上下翻页
    prevPage: "上一页", //上翻页按钮文字
  };

```

```

nextPage: "下一页", //下翻页按钮文字
backFun: function (page) {
    //点击分页按钮回调函数, 返回当前页码
}
};
function Plugin(element, options) {
    this.element = $(element);
    this.settings = $.extend({}, defaults, options);
    this.pageNum = 1, //记录当前页码
    this.pageList = [], //页码集合
    this.pageTotal = 0; //记录总页数
    this.init();
}
$.extend(Plugin.prototype, {
    init: function () {
        this.element.empty();
        this.viewHtml();
    },
    creatHtml: function (i) {
        i = this.settings.page ? this.pageList.push('<span class="active" data-page=' + i + '>' + i + '</span>') : this.pageList.push('<span data-page=' + i + '>' + i + '</span>');
    },
    viewHtml: function () {
        var settings = this.settings;
        var pageTotal = 0;
        if (settings.total > 0) {
            pageTotal = Math.ceil(settings.total / settings.pageSize);
        } else {
            if (settings.noData) {
                pageTotal = 1;
                settings.page = 1;
                settings.total = 0;
            } else {
                return;
            }
        }
        this.pageTotal = pageTotal;
        var pageArr = []; //分页元素集合, 减少dom重绘次数
        this.pageNum = settings.page;
        if (settings.showTotal) {
            pageArr.push('<div class="spage-total">' + settings.totalTxt.replace(/\{(\w+)\}/gi, settings.total) + '</div>');
        }
        pageArr.push('<div class="spage-number">');
        this.pageList = []; //页码元素集合, 包括上下页
        if (settings.showFN) {
            settings.page = 1 ? this.pageList.push('<span class="span-disabled" data-page="prev">' + settings.prevPage + '</span>') : this.pageList.push('<span data-page="prev">' + settings.prevPage + '</span>');
        }
        if (pageTotal <= 6) {
            for (var i = 1; i < pageTotal + 1; i++) {
                this.creatHtml(i);
            }
        } else {
            if (settings.page < 5) {
                for (var i = 1; i <= 5; i++) {
                    this.creatHtml(i);
                }
                this.pageList.push('<span data-page="none">...</span><span data-page=' + pageTotal + '>' + pageTotal + '</span>');
            } else if (settings.page > pageTotal - 4) {
                this.pageList.push('<span data-page="1">1</span><span data-page="none">...</span>');
                for (var i = pageTotal - 4; i <= pageTotal; i++) {
                    this.creatHtml(i);
                }
            } else {
                this.pageList.push('<span data-page="1">1</span><span data-page="none">...</span>');
                for (var i = settings.page - 2; i <= Number(settings.page) + 2; i++) {
                    this.creatHtml(i);
                }
                this.pageList.push('<span data-page="none">...</span><span data-page=' + pageTotal + '>' + pageTotal + '</span>');
            }
        }
        if (settings.showFN) {
            settings.page == pageTotal ? this.pageList.push('<span class="span-disabled" data-page="next">' + settings.nextPage + '</span>') : this.pageList.push('<span data-page="next">' + settings.nextPage + '</span>');
        }
        pageArr.push(this.pageList.join(''));
        pageArr.push('</div>');
        if (settings.showSkip) {
            pageArr.push('<div class="spage-skip">跳至&nbsp;<input type="text" value="' + settings.page + '">&nbsp;&nbsp;&nbsp;页&nbsp;&nbsp;&nbsp;<span data-page="go">确定</span></div>');
        }
        this.element.html(pageArr.join(''));
        this.clickBtn();
    },
    clickBtn: function () {
        var that = this;
        var settings = this.settings;
        var ele = this.element;
        var pageTotal = this.pageTotal;
        this.element.off("click", "span");
        this.element.on("click", "span", function () {
            var pageText = $(this).data("page");
            switch (pageText) {
                case "prev":
                    settings.page = settings.page - 1 >= 1 ? settings.page - 1 : 1;

```

```

pageText = settings.page;
break;
case "next":
settings.page = Number(settings.page) + 1 <= pageTotal ? Number(settings.page...

```

<https://10.132.197.11:9044/reuse/js/plugins/multiselect/multiselect.min.js>

```

/*
 * @license
 *
 * Multiselect v2.5.6
 * http://crlcu.github.io/multiselect/
 *
 * Copyright (c) 2016-2020 Adrian Crisan
 * Licensed under the MIT license (https://github.com/crlcu/multiselect/blob/master/LICENSE)
 */

if ("undefined" === typeof jQuery) throw new Error("Multiselect requires jQuery"); function (t) { "use strict"; var t = jQuery.fn.jquery.split(" ")[0].split("."); if (t[0] < 2 && t[1] < 7) throw new Error("Multiselect requires jQuery version 1.7 or higher") } (function (t) { "function" === typeof defines && define.amd && define(["jQuery"], t); t(jQuery) } (function (i) { "use strict"; var s, r = (s = i.prototype = { init: function () { var o = this; o.undoStack = [], o.redoStack = [], o.options.keepRenderingSort && (! o.skipInitSort ? 0) : 0 } }, o.callbacks.sort && (o.callbacks.sort = { left: function (t, e) { return s(t).data("position") > s(e).data("position") ? 1 : -1 }, right: function (t, e) { return s(t).data("position") > s(e).data("position") ? 1 : -1 } }, o.$left.attachIndex(), o.$right.each(function (t, e) { s(e).attachIndex() })), "function" === typeof o.callbacks.startUp && o.callbacks.startUp(o.$left, o.$right, o.skipInitSort) | ("function" === typeof o.callbacks.sort.left && o.$left.mSort(o.callbacks.sort.left), "function" === typeof o.callbacks.sort.right && o.$right.each(function (t, e) { s(e).mSort(o.callbacks.sort.right) })), o.options.search && o.options.search.left && (o.options.search.$left = s(o.options.search.left), o.$left.before(o.options.search.$left)), o.options.search && o.options.search.right && (o.options.search.$right = s(o.options.search.right), o.$right.before(s(o.options.search.$right))), o.events(), "function" === typeof o.callbacks.afterInit && o.callbacks.afterInit(), events: function () { var o = this; o.options.search && o.options.search.$left && o.options.search.$left.on("keyup", function (t) { o.callbacks.fireSearch(this, value) } } (o.$left.find('option:search("' + this.value + '")').mShow(), o.$left.find('option:not(:search("' + this.value + '"))').mHide(), o.$left.find("option").closest("optgroup").mHide(), o.$left.find("option:not(:hidden)").parent("optgroup").mShow()) : o.$left.find("option, optgroup").mShow() } : o.options.search && o.options.search.$right && o.options.search.$right.on("keyup", function (t) { o.callbacks.fireSearch(this, value) } } (o.$right.find('option:search("' + this.value + '")').mShow(), o.$right.find('option:not(:search("' + this.value + '"))').mHide(), o.$right.find("option").closest("optgroup").mHide(), o.$right.find("option:not(:hidden)").parent("optgroup").mShow()) : o.$right.find("option, optgroup").mShow() } : o.$right.closest("form").on("submit", function (t) { o.options.search && (o.options.search.$left && o.options.search.$left.val("").trigger("keyup"), o.options.search.$right && o.options.search.$right.val("").trigger("keyup")) : o.$left.find("option").prop("selected", o.options.submitAllLeft), o.$right.find("option").prop("selected", o.options.submitAllRight) } : o.$left.on("dblclick", "option", function (t) { t.preventDefault() ; var e = o.$left.find("option:selected:not(:hidden)") ; e.length && o.moveToRight(e, t) } : o.$left.on("click", "optgroup", function (t) { "OPTGROUP" === s(t.target).prop("tagName") && s(this).children().prop("selected", 0) } : o.$left.on("keypress", function (t) { var e; 13 === t.keyCode && (t.preventDefault(), o.$left.find("option:selected:not(:hidden)").length && o.moveToRight(e, t) } : o.$right.on("dblclick", "option", function (t) { t.preventDefault() ; var e = o.$right.find("option:selected:not(:hidden)") ; e.length && o.moveToLeft(e, t) } : o.$right.on("click", "optgroup", function (t) { "OPTGROUP" === s(t.target).prop("tagName") && s(this).children().prop("selected", 0) } : o.$right.on("keydown", function (t) { var e; 8 === t.keyCode && 46 !== t.keyCode | t.preventDefault(), (e = o.$right.find("option:selected:not(:hidden)") : e.length && o.moveToLeft(e, t) } : navigator.userAgent.match(/MSIE/i) | 0 < navigator.userAgent.indexOf("Trident/") | 0 < navigator.userAgent.indexOf("Edge/") && (o.$left.dblclick(function (t) { o.actions.$leftSelected.trigger("click") } : o.$right.dblclick(function (t) { o.actions.$leftSelected.trigger("click") } : o.actions.$rightSelected.on("click", function (t) { t.preventDefault() ; var e = o.$left.find("option:selected:not(:hidden)") ; e.length && o.moveToRight(e, t), s(this).blur() } : o.actions.$leftSelected.on("click", function (t) { t.preventDefault() ; var e = o.$right.find("option:selected:not(:hidden)") ; e.length && o.moveToLeft(e, t), s(this).blur() } : o.actions.$rightAll.on("click", function (t) { t.preventDefault() ; var e = o.$left.children(":not(span):not(:hidden)") ; e.length && o.moveToRight(e, t), s(this).blur() } : o.actions.$leftAll.on("click", function (t) { t.preventDefault() ; var e = o.$right.children(":not(span):not(:hidden)") ; e.length && o.moveToLeft(e, t), s(this).blur() } : o.actions.$undo.on("click", function (t) { t.preventDefault() ; o.undo() } : o.actions.$redo.on("click", function (t) { t.preventDefault() ; o.redo() } : o.actions.$moveUp.on("click", function (t) { t.preventDefault() ; var e = o.$right.find(":selected:not(span):not(:hidden)") ; e.length && o.moveUp(e, t), s(this).blur() } : o.actions.$moveDown.on("click", function (t) { t.preventDefault() ; var e = o.$right.find(":selected:not(span):not(:hidden)") ; e.length && o.moveDown(e, t), s(this)...
```

<https://10.132.197.11:9044/reuse/systemplus/js/ry-ui.js>

```

/**
 * 通用js方法封装处理
 * Copyright (c) 2018 systemplus
 */
(function ($) {
    $.extend({
        _treeTable: {},
        tree: {},
        // 表格封装处理
        table: {
            _option: {},
            btTable: {},
            params: {},
            // 记住选择实例组
            rememberSelecteds: {},
            // 记住选择ID组
            rememberSelectedIds: {},
            // 初始化表格参数
            init: function(options) {
                var defaults = {
                    id: "bootstrap-table",
                    type: 0, // 0 代表bootstrapTable 1代表bootstrapTreeTable
                    method: 'post',
                    height: undefined,
                    sidePagination: "server",
                    sortName: undefined,
                    sortOrder: "asc",
                    pagination: true,
                    paginationLoop: false,
                    pageSize: 10,
                    pageNumber: 1,
                    pageList: [10, 25, 50, 100, 200, 500, 1000],
                }
            }
        }
    });
})(jQuery);

```

```

toolbar: "toolbar",
  loadingFontSize: 13,
  striped: false,
  escape: false,
  firstLoad: true,
  showFooter: false,
  search: false,
  showSearch: true,
  showPageGo: false,
  showRefresh: true,
  showColumns: true,
  showToggle: false,
  showExport: false,
  clickToSelect: true,
    singleSelect: false,
    mobileResponsive: true,
    maintainSelected: false,
    rememberSelected: false,
  fixedColumns: false,
  fixedNumber: 0,
  rightFixedColumns: false,
  rightFixedNumber: 0,
  queryParams: $.table.queryParams,
  rowStyle: undefined,
);
var options = $.extend(defaults, options);
$.table.option = options;
$.table.initEvent();
$('#' + options.id).bootstrapTable({
  url: options.url,           // 请求后端的URL (*)
  contentType: "application/x-www-form-urlencoded", // 编码类型
  method: options.method,    // 请求方式 (*)
  cache: false,              // 是否使用缓存
  height: options.height,    // 表格的高度
  striped: options.striped,   // 是否显示行间隔色
  sortable: true,            // 是否启用排序
  sortStable: true,          // 设置为 true 将获得稳定的排序
  sortName: options.sortName, // 排序列名称
  sortOrder: options.sortOrder, // 排序方式 asc 或者 desc
  pagination: options.pagination, // 是否显示分页 (*)
  paginationLoop: options.paginationLoop, // 是否启用分页条无限循环的功能
  pageNumber: 1,             // 初始化加载第一页，默认第一页
  pageSize: options.pageSize, // 每页的记录行数 (*)
  pageList: options.pageList, // 可供选择的每页的行数 (*)
  firstLoad: options.firstLoad, // 是否首次请求加载数据，对于数据较大可以配置false
  escape: options.escape,    // 转义HTML字符串
  showFooter: options.showFooter, // 是否显示表尾
  iconSize: 'outline',        // 图标大小: undefined默认的按钮尺寸 xs超小按钮 sm小按钮 lg大按钮
  toolbar: '#' + options.toolbar, // 指定工作栏
    loadingFontSize: options.loadingFontSize, // 自定义加载文本的字体大小
  sidePagination: options.sidePagination, // server启用服务端分页 client客户端分页
  search: options.search,     // 是否显示搜索框功能
    searchText: options.searchText, // 搜索框初始显示的内容，默认为空
  showSearch: options.showSearch, // 是否显示搜索信息
  showPageGo: options.showPageGo, // 是否显示跳转页
  showRefresh: options.showRefresh, // 是否显示刷新按钮
  showColumns: options.showColumns, // 是否显示隐藏某列下拉框
  showToggle: options.showToggle, // 是否显示详细视图和列表视图的切换按钮
  showExport: options.showExport, // 是否支持导出文件
    showHeader: options.showHeader, // 是否显示表头
    showFullscreen: options.showFullscreen, // 是否显示全屏按钮
    uniqueId: options.uniqueId, // 唯一的标识符
  clickToSelect: options.clickToSelect, // 是否启用点击选中行
  singleSelect: options.singleSelect, // 是否单选checkbox
  mobileResponsive: options.mobileResponsive, // 是否支持移动端适配
  cardView: options.cardView, // 是否启用显示卡片视图
  detailView: options.detailView, // 是否启用显示细节视图
  onCheck: options.onCheck, // 当选择此行时触发
  onUncheck: options.onUncheck, // 当取消此行时触发
  onCheckAll: options.onCheckAll, // 当全选时触发
  onUncheckAll: options.onUncheckAll, // 当取消全选时触发
  onClickRow: options.onClickRow, // 点击某行触发的事件
  onDbClick...

```

<https://10.132.197.11:9044/reuse/js/bootstrap-show-password.js>

```

/**
 * bootstrap-show-password - Show/hide password plugin for twitter bootstrap.
 *
 * @version v1.2.1
 * @homepage https://github.com/wenzhixin/bootstrap-show-password
 * @author zhixin wen <wenzhixin2010@gmail.com>
 * @license MIT
 */

(function(a,b){function c(a){return c="function"==typeof Symbol&&a.constructor==Symbol&&a==Symbol.prototype?"symbol":typeof a,c(a)}function d(a,b){if(!(a instanceof b))throw new TypeError("Cannot call a class as a function")}function e(a,b){for(var

```

```
c, d=0; c<b.length; d++) c=b[d], c.enumerable=c.enumerable||1, c.configurable=!0, "value" in c&& c.writable=!0, Object.defineProperty(a, c.key, c) } function g(a, b, c) { return b&& (a.prototype, b, c&& (a, c, a)a=a&&a.hasOwnProperty("default") ? a["default"] : a; var k, l, m, n={}.toString, o=function(a) { return n.call(a).slice(8, -1) }, p=Array.isArray||function(a) { return"Array"==o(a) }, q=function(a) { return"object"==typeof a ? null!==(a="function"==typeof a, r=function(a) { if (a==null) throw TypeError("Can't call method on "+a); return a }, s=function(a) { return Object(r(a)) }, t=Math.ceil, u=function(a) { return isNaN(a)=a ? 0:(0<a?1:t)(a) }, v=function(a) { return 0<a?1(u(a), 9007199254740991):0 }, w=function(a, b) { if (!q(a)) return a; var c, d; if (b&&"function"==typeof (c=a.toString)&&q(d=c.call(a))) return d; if ("function"==typeof (c=a.valueOf)&&q(d=c.call(a))) return d; if (!b&&"function"==typeof (c=a.toString)&&q(d=c.call(a))) return d; throw TypeError("Can't convert object to primitive value") }, x=function(a) { try { return!1 } } catch (a) { return!0 } }, y=1x(function() { return 7!=Object.defineProperty({}, "a", { get: function() { return 7 } }) }).a), z="object"==typeof window&&window.Math=Math?window:"object"==typeof self&&self&&self.Math=Math?self:Function("return this")(), A=z, document, B=q(A)&&q(A.createElement), C=function(a) { return B?A.createElement(a):{} }, D=!y&&1x(function() { return 7!=Object.defineProperty(C("div"), "a", { get: function() { return 7 } }) }).a), E=function(a) { if (!q(a)) throw TypeError("is not an object"); return a }, F=Object.defineProperty, G=y?F:Function(a, b, c) { if (E(a), b=w(b), E(c), D) try { return F(a, b, c) } catch (a) { } if ("get" in c || "set" in c) throw TypeError("Accessors not supported"); return"value" in c&&(a[b]=c.value), a, f=(f:G), H=function(a, b) { return(enumerable:!1&a), configurable:!2&a), writable:!4&a), value:b } }, I=function(a, b, c) { var d=w(b), d in a?f.f(a, d, H(0, c)):a[d]=c, j=y?function(a, b, c) { return f.f(a, b, H(1, c))}:function(a, b, c, k), K=function(a, b) { try { J(z, a, b) } catch (c) { z[a]=b } return b }, L=b(function(a) { var b=z["_core-js_shared_"], {} } | K("__core-js_shared_", {}); (a.exports=function(a, c) { return b[a] || (b[a]=c==void 0?{}:c) }) ("versions", []).push({version:"3.0.1", mode:"global", copyright:"\xA9 2019 Denis Pushkarev (zloirock.ru)"})), M=0, N=Math.random(), O=function(a) { return"Symbol".concat(a==void 0?"":a, "_", (+M+N).toString(36)) }, P=1x(function() { return!1 }) (Symbol() + "")), Q=L("wks"), R=z.Symbol, S=function(a) { return Q[a] || (Q[a]=P&R[a] || (P?R:O)("Symbol." + a)) }, T=S("species"), U=function(a, b) { var c; return p(a)&&(c=a.constructor, "function"==typeof c&&(c=[Array|p(c.prototype)]?c:void 0:q(c)&&c=C[T], null==c&&(c=void 0))), new (void 0==c?Array:c)(0==b?0:b) }, V=S("species"), W={}.propertyIsEnumerable, X=Object.getOwnPropertyDescriptor, Y=X&&W.call({1:2}, 1), Z=Y?function(a) { var b=X(this, a); return!1b&&b.enumerable}:W, _=(f:Z), aa="".split, ba=x(function() { return!Object("z").propertyIsEnumerable(0) })?function(a) { return"String"==o(a)?aa.call(a, "")}:Object(a):Object, ca=function(a) { return ba(r(a)) }, da={}, ea=Object.prototype, ea=function(a, b) { return da.call(a, b) }, fa=Object.getPrototypeOf, ga=y?fa:Function(a, b) { if (a=ca(a), b=w(b), D) try { return fa(a, b) } catch (a) { } return ea(a, b) } ?H(!.f.call(a, b), a[b]):void 0, ha=(f:ga), ia=L("native-function-to-string", Function.toString), ja=z.WeakMap, ka="function"==typeof ja&&native code/.test(ia.call(ja)), la=L("keys"), ma=function(a) { return la[a] || (la[a]=O(a)) }, na={}, oa=z.WeakMap, pa=function(a) { return m(a)?l(a):k(a, {}); if (ka) { var qa=new oa, ra=qa.get, sa=qa.has, ta=qa.set, ka=function(a, b) { return ta.call(qa, a, b), b }, l=function(a) { return ra.call(qa, a) || {} }, m=function(a) { return sa.call(qa, a) } } else { var ua=na("state"); na[ua]=0, k=function(a, b) { return J(a, ua, b), b }, l=function(a) { return ea(a, ua)?na[ua]:{} }, m=function(a) { return ea(a, ua) } } var va={set:k, get:l, has:m, enforce:pa, getterFor:function(a) { return function(b) { var c;if (!q(b) || (c=l(b)).type!==(a="throw" ? "Incompatible receiver, "+a+" required"; return c } } }, wa=b(function(a) { var b=va.get, c=va.enforce, d=(a+"").split("").toString); L("inspectSource", function(a) { return ia.call(a) }, (a.exports=function(a, b, e, f) { var g=!f&&!f.unsafe, h=!f...
```

<https://10.132.197.11:9044/reuse/ajaxlibs/pdf/pdfobject.min.js>

```
/**
 * PDFObject v2.1.1
 * https://github.com/pipwerks/PDFObject
 * @license
 * Copyright (c) 2008-2018 Philip Hutchison
 * MIT-style license: http://pipwerks.mit-license.org/
 * UMD module pattern from https://github.com/umdjs/umd/blob/master/templates/returnExports.js
 */

!function(root, factory) { "function"==typeof defines&&define.amd?define([], factory):"object"==typeof module&&module.exports?module.exports=factory():root.PDFObject=factory() }(this, function() {
"use strict"; if ("undefined"==typeof window || "undefined"==typeof navigator) return!1; var
supportsPDFs, supportsPdfActiveX, createAWO, buildFragmentString, log, embedError, embed, getTargetElement, generatePDFJSiFrame, generateEmbedElement, ua=window.navigator.userAgent, supportsPdfMimeType
ype=void 0!==(navigator.mimeTypes&&void 0!==(navigator.mimeTypes["application/pdf"], isModernBrowser=void 0!==(window.Promise, isFirefoxWithPDFJS=
1==ua.indexOf("irefox")&&18<parseInt(ua.split("rv:")[1].split(".")) [0], 10), isIOS=/iphone|ipad|ipod/i.test(ua.toLowerCase()); return createAXO=function(type) { var ax; try { ax=new
ActiveXObject(type) } catch (e) { ax=null } return ax }, supportsPdfActiveX=function() { return!(!createAXO("AcroPDF.PDF")&&!createAXO("PDF.PdfCtrl")) }, supportsPDFS=!isIOS&&
(isFirefoxWithPDFJS || supportsPdfMimeType || function() { return!!(window.ActiveXObject || "ActiveXObject" in window) }) && supportsPdfActiveX(), buildFragmentString=function(pdfParams) { var
prop, string=""; if (pdfParams) { for (prop in pdfParams) pdfParams.hasOwnProperty(prop) && (string+=encodeURIComponent(prop)+"="+encodeURIComponent(pdfParams[prop])+"&"); string=string&&
(string=="#"?"#":"").slice(0, string.length-1) } return string }, log=function(msg) { "undefined"!==(typeof console&&console.log&&console.log) ("PDFObject" + msg), embedError=function(msg) { return
log(msg), !1 }, getTargetElement=function(targetSelector) { var targetNode=document.body; return"string"==typeof targetSelector?
targetNode=document.querySelector(targetSelector):"undefined"!==(typeof jQuery&&targetSelector instanceof jQuery&&targetSelector instanceof jQuery?targetSelector.length?targetNode=targetSelector.get(0):void
0!==(targetSelector.nodeType&&1==targetSelector.nodeType&&(targetNode=targetSelector, targetNode), generatePDFJSiFrame=function(targetNode, url, pdfOpenFragment, PDFJS_URL, id) { var
fullURL=PDFJS_URL+"?file="+encodeURIComponent(url)+pdfOpenFragment, iframe="<div style='"+isIOS?"-webkit-overflow-scrolling: touch; overflow-y: scroll; ":'"overflow: hidden; "+position:
absolute; top: 0; right: 0; bottom: 0; left: 0; "><iframe " +id+" src='"+fullURL+"' style='border: none; width: 100%; height: 100%;' frameborder='0'></iframe></div>"; return
targetNode.className=" pdfobject-container", targetNode.style.position="relative", targetNode.style.overflow="auto", targetNode.innerHTML=iframe, targetNode.getElementsByTagName("iframe")
[0] }, generateEmbedElement=function(targetNode, targetSelector, url, pdfOpenFragment, width, height, id) { var style=""; return style=style&&targetSelector!=document.body?"width:
"+width+"px; height: "+height+"px; ":":":position: absolute; top: 0; right: 0; bottom: 0; left: 0; width: 100%; height: 100%;", targetNode.className=" pdfobject-container", targetNode.innerHTML="
"<embed " +id+" class='pdfobject' src='"+url+pdfOpenFragment+"' type='application/pdf' style='overflow: auto; "+style+"' />", targetNode.getElementsByTagName("embed")
[0] }, embed=function(url, targetSelector, options) { if ("string"!==(typeof url) return embedError("URL is not valid"); targetSelector=void 0!==(targetSelector&&targetSelector; var
pdfOpenFragment, id=(options=void 0!==(options=options: {}), id&&"string"==typeof options.id?"id="+options.id+"":":", page=!options.page&&options.page, pdfOpenParams=options.pdfOpenParams?
options.pdfOpenParams: {}, fallbackLink=void 0==options.fallbackLink || options.fallbackLink, width=options.width?options.width:"100%", height=options.height?
options.height:"100%", assumptionMode="boolean"!==(typeof options.assumptionMode) | options.assumptionMode, forcePDFJS="boolean"==typeof
options.forcePDFJS&&options.forcePDFJS, PDFJS_URL=!options.PDFJS_URL&&options.PDFJS_URL, targetNode=getTargetElement(targetSelector), fallbackHTML=""; return targetNode?(page&&
(pdfOpenParams.page=page), pdfOpenFragment=buildFragmentString(pdfOpenParams), forcePDFJS&&PDFJS_URL?
generatePDFJSiFrame(targetNode, url, pdfOpenFragment, PDFJS_URL, id): supportsPDFs | assumptionMode&&isModernBrowser&&isIOS?
generateEmbedElement(targetNode, targetSelector, url, pdfOpenFragment, width, height, id): PDFJS_URL?generatePDFJSiFrame(targetNode, url, pdfOpenFragment, PDFJS_URL, id): (fallbackLink&&
(fallbackHTML="string"==typeof fallbackLink?fallbackLink:"<p>This browser does not support inline PDFs. Please download the PDF to view it: <a href='"+url+"'>Download PDF</a>
</p>", targetNode.innerHTML=fallbackHTML.replace(/([\\|\/|g|url])/g, url)), embedError("This browser does not support embedded PDFs")): embedError("Target element cannot be determined"),
(embed=function(a, b, c) { return embed(a, b, c) }, pdfobjectversion:"2.1.1", supportsPDFs:supportsPDFs));
```

<https://10.132.197.11:9044/reuse/js/mycostem-ui-plus.js>

```
/**
 * 子系统自定义js文件
 */

// $(document).ready(function() {
//     $('#bootstrap-tree-table').on('load-success.bs.tree.table', function(e, data) {
//         // 表格体渲染完成后执行
//         hideIconsWithText();
//     });
//     $('#bootstrap-table').on('post-body.bs.table', function(e, data) {
//         // 表格体渲染完成后执行
//         hideIconsWithText();
//     });
// });
// function hideIconsWithText() {
//     $('i').each(function() {
//         const nextNode = this.nextSibling;
//         const hasText = nextNode &&
```

```
//      nextNode.nodeType == 3 &&
//      nextNode.textContent.trim() != '';
//
//      if (hasText) {
//          $(this).hide();
//          // 或者 $(this).css('visibility', 'hidden');
//      }
//  });
// }
```

<https://10.132.197.11:9044/reuse/ajax/libs/magnify/jquery.magnify.min.js>

[illegible]

<https://10.132.197.11:9044/reuse/ajax/libs/layui/layui.min.js>

```
//** 2.7.6 | MIT Licensed */;!function(d){function t(e,t,h,d=document,m={modules:{},status:{},timeout:10,event:{}),r=function(o){this.v="2.7.6"},e=d.LAYUI_GLOBAL||{}),v=(t=h.currentScript?h.currentScript.src:function(t){for(var t,e=h.scripts,o=e.length-1,r=0;r<o;r++)if("interactive"===e[r].readyState){t=e[r].src;break}return t}|e[o].src)|m.dir||e.dir|t.substring(0,t.lastIndexOf("/")+1)),g=function(t,e){e=!!["log",d.console&&console[e]&&console[e]]("layui error hint: "+t)},b="undefined"!==(typeof opera&&"object")&&(Opera=!opera.tostring(0),N=m.builtin=lay:"lay",layer:"layer",laydate:"laydate",laypage:"laypage",laytpl:"laytpl",layedit:"layedit",form:"form",upload:"upload",dropdown:"dropdown",transfer:"transfer",tree:"tree",table:"table",element:"element",rate:"rate",colorpicker:"colorpicker",slider:"slider",carousel:"carousel"),f=(r.prototype.cache=m,r.prototype.define=function(t,r){return function(){return f&&t&&t=t||[]},function(t,function(i){var o=function(t,e){[layui(t)]|=m.status[t]=0};return function(){return f&&r&&r(function(t,e)(o(t,e),m.callback[t]=function(o){r(o)}),this,null,"define"),this},r.prototype.use=function(o,t,e,r){var n=this,i=m.dir||m.dir|v,a=h.getElementsByName("head")[0],u="(o=string)"==typeof o?[o]:"function"==typeof o?(t=o,["all"]):o;d.jQuery&&jQuery.fn.on&&n.each(o,function(t,e){j!jQuery"===e&&o.splice(t,1)}),layui.jQuery=layui.$=jQuery,o[0]),l=o,function s(t,e){var o="LAYSTATION3"===navigator.platform?/^complete$/test(s)/^complete$loaded$/test(s)!=".type&&!o.test((t.currentTarget||t.srcElement).readyState)||m.modules[u]=e,a.removeChild(p),function r(i){return i>1e3?m.timeout/4*(q+=1)is not a valid module","error"):void(m.status[u]?c(t):setTimeout(r,4))}()}function c(i){e.push(layui[i]),i<=length?n.use(o.slice(1),t,e,r):"function"==typeof t&&l.layui.jQuery&&"function"==typeof layui.jQuery&&"define"!=?layui.jQuery(function(i){t.apply(layui,e)}):t.apply(layui,e)})if(e=!![j.m.host+m.host][i.match(/\\/([\\s\\S])\\/\\/)]||[""/+location.host+"/"])[0,O=O.length]layui["layui.all"&N]&N[0]return c(i,n,v,p,y)=(N[u]?i+m.plugins["!:/\\V\\/.test(n.modules[u])&m.base[/]/"+(n.modules[u]|u)+".js").replace(/^\\/\\/\\/\\/"/,"")return m.modules[u]&layui[u]&m.modules[u]=y,m.modules[u]?function i(o){return i>1e3?m.timeout/4?g(u!"is not a valid module","error"):void("string"==typeof m.modules[u]&m.status[u]?c(t):setTimeout(f,4)):t}{(p=h.createElement("script"))["async"]=!0,p.charset="utf-8",p.src=y+(i=i===m.version?m.v|(new Date).getTime():(m.version||""))+v?"v="+i:"""),a.appendChild(p),lp.attachEvent||p.addEventListener.toString&&p.attachEvent.toString().indexOf"<b? p.addEventListener("load",function(t){s(t,y)}),!1)p.attachEvent("onreadystatechange",function(t){s(t,y)}),m.modules[u]=y),n,r.prototype.dispose=function(t){var o=this;return t.isArray(t)?t:[t],o.each(t,function(t,e){m.status[e],delete o[e],delete N[e],delete o.modules[e],delete m.status[e],delete m.modules[e]},o),r.prototype.getStyle=function(t,e){t=t.currentStyle||d.getComputedStyle(t,null);return t.getPropertyValue(t),getPropertyValue":getComputedStyle"}(e),r.prototype.link=function(o,t,r){var n=this,e=h.getElementsByName("head")[0],i=h.createElement("link"),t=((t="string"==typeof r?t:r:t)||o).replace(/\\.\\/\\/g,/"/),a=i.id="layui-css"+"t,u="creating",l=0;return i.rel="stylesheet",i.href=o+(m.debug?"?v="+i(new Date).getTime():""),i.media="all",h.getElementsByTagNameId(a)[e.appendChild(i),"function"!==(typeof r||function s(t){var e=h.getElementById(a):(e.setInterval("layer-status",1000/o=" timeout")void(1989=parseInt(n.getStyle(e,"width"))}(t)=u&&e.removeAttribute("lay-status"),e.getAttribute("lay-status")=u?setTimeout(s,100):r)}):(e.setAttribute("lay-status"),u,setTimeout(function(i){s(i,u,100)}))},n),r.prototype.address=function(t,e,o){return layui.link(m.dir||css"/+t,e,o),m.callback={},r.prototype.factory=function(t){if(layui(t))return function(){return f&&m.callback[t]?m.callback[t]:null},r.prototype.img=function(t,e,o){var n=new Image;if(r.src=r.complete)return e(r);r.onload=function(i){r.onload=null,"function"==typeof e&&e(r)},r.onerror=function(t){r.onerror=null,"function"==typeof o&&o(t)},r.prototype.config=function(t){for(var e in t=!!{}}m[e]=t[e];return this),r.prototype.modules=function(o){var t,e={};for(t in N)e[t]=N[t];return e(o),r.prototype.extend=function(t){for(var e in t=!!{}}this[e]||this.modules[e]?g(e+"Module already exists","error"):this.modules[e]=t;return this},r.prototype.router=r.prototype.hash=function(o){var o=[path],search:{"(t=t|location.hash).match(/(?:#)(.*$)/)||[]}[1]}[""];return"/#/".test(t)&&(t=t.replace(/#\//,""),o.href="/"+t,t.replace(/((#)|(.*$)).split("/")||[],this.each(t,function(t,e){t=/^w=/,test(e)}
```

```
(e=e.split("="),o.search[e[0]]==e[1]):o.path.push(e)))},o),r.prototype.url=function(t){var n,e,o=this;return{pathname:t?((t.match(/\/.[^.]?\/.+/)||[0])||"").replace(/^[^\/]+/, "")}.repla...
```

https://10.132.197.11:9012/

```
// 获取当前页面的URL
const currentUrl = window.location.href
// 提取基础URL (协议 + 主机 + 端口)
const url = new URL(currentUrl)
const pathParts = url.pathname.split('/').filter((part) => part)
const officeShortName = pathParts[0] || ''
/* window.BASE_URL = `${url.protocol}/${url.hostname}${
  url.port ? `:${url.port}` : ''
}/api/` */
window.BASE_URL = `${url.protocol}/${url.hostname}${url.port ? `:${url.port}` : ''
}/${officeShortName}/api/`
window.COMPANY_NAME = '深光'
```

https://10.132.197.11:9012/assets/vue.01692e01.js

```
import(s as e,u as t,a as n,i as r,n as o,d as a,r as s,c,h as l,p as i,b as u,w as f,e as p,m as d,f as m,g as h,j as g,t as E,k as y,o as _l as v,q as b,v as O,x as k,y as N)from"/arco.93d87e4a.js";
/*!
 * vue-router v4.4.5
 * (c) 2024 Eduardo San Martin Morote
 * @license MIT
 */const T="undefined"!typeof document;function A(e){return"object"==typeof e||"displayName"in e||"props"in e||"__vccOpts"in e}const L=Object.assign;function w(e,t){const n={};for(const r in t){const o=t[r];n[r]=S(o)?o.map(e):e(o)}return n}const C=(()=>{
  {},S=Array.isArray,I=/#|g|P|s/g,D=/\//g,R=/=/g,M=/\?/g,x=/\+/g,F=/%5B/g,U=/%5D/g,j=/%5E/g,$=/%60/g,W=/%7B/g,G=/%7C/g,K=/%7D/g,V=/%20/g;function B(e){return encodeURI(""+e).replace(G,"|").replace(F,"[").replace(U,"]")function X(e){return B(e).replace(x,"%2B").replace(V,"+").replace(I,"%23").replace(P,"%26").replace($,"%").replace(W,"").replace(K,"")}.replace(j,"^")}function Y(e){return null==e?"":function(e){return B(e).replace(I,"%23").replace(M,"%3F").replace(D,"%2F")}function H(e){try{return decodeURIComponent(""+e)}catch(t){}return""}const q=/\/$/;function z(e,t,n="")let r,o={},a="",s="";const c=t.indexOf("#");let l=t.indexOf("?");return c<l&&c>=0&&(l=1),l>=1&&(r=t.slice(0,l),a=t.slice(l+1,c>=1?c:t.length),o=a),c>=1&&(r=r||t.slice(0,c),s=t.slice(c,t.length)),r=function(e,t){if(e.startsWith("/"))return e;if(!e)return t;const n=t.split("/"),r=e.split("/"),o=r[r.length-1],"."!=o&&"/"!=o||r.push("")let a,s,c=n.length-1;for(a=0;a<r.length;a++)if(s=r[a],"."!=s){if("."!=s)break;c>=1&&c--}return n.slice(0,c).join("/")+" "+r.slice(a).join("/")}(null!=r?t:n),(fullPath:r+(a&&"?"+"+s,path:r,query:o,hash:H(s)})function Q(e,t){return t&&e.toLowerCase().startsWith(t.toLowerCase())?e.slice(t.length)||"/":e}function J(e,t){return(e.aliasOf||e)==(t.aliasOf||t)}function Z(e,t){if(Object.keys(e).length!=Object.keys(t).length)return!1;for(const n in e)if(!e[n],t[n])return!1;return!0}function ee(e,t){return S(e)?te(e,t):S(t)?te(t,e):e==t}function te(e,t){return S(t)?e.length==t.length&&e.every((e,n)=>e==t[n]):1==e.length&&[0]==t}const ne=[path:"",name:void 0,params:{},query:{},hash:"",fullPath:"",matched:[],meta:{},redirectedFrom:void 0];var re,oe,ae,se;function oe(e){if(!e)if(T){const t=document.querySelector("base");e=(e?t&&t.getAttribute("href")||"/").replace(/^[^w+:\//\^\/]+/, "")}else e="/";return"/"!e[0]&&"#"!=e[0]&&(e="/"e),e.replace(q,"")}(oe=re||{re={}}).pop="pop",oe.push="push",(se=ae||{ae={}}).back="back",se.forward="forward",se.unknown="";const le=/^[^#]+#/;function ie(e,t){return e.replace(le,"")+t}const ue=(()=>{let left:window.scrollX,top:window.scrollY});function fe(e){let t;if("el"in e){const n=e.el,r="string"==typeof n&&n.startsWith("#"),o="string"==typeof n?r?document.getElementById(n.slice(1)):document.querySelector(n):n;if(!o)return;t=function(e,t){const n=document.documentElement.getBoundingClientRect(),r=e.getBoundingClientRect(),r=behavior:t.behavior,left:r.left-n.left-(t.left||0),top:r.top-n.top-(t.top||0)}(o,e)}else t="scrollBehavior"in document.documentElement.style?window.scrollTo(t):window.scrollTo(null!=t.left?t.left:window.scrollX,null!=t.top?t.top:window.scrollY)}function pe(e,t){return(history.state?history.state.position-t:-1)+const de=new Map;function me(e,t){const{pathname:n,search:r,hash:o}=t,a=e.indexOf("#");if(a>=1){let t=o.includes(e.slice(a))?e.slice(a).length:1,n=o.slice(t);return"/"!n[0]&&(n="/"n),Q(n,"")}return Q(n,e)+r+o}function he(e,t,n,r=1,o=1){return{back:e,current:t,forward:n,replaced:r,position:window.history.length,scroll:o?ue():null}}function ge(e){const{history:t,location:n}=window,r=(value:me(e,n)),o=(value:t.state);function a(r,a,s){const c=e.indexOf("#"),l=c>=1?(n.host&&document.querySelector("base"))?e:e.slice(c)+r:location.protocol+"//"+location.host+e;try{t[s?"replaceState":"pushState"](a,"",l),o.value=a}catch(i){n[s?"replace":"assign"](l)}return o.value||a(r.value,{back:null,current:r.value,forward:null,position:t.length-1,replaced:10,scroll:null},10),(location:r,state:o,push:function(e,n){const s=L({},o.value,t.state,forward:e,scroll:ue())};a(s.current,s,10),a(e,L({},he(r.value,e,null),{position:s.position+1,n},1),r.value=e),replace:function(e,n){a(e,L({},t.state,he(o.value,back,e,o.value,forward,10),n,{position:o.value.position},10),r.value=e)}function Ee(e){const t=ge(oe(e)),n=function(e,t,n,r){let o=[],a=[],s=null;const c=(state:t)=>const c=me(e,location),l=n.value,i=t.value;let u=0;if(a){if(n.value=c,t.value=a,s&&s==1)return void(s=null);u=i?a.position-i.position:0}else r(c);o.forEach((e=>(e(n.value,l,{delta:u,type:re.pop,direction:u?>0?ae.forward:ae.back:ae.unknown})))));function l(){const{history:e}=window;e.state&&e.replaceState(L({},e.state,{scroll:ue()}), "")}return window.addEventListener("popstate",c),window.addEventListener("beforeunload",l,{passive:!0}),{pauseListeners:function(){s=n.value},listen:function(e){o.push(e);const t=()=>{const t=o.indexOf(e);t>=...
```

https://10.132.197.11:9044/reuse/ajax/libs/blockUI/jquery.blockUI.js

```
;(function() {
/*jshint eqeqeq:false curly:false latodef:false */
"use strict";

function setup($) {
$.fn._fadeIn = $.fn.fadeIn;

var noOp = $.noop || function() {};

// this bit is to ensure we don't call setExpression when we shouldn't (with extra muscle to handle
// confusing userAgent strings on Vista)
var msie = /MSIE/.test(navigator.userAgent);
var ie6 = /MSIE 6.0/.test(navigator.userAgent) && ! /MSIE 8.0/.test(navigator.userAgent);
var mode = document.documentMode || 0;
var setExpr = $.isFunction( document.createElement('div').style.setExpression );

// global $ methods for blocking/unblocking the entire page
$.blockUI = function(opts) { install(window, opts); };
$.unblockUI = function(opts) { remove(window, opts); };


```

```

// convenience method for quick growl-like notifications (http://www.google.com/search?q=growl)
$.growlUI = function(title, message, timeout, onClose) {
    var $m = $('<div class="growlUI"></div>');
    if (title) $m.append('<h1>'+title+'</h1>');
    if (message) $m.append('<h2>'+message+'</h2>');
    if (timeout === undefined) timeout = 3000;

    // Added by konapun: Set timeout to 30 seconds if this growl is moused over, like normal toast notifications
    var callBlock = function(opts) {
        opts = opts || {};

        $.blockUI({
            message: $m,
            fadeIn: typeof opts.fadeIn !== 'undefined' ? opts.fadeIn : 700,
            fadeOut: typeof opts.fadeOut !== 'undefined' ? opts.fadeOut : 1000,
            timeout: typeof opts.timeout !== 'undefined' ? opts.timeout : timeout,
            centerY: false,
            showOverlay: false,
            onUnblock: onClose,
            css: $.blockUI.defaults.growlCSS
        });
    };

    callBlock();
    var normousedOpacity = $m.css('opacity');
    $m.mouseover(function() {
        callBlock({
            fadeIn: 0,
            timeout: 30000
        });

        var displayBlock = $('<.blockMsg>');
        displayBlock.stop(); // cancel fadeout if it has started
        displayBlock.fadeTo(300, 1); // make it easier to read the message by removing transparency
    }).mouseout(function() {
        $('<.blockMsg>').fadeOut(1000);
    });
    // End konapun additions
};

// plugin method for blocking element content
$.fn.block = function(opts) {
    if ( this[0] === window ) {
        $.blockUI( opts );
        return this;
    }
    var fullOpts = $.extend({}, $.blockUI.defaults, opts || {});
    this.each(function() {
        var $el = $(this);
        if (fullOpts.ignoreIfBlocked && $el.data('blockUI.isBlocked'))
            return;
        $el.unblock({ fadeOut: 0 });
    });

    return this.each(function() {
        if ($.css(this, 'position') === 'static') {
            this.style.position = 'relative';
            $(this).data('blockUI.static', true);
        }
        this.style.zoom = 1; // force 'hasLayout' in ie
        install(this, opts);
    });
};

// plugin method for unblocking element content
$.fn.unblock = function(opts) {
    if ( this[0] === window ) {
        $.unblockUI( opts );
        return this;
    }
    return this.each(function() {
        remove(this, opts);
    });
};

$.blockUI.version = 2.70; // 2nd generation blocking at no extra cost!

// override these in your code to change the default behavior and style
$.blockUI.defaults = {
    // message displayed when blocking (use null for no message)
    message: '<div class="loaderbox"><div class="loading-activity"></div> 加载中.....</div>',

    title: null, // title string; only used when theme === true
    draggable: true, // only used when theme === true (requires jquery-ui.js to be loaded)

    theme: false, // set to true to use with jQuery UI themes

    // styles for the message when blocking; if you wish to disable
    // these and use an external stylesheet then do this in your code:
    // $.blockUI.defaults.css = {};
    css: {
        padding: 0,

```

```

margin: 0,
width: '30%',
top: '40%',
left: '35%',
textAlign: 'center',
color: '#000',
border: '0px',
backgroundColor: 'transparent',
cursor: 'wait'
},

// minimal style set used when themes are used
themedCSS: {
width: '30%',
top: '40%',
left: '35%'
},

// styles for the overlay
overlayCSS: {
backgroundColor: '#000',
opacity: 0.6,
cursor: 'wait'
},

// style to replace wait cursor before unblocking to correct issue
// of lingering wait cursor
cursorReset: 'default',

// styles applied when using $.growlUI
growlCSS: {
width: '350px',
top: '10px',
left: '',
right: '10px',
border: 'none',
padding: '5px',
opacity: 0.6,
cursor: 'default',
color: '#fff',
backgroundColor: '#000',
'-webkit-border-radius': '10px',
'-moz-border-radius': '10px',
'border-radius': '10px'
},

// IE issues: 'about:blank' fails on HTTPS and javascript:false is s-l-o-w
// (hat tip to Jorge H. N. de Vasconcelos)
/*jslint scripturl:true */
iframeSrc: /https/i.test(window.location.href || '') ? 'javascript:false' : 'about:blank',

// force usage of iframe in non-IE browsers (handy for blocking apple...

```

<https://10.132.197.11:9044/reuse/ajax/libs/iCheck/iCheck.min.js>

```

/*! iCheck v1.0.3 by Damir Sultanov, https://github.com/dargullin/iCheck, MIT Licensed */
(function(k){function E(a,b,e){var c=a[0],f=/er/.test(e)?"indeterminate":b/.test(e)?"disabled":"checked",d="update"===e?checked:c.checked,disabled:c.disabled,indeterminate:"true"===a.attr("indeterminate")||"false"===a.attr("determinate")}:c[f];if(/^(ch|di|in)/.test(e)&&!d)B(a,f);else if(/^(un|en|de)/.test(e)&&d)v(a,f);else if("update"===e)for(var l in d)l?B(a,l,10):v(a,l,10);else b&&"toggle"!===l?(b||a.trigger("ifClicked"),d?"radio"!===c.type&&v(a,f):B(a,f))}function B(a,b,e){var c=a[0],f=a.parent(),d="checked"===b,l="indeterminate"===b,t="disabled"===b,u=l?"determinate":d?"unchecked":"enabled",x=q(a,u+C(c.type)),y=q(a,b+C(c.type));if(!l===c[b])if(!e&&"checked"===b&&"radio"===c.type&&c.name){var z=a.closest("form"),r=input[name="'+c.name+'"]';r=z.length?z.find(r):k(r);r.each(function(){this!==c&&k(this).data("iCheck")&&v(k(this),b)})}l?c[b]=!0,c.checked&&v(a,"checked","force"):e||c[b]=!0,d&&c.indeterminate&&v(a,"indeterminate",!1);I(a,d,b,e)}c.disabled&&q(a,"cursor",10)&&f.find("iCheck-helper").css("cursor","default");f.addClass(y||q(a,b)||"");f.attr("role")&&!l&&f.attr("aria-"+(t?"disabled":"checked"),"true");f.removeClass(x||q(a,u)||"");function v(a,b,e){var c=a[0],f=a.parent(),d="checked"===b,l="indeterminate"===b,t="disabled"===b,u=l?"determinate":d?"unchecked":"enabled",x=q(a,u+C(c.type)),y=q(a,b+C(c.type));if(!l===c[b])if(l||!e||"force"===e)c[b]=!1;I(a,d,u,e)}!c.disabled&&q(a,"cursor",10)&&f.find("iCheck-helper").css("cursor","pointer");f.removeClass(y||q(a,b)||"");f.attr("role")&&!l&&f.attr("aria-"+(t?"disabled":"checked"),"false");f.addClass(x||q(a,u)||"");function J(a,b){a.data("iCheck")&&(a.parent().html(a.attr("style"),a.data("iCheck")).s||""),b&&a.trigger(b),a.off("i").unwrap(),k("label[form='"+a[0].id+"'"]").add(a.closest("label")).off("i.i"))}function q(a,b,e){if(a.data("iCheck"))return a.data("iCheck").o[b+(e?"":"Class")]}function C(a){return a.charAt(0).toUpperCase()+a.slice(1)}function I(a,b,e,c){c||(b&&a.trigger("ifToggled"),a.trigger("change").trigger("ifChanged").trigger("if"+C(e)))}var G=/ip(hone|od|ad)(android|blackberry|windows phone|opera mini|silk/i.test(navigator.userAgent)||"MacIntel"===navigator.platform&&1<navigator.maxTouchPoints;k.fn.iCheck=function(a,b){var e=input[type="checkbox"],input[type="radio"],c=k(),f=function(g){g.each(function(){var m=k(this);c=m.is(e)?c.add(m):c.add(m.find(e))});if(/^(check|unchecked|toggle|indeterminate|determinate|disable|enable|update|destroy)$/.i.test(a))return a=a.toLowerCase(),f(this),c.each(function(){var g=k(this);"destroy"===a?J(g,"ifDestroyed"):E(g,10,a);k.isFunction(g)&&b()});if("object"!===typeof a&&a)return this;var d=k.extend({checkedClass:"checked",disabledClass:"disabled",indeterminateClass:"indeterminate",labelHover:{0},a,l=d.handle,t=d.hoverClass||"hover",u=d.focusClass||"focus",x=d.activeClass||"active",y=!d.labelHover,z=d.labelHoverClass||"hover",r=""+"d.increaseArea".replace("%","")0;if("checkbox"===l||"radio"===l)e=input[type="'+l+'"]';-50>r&&(r=-50);f(this);return c.each(function(){var g=k(this);J(g);var m=this,H=m.id,F=r+"%",w=100+2*r+"%",w={position:"absolute",top:F,left:F,display:"block",width:w,height:w;margin:0;padding:0;background:"fff",border:0,opacity:0};G={position:"absolute",visibility:"hidden"};r=w:{position:"absolute",opacity:0};var M="checkbox"===m.type?d.checkboxClass||"iCheck-box":d.radioClass||"iCheck-radio",D=k("label[form='"+H+"'"]").add(g.closest("label")),K=!d.aria,L="iCheck-"+Math.random().toString(36).substr(2,6),h="<div class='"+M+"'+(K?"role='"+m.type+"'":"");K&&D.each(function(){h+="

2026/3/3



144


```

```

n=p.type;p=p.keyCode;if("click"==n)return!1;if("keydown"==n&&32==p)return"radio"==m.type&&m.checked||m.checked?
v(g,"checked"):B(g,"checked"),1;if("keyup"==n&&"radio"==m.type)!m.checked&&B(g,"checked");else if(/u|ur/.test(n))h["blur"=
n?"removeClass":"addClass"](u));w.on("click mousedown mouseup mouseover mouseout touchbegin.i touchend.i",function(p){var n=p.type,A=/w|u|/.test(n)?x:t;if(!m.disabled)
{if("click"==n)E(g,!1,!0);else if(/w|er|in/.test(n)?h.addClass(A):h.removeClass(A)+" "+x,D.length&&y&&A==t)D[ut|nd/.test(n)?"removeClass":"add...

```

<https://10.132.197.11:9044/reuse/ajax/libs/bootstrap-table/extensions/export/tableExport.js>

```

/**
 * @preserve tableExport.jquery.plugin
 *
 * Version 1.9.8
 *
 * Copyright (c) 2015-2017 hhurz, https://github.com/hhurz
 *
 * Original Work Copyright (c) 2014 Giri Raj
 *
 * Licensed under the MIT License
 **/

(function ($) {
    $.fn.tableExport = function (options) {
        var defaults = {
            consoleLog: false,
            csvEnclosure: '"',
            csvSeparator: ',',
            csvUseBOM: true,
            displayTableName: false,
            escape: false,
            excelFileFormat: 'xlsxhtml', // xlsx = XML Spreadsheet 2003 file format (XSS), xlsxhtml = Excel 2000 html format
            excelRTL: false, // true = Set Excel option 'DisplayRightToLeft'
            excelStyles: [], // e.g. ['border-bottom', 'border-top', 'border-left', 'border-right']
            exportHiddenCells: false, // true = speed up export of large tables with hidden cells (hidden cells will be exported !)
            fileName: 'export',
            htmlContent: false,
            ignoreColumn: [],
            ignoreRow: [],
            jsonScope: 'all', // head, data, all
            jspdf: {
                orientation: 'p',
                unit: 'pt',
                format: 'a4', // jspdf page format or 'bestfit' for automatic paper format selection
                margins: {left: 20, right: 10, top: 10, bottom: 10},
                onDocCreated: null,
                autotable: {
                    styles: {
                        cellPadding: 2,
                        rowHeight: 12,
                        fontSize: 8,
                        fillColor: 255, // color value or 'inherit' to use css background-color from html table
                        textColor: 50, // color value or 'inherit' to use css color from html table
                        fontStyle: 'normal', // normal, bold, italic, bolditalic or 'inherit' to use css font-weight and font-style from html table
                        overflow: 'ellipsis', // visible, hidden, ellipsis or linebreak
                        halign: 'left', // left, center, right
                        valign: 'middle' // top, middle, bottom
                    },
                    headerStyles: {
                        fillColor: [52, 73, 94],
                        textColor: 255,
                        fontStyle: 'bold',
                        halign: 'center'
                    },
                    alternateRowStyles: {
                        fillColor: 245
                    }
                },
                tableExport: {
                    doc: null, // jsPDF doc object. If set, an already created doc will be used to export to
                    onAfterAutotable: null,
                    onBeforeAutotable: null,
                    onAutotableText: null,
                    onTable: null,
                    outputImages: true
                }
            },
            numbers: {
                html: {
                    decimalMark: '.',
                    thousandsSeparator: ','
                },
                output: { // set output: false to keep number format in exported output
                    decimalMark: '.',
                    thousandsSeparator: ','
                }
            },
            onCellData: null,
            onCellHtmlData: null,
            onIgnoreRow: null, // onIgnoreRow(Str, rowIndex): function should return true to not export a row
            onMsoNumberFormat: null, // Excel 2000 html format only. See readme.md for more information about msonumberformat
            outputMode: 'file', // 'file', 'string', 'base64' or 'window' (experimental)

```

```

pdfmake: {
  enabled: false,          // true: use pdfmake instead of jsPDF and jsPDF-autotable (experimental)
  docDefinition: {
    pageOrientation: 'portrait', // 'portrait' or 'landscape'
    defaultStyle: {
      font: 'Roboto'        // default is 'Roboto', for arabic font set this option to 'Mirza' and include mirza_fonts.js
    }
  },
  fonts: {}
},
tbodySelector: 'tr',
tfootSelector: 'tr',      // set empty (') to prevent export of tfoot rows
theadSelector: 'tr',
tableName: 'Table',
type: 'csv',              // 'csv', 'tsv', 'txt', 'sql', 'json', 'xml', 'excel', 'doc', 'png' or 'pdf'
worksheetName: ''
};

var FONT_ROW_RATIO = 1.15;
var el = this;
var DownloadEvt = null;
var $throws = [];
var $rows = [];
var rowIndex = 0;
var trData = '';
var colNames = [];
var ranges = [];
var blob;
var $hiddenTableElements = [];
var checkCellVisibilty = false;

$.extend(true, defaults, options);

colNames = GetColumnNames(el);

if ( defaults.type === 'csv' || defaults.type === 'tsv' || defaults.type === 'txt' ) {

  var csvData = '';
  var rowlength = 0;
  var ranges = [];
  var rowIndex...

```

<https://10.132.197.11:9044/reuse/ajax/libs/toastr/toastr.min.js>

```

!function(e){e("jQuery"),function(e){return function t(e,t,n){return f((type:0,error,iconClass:g().iconClasses.error,message:e,optionsOverride:n,title:t))}function n(t,n){return t||t===0?e("t.containerId",v.length?v:(n&&(v=c(t)),v))}function i(e,t,n){return f((type:0,info,iconClass:g().iconClasses.info,message:e,optionsOverride:n,title:t))}function o(e){w=e}function s(e,t,n){return f((type:0,success,iconClass:g().iconClasses.success,message:e,optionsOverride:n,title:t))}function a(e,t,n){return f((type:0,warning,iconClass:g().iconClasses.warning,message:e,optionsOverride:n,title:t))}function r(e){var t=g();v|n(t),l(e,t)||u(t)}function d(t){var i=g();return v|n(i),t&=e("t.focus",t).length?void h(t):void(v.children().length&&v.remove())}function u(t){for(var n=v.children(),i=n.length-1;i>=0;i--)l(e(n[i]),t)}function l(t,n){return t&=e("t.focus",t).length?{[n.hideMethod]}((duration:n.hideDuration,easing:n.hideEasing,complete:function(){h(t)}),!0):!1}function c(t){return v=e("<div/>").attr("id",t.containerId).addClass(t.positionClass).attr("aria-live","polite").attr("role","alert"),v.appendTo(e(t.target)),v}function p(){return(tapToDismiss:0,toastClass:"toast",containerId:"toast-container",debug:!1,showMethod:"fadeIn",showDuration:300,showEasing:"swing",onShown:void 0,hideMethod:"fadeOut",hideDuration:1e3,hideEasing:"swing",onHidden:void 0,extendedTimeOut:1e3,iconClasses:{error:"toast-error",info:"toast-info",success:"toast-success",warning:"toast-warning"},iconClass:"toast-info",positionClass:"toast-top-right",timeOut:5e3,titleClass:"toast-title",messageClass:"toast-message",target:"body",closeHtml:'<button type="button">&times;</button>',newestOnTop:!0,preventDuplicates:!1,progressBar:!1)}function m(e){w&&w(e)}function f(t){function i(t){return!e("t.focus",l).length||t?(clearTimeout(0.intervalId),l[r.hideMethod]}((duration:r.hideDuration,easing:r.hideEasing,complete:function(){h(l),r.onHidden&&"hidden"!==b.state&&r.onHidden(),b.state="hidden",b.endTime=new Date,m(b)))):void 0}function o(){(r.timeOut>0||r.extendedTimeOut>0)&&(v=setTimeout(i,r.extendedTimeOut),O.maxHideTime=parseFloat(r.extendedTimeOut),O.hideEta=(new Date).getTime()+O.maxHideTime)}function s(){clearTimeout(u),O.hideEta=0,l.stop(!0,l)[r.showMethod]}((duration:r.showDuration,easing:r.showEasing))}function a(){var e=(O.hideEta-(new Date).getTime()+O.maxHideTime*100)/f.width(e+"%")}var r=g(),d=t.iconClass||r.iconClass;if("undefined"!typeof t.optionsOverride&&(r=e.extend(r,t.optionsOverride),d=t.optionsOverride.iconClass||d),r.preventDuplicates){if(t.message===C)return;C=t.message}T++,v=n(r,!0);var u=null,l=e("<div/>"),p=e("<div/>"),f=e("<div/>"),w=e(r.closeHtml),o=(intervalId:null,hideEta:null,maxHideTime:null),b=(toastId:T,state:"visible",startTime:new Date,options:r,map:t);return t.iconClass&&l.addClass(r.toastClass).addClass(d),t.title&&(c.append(t.title).addClass(r.titleClass),l.append(c)),t.message&&(p.append(t.message).addClass(r.messageClass),l.append(p)),r.closeButtons&&(w.addClass("toast-close-button").attr("role","button"),l.prepend(w)),r.progressBar&&(f.addClass("toast-progress"),l.prepend(f)),l.hide(),l.hover(s,o),r.onClicked&&r.tapToDismiss&&l.click(i),r.closeButtons&&w.click(function(){e.stopPropagation?e.stopPropagation():void 0!==e.cancelBubble&&e.cancelBubble=!0&&(e.cancelBubble=0),i(!0)}),r.onClicked&&l.click(function(){r.onClicked(),i(!0)}),m(b),r.debug&&console&&console.log(b),l}function g(){return e.extend({},p,o,b,options)}function h(e){v|v=n(),e.is(":visible")||e.remove(),e=null,O=v.children().length&&(v.remove(),C=void 0)}var v,w,C,T=0,O={error:"error",info:"info",success:"success",warning:"warning"},b={clear:r.remove,d,error:t,container:n,info:i,options:{},subscribe:o,success:s,version:"2.1.0",warning:a};return b}())("function"!==typeof define&&define.amd?define:function(e,t){("undefined"!typeof module&&module.exports?module.exports=t(require("jQuery")):window.toastr=t(window.jQuery))};

```

<https://10.132.197.11:9044/reuse/ajax/libs/layer/layer.min.js>

```

/*! layer-v3.5.1 Web 通用弹出层组件 MIT License */
function(i,d){var e=i.layout&&i.layout.define,f,h,j=(getPath:function(){var m=document.currentScript?document.currentScript.src:function(){var p=document.scripts,c=p.length-1,q;for(var n=0;n>0;n--)(if(p[n].readyState==="interactive"){q=p[n].src;break})return q||p[c].src})(),l=i.LAYUI_GLOBAL||{};return l.layer_dir||m.substring(0,m.lastIndexOf("/")+1)}(),config:{},end:{},minIndex:0,minLeft:[],btn:["%#x786%;#x5B9A%;","%#x53D6;#x6D88;"],type:["dialog","page","iframe","loading","tips"],getStyle:function(n,l){var m=n.currentStyle?n.currentStyle:i.getComputedStyle(n,null);return m[m.getPropertyValue?"getPropertyValue":"getAttribute"](l)},link:function(l,t,m){if(!g.path){return}var u=document.getElementsByTagName("head")[0],s=document.createElement("link");if(typeof t==="string"){m=t}var o=m[l].replace(/\.\/\//g,"");var n="layui-css-+o,p=creating",r=0;s.rel="stylesheet";s.href=g.path+l;s.id=n;if(!document.getElementById(n)){u.appendChild(s)}if(typeof t!=="function"){return}function q(v){var w=100,x=document.getElementById(n){if(++r>100000/w){return i.console&&console.error("t.css: Invalid")}if(parseInt(j.getStyle(x,"width"))===1989){if(v===){x.removeAttribute("lay-status")}x.getAttribute("lay-status")?p=setTimeout(q,w):t()}}else{x.setAttribute("lay-status",p);setTimeout(function(){q(p),w)}(),w)}()}};var g=(v:"3.5.1",ie:function(){var l=navigator.userAgent.toLowerCase();return!!l.ActiveXObject||"ActiveXObject" in i)?(l.match(/msie\s(\d+)/)||[1])[1]||"11":false},index:(i.layer&&i.layer.v)?100000:0,path:j.getPath,config:function(l,m){l=l||{};g.cache=j.config=f.extend({},j.config,l);g.path=j.config.path||g.path;typeof l.extend==="string"&&(l.extend=[l.extend]);if(j.config.path){g.ready()}{if(l.extend){return this}e.layout.addcss("modules/layer/"+l.extend):j.link("theme/"+l.extend);return this},ready:function(o){var m="layer",l="",r=

```

```
(e?"modules/layer/":"/theme/")+"default/layer.css?v="+g.v+1;e?layui.addcss(n,o,m):j.link(n,o,m);return this},alert:function(n,l,o){var m=typeof l=="function";if(m){o=l}return
g.open(f.extend({content:n,yes:o,m?{}:l})),confirm:function(o,l,p,n){var m=typeof l=="function";if(m){n=p;p=l}return g.open(f.extend({content:o,btn:j.btn,yes:p,btn2:n},m?
{}:l))},msg:function(o,m,l){var n=typeof m=="function";r=j.config.skin;var q=(r?" "+r+"-msg":"")||"layui-layer-msg";var p=c.anim.length-1;if(n){l=m}return
g.open(f.extend({content:o,time:3000,shade:false,skin:g.title:false,closeBtn:false,btn:false,resize:false,end:l},{n&&!j.config.skin}?{skin:q+" layui-layer-hui",anim:p}:function(){m=m||
});if(m.icon==1|m.icon==d&&!j.config.skin){m.skin=q+" "+(m.skin||"layui-layer-hui")}return m})),load:function(m,l){return
g.open(f.extend({type:3,icon:m[0],resize:false,shade:0.01,l}))},tips:function(n,l,m){return g.open(f.extend({type:4,content:
[n,l],closeBtn:false,time:3000,shade:false,resize:false,fixd:false,maxWidth:260},m))};var b=function(m){var n=this,l=function(){
n.creat();n.index+=g.index;n.config.maxWidth=f(h).width()-15*2;n.config=f.extend({},n.config,j.config,m);document.body?l():setTimeout(function(){l()},30)};b.pt=b.prototype;var c=
"layui-layer","layui-layer-title","layui-layer-main","layui-layer-dialog","layui-layer-iframe","layui-layer-content","layui-layer-btn","layui-layer-close";c.anim=["layer-anim-
00","layer-anim-01","layer-anim-02","layer-anim-03","layer-anim-04","layer-anim-05","layer-anim-06"];c.SHADE="layui-layer-shade";c.MOVE="layui-layer-move";b.pt.config=
{type:0,shade:0.3,fixd:true,move:c[1],title:"%#x4FEl;%#x606F",offset:"auto",area:"auto",closeBtn:1,time:0,zIndex:19891014,maxWidth:360,anim:0,isOutAnim:true,minStack:true,icon:-
1,moveType:1,resize:true,scrollbar:true,tips:2};b.pt.vessel=function(p,t){var q=this,l=q.index,o=q.config;var s=o.zIndex+1,n=typeof o.title=="object";var r=o.maxmin&&
(o.type==1||o.type==2);var m=(o.title?'<div class="layui-layer-title" style="'+(n?o.title[1]:'')+'">'+(n?o.title[0]:o.title)+'"></div>':"");o.zIndex=s;t([o.shade?'<div
class="'+c.SHADE+'" id="'+c.SHADE+l+'" times="'+l+l'" style="'+("z-index:"+s-l)+"'; "+'"></div>':""),'<div class="'+c[0]+(' layui-layer-'+j.type[o.type])+
((o.type==0||o.type==2)&&o.shade?' layui-layer-border':"')+ '"'+(o.skin||'')+ '" id="'+c[0]+l+l'" type="'+j.type[o.type]+' times="'+l+l'" showtime="'+o.time+' conftype="'+
(p?'object':"string")+ '" style="z-index: '+s+'; width:'+o.area[0]+';height:'+o.area[1]+';position:'+o.fixd?'fixed':"absolute;")+ '">'+(p&o.type!=2?'':m)+'<div id="'+(o.id||'')+ '"
class="layui-layer-content'+(o.type==0&o.icon!=1?' layui-layer-padding':"')+ (o.type==3?' layui-layer-loading'+o.icon:"")+ '">'+(o.type==0&o.icon!=1?'<i class="layui-layer-ico
layui-layer-ico'+o.icon+'"/>'+(o.type==1&p?'':(o.content||'')))+'</div>'+<span class="layui-layer-setwin">'+function(){var u=r?'<a class="layui-layer-min" href="javascript:; ">
<cite></cite></a>'+<a class="layui-layer-ico layui-layer-max" href="javascript:; "></a>':"';o.closeBtn&&(u+=<a class=
```

<https://10.132.197.11:9044/reuse/systemplus/js/security.js>

```
/*
 * RSA, a suite of routines for performing RSA public-key computations in JavaScript.
 * Copyright 1998-2005 David Shapiro.
 * Dave Shapiro
 * dave@ohdave.com
 * changed by Fuchun, 2010-05-06
 * fcrpg2005@gmail.com
 */

(function($w) {

if(typeof $w.RSAUtils === 'undefined')
var RSAUtils = $w.RSAUtils = {};

var biRadixBase = 2;
var biRadixBits = 16;
var bitsPerDigit = biRadixBits;
var biRadix = 1 << 16; // = 2^16 = 65536
var biHalfRadix = biRadix >>> 1;
var biRadixSquared = biRadix * biRadix;
var maxDigitVal = biRadix - 1;
var maxInteger = 9999999999999999;

//maxDigits:
//Change this to accommodate your largest number size. Use setMaxDigits()
//to change it!
//
//In general, if you're working with numbers of size N bits, you'll need 2*N
//bits of storage. Each digit holds 16 bits. So, a 1024-bit key will need
//
//1024 * 2 / 16 = 128 digits of storage.
//
var maxDigits;
var ZERO_ARRAY;
var bigZero, bigOne;

var BigInt = $w.BigInt = function(flag) {
if (typeof flag == "boolean" && flag == true) {
this.digits = null;
} else {
this.digits = ZERO_ARRAY.slice(0);
}
this.isNeg = false;
};

RSAUtils.setMaxDigits = function(value) {
maxDigits = value;
ZERO_ARRAY = new Array(maxDigits);
for (var iza = 0; iza < ZERO_ARRAY.length; iza++) ZERO_ARRAY[iza] = 0;
bigZero = new BigInt();
bigOne = new BigInt();
bigOne.digits[0] = 1;
};
RSAUtils.setMaxDigits(20);

//The maximum number of digits in base 10 you can convert to an
//integer without JavaScript throwing up on you.
var dpl10 = 15;

RSAUtils.biFromNumber = function(i) {
var result = new BigInt();
result.isNeg = i < 0;
i = Math.abs(i);
var j = 0;
while (i > 0) {
result.digits[j++] = i % maxDigitVal;
i = Math.floor(i / biRadix);
}
```

```

    }
    return result;
};

//lr10 = 10 ^ dp10
var lr10 = RSAUtils.biFromNumber(1000000000000000);

RSAUtils.biFromDecimal = function(s) {
    var isNeg = s.charAt(0) == '-';
    var i = isNeg ? 1 : 0;
    var result;
    // Skip leading zeros.
    while (i < s.length && s.charAt(i) == '0') ++i;
    if (i == s.length) {
        result = new BigInt();
    }
    else {
        var digitCount = s.length - i;
        var fgl = digitCount % dp10;
        if (fgl == 0) fgl = dp10;
        result = RSAUtils.biFromNumber(Number(s.substr(i, fgl)));
        i += fgl;
        while (i < s.length) {
            result = RSAUtils.biAdd(RSAUtils.biMultiply(result, lr10),
                RSAUtils.biFromNumber(Number(s.substr(i, dp10))));
            i += dp10;
        }
        result.isNeg = isNeg;
    }
    return result;
};

RSAUtils.biCopy = function(bi) {
    var result = new BigInt(true);
    result.digits = bi.digits.slice(0);
    result.isNeg = bi.isNeg;
    return result;
};

RSAUtils.reverseStr = function(s) {
    var result = "";
    for (var i = s.length - 1; i > -1; --i) {
        result += s.charAt(i);
    }
    return result;
};

var hexatrigesimalToChar = [
    '0', '1', '2', '3', '4', '5', '6', '7', '8', '9',
    'a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j',
    'k', 'l', 'm', 'n', 'o', 'p', 'q', 'r', 's', 't',
    'u', 'v', 'w', 'x', 'y', 'z'
];

RSAUtils.biToString = function(x, radix) { // 2 <= radix <= 36
    var b = new BigInt();
    b.digits[0] = radix;
    var qr = RSAUtils.biDivideModulo(x, b);
    var result = hexatrigesimalToChar[qr[1].digits[0]];
    while (RSAUtils.biCompare(qr[0], bigZero) == 1) {
        qr = RSAUtils.biDivideModulo(qr[0], b);
        digit = qr[1].digits[0];
        result += hexatrigesimalToChar[qr[1].digits[0]];
    }
    return (x.isNeg ? "-" : "") + RSAUtils.reverseStr(result);
};

RSAUtils.biToDecimal = function(x) {
    var b = new BigInt();
    b.digits[0] = 10;
    var qr = RSAUtils.biDivideModulo(x, b);
    var result = String(qr[1].digits[0]);
    while (RSAUtils.biCompare(qr[0], bigZero) == 1) {
        qr = RSAUtils.biDivideModulo(qr[0], b);
        result += String(qr[1].digits[0]);
    }
    return (x.isNeg ? "-" : "") + RSAUtils.reverseStr(result);
};

var hexToChar = ['0', '1', '2', '3', '4', '5', '6', '7', '8', '9',
    'a', 'b', 'c', 'd', 'e', 'f'];

RSAUtils.digitToHex = function(n) {
    var mask = 0xf;
    var result = "";
    for (i = 0; i < 4; ++i) {
        result += hexToChar[n & mask];
        n >>= 4;
    }
    return RSAUtils.reverseStr(result);
};

RSAUtils.biToHex = function(x) {

```

```

var result = "";
var n = RSAUtils.biHighIndex(x);
for (var i = RSAUtils.biHighIndex(x); i > -1; --i) {
    result += RSAUtils.digitToHex(x.digits[i]);
}
return result;
};

RSAUtils.charToHex = function(c) {
    var ZERO = 48;
    var NINE = ZERO + 9;
    var littleA = 97;
    var littleZ = littleA + 25;
    var bigA = 65;
    var bigZ = 65 + 25;
    var result;

    if (c >= ZERO && c <= NINE) {
        result = c - ZERO;
    } else if (c >= bigA && c <= bigZ) {
        result = 10 + c - bigA;
    } else if (c >= littleA && c <= littleZ) {
        result = 10 + c - littleA;
    } else {
        result = 0;
    }
    return result;
};

RSAUtils.hexToDigit = function(s) {
    var result = 0;
    var sl = Math.min(s.length, 4);
    for (var i = 0; i < sl; ++i) {
        result <<= 4;
        result |= RSAUtils.charToHex(s.charCodeAt(i));
    }
    return result;
};

RSAUtils.biFromHex = function(s) {
    var result = new BigInt();
    var sl = s.length;
    for (var i = sl, j = 0; i > 0; i -= 4, ++j) {
        result.d...
    }
}

```

<https://10.132.197.11:9044/reuse/systemplus/js/common.js>

```

/**
 * 通用方法封装处理
 * Copyright (c) 2018 systemplus
 */
var startLAYDate;
var endLAYDate;
$(function() {
    // layer扩展皮肤
    /*if (window.layer !== undefined) {
        layer.config({
            extend: 'moon/style.css',
            skin: 'layer-ext-moon'
        });
    }*/

    // 回到顶部绑定
    if ($.fn.scrollToTop !== undefined) {
        $('#scroll-up').scrollTop();
    }

    // select2复选框事件绑定
    if ($.fn.select2 !== undefined) {
        $.fn.select2.defaults.set( "theme", "bootstrap" );
        $("select.form-control:not(.noselect2)").each(function () {
            $(this).select2().on("change", function () {
                $(this).valid();
            })
        })
    }

    // iCheck单选框及复选框事件绑定
    if ($.fn.iCheck !== undefined) {
        $(".checkbox-box:not(.noicheck),.radio-box:not(.noicheck)").each(function () {
            $(this).iCheck({
                checkboxClass: 'icheckbox-blue',
                radioClass: 'iradio-blue',
            })
        })
    }

    // 气泡弹出框特效（移到元素时）
    $(document).on("mouseenter", ".table [data-toggle='popover']", function () {

```

```

var _this = this;
$(this).popover("show");
$($(".popover").on("mouseleave", function() {
    $(_this).popover('hide');
}));

// 气泡弹出框特效（离开元素时）
$(document).on("mouseleave", ".table [data-toggle='popover']", function() {
    var _this = this;
    setTimeout(function() {
        if (!$($(".popover:visible").length) $(_this).popover("hide");
    }, 100);
});

// 取消回车自动提交表单
$(document).on("keypress", ":input:not(textarea):not([type=submit])", function(event) {
    if (event.keyCode === 13) {
        event.preventDefault();
    }
});

// select2复选框事件绑定
if ($.fn.select2 !== undefined) {
    $(".select-form-control:not(.noselect2)").each(function () {
        $(this).select2().on("change", function () {
            $(this).valid();
        })
    })
}

// checkbox 事件绑定
if ($($(".checkbox-box").length > 0) {
    $(".checkbox-box").iCheck({
        checkboxClass: 'icheckbox-blue',
        radioClass: 'iradio-blue',
    })
}

// radio 事件绑定
if ($($(".radio-box").length > 0) {
    $(".radio-box").iCheck({
        checkboxClass: 'icheckbox-blue',
        radioClass: 'iradio-blue',
    })
}

// laydate 时间控件绑定
if ($($(".select-time").length > 0) {
    layui.use('laydate', function() {
        var laydate = layui.laydate;
        var startDate = laydate.render({
            elem: '#startTime',
            max: $('#endTime').val(),
            theme: 'molv',
            trigger: 'click',
            done: function(value, date) {
                // 结束时间大于开始时间
                if (value !== '') {
                    endDate.config.min.year = date.year;
                    endDate.config.min.month = date.month - 1;
                    endDate.config.min.date = date.date;
                } else {
                    endDate.config.min.year = '';
                    endDate.config.min.month = '';
                    endDate.config.min.date = '';
                }
            }
        });
        var endDate = laydate.render({
            elem: '#endTime',
            min: $('#startTime').val(),
            theme: 'molv',
            trigger: 'click',
            done: function(value, date) {
                // 开始时间小于结束时间
                if (value !== '') {
                    startDate.config.max.year = date.year;
                    startDate.config.max.month = date.month - 1;
                    startDate.config.max.date = date.date;
                } else {
                    startDate.config.max.year = '';
                    startDate.config.max.month = '';
                    startDate.config.max.date = '';
                }
            }
        });
    });
}

// laydate time-input 时间控件绑定
/*if ($($(".time-input").length > 0) {
    layui.use('laydate', function() {
        var laydate = layui.laydate;
        var times = $(".time-input");
        for (var i = 0; i < times.length; i++) {
            var time = times[i];

```

```
laydate.render({
  elem: time,
  theme: 'molv',
  trigger: 'click',
  done: function(value, date) {}
});
});
}*/

// laydate time-input 时间控件绑定
if ($(".time-input").length > 0) {
  layui.use('laydate', function () {
    var com = layui.laydate;
    $(".time-input").each(function (index, item) {
      var time = $(item);
      // 控制控件外观
      var type = time.attr("data-type") || 'date';
      // 控制回显格式
      var format = time.attr("data-format") || 'yyyy-MM-dd';
      // 控制日期控件按钮
      var buttons = time.attr("data-btn") || 'clear|now|confirm', newBtnArr = [];
      // 日期控件选择完成后回调处理
      var callback = time.attr("data-callback") || {};
      if (buttons) {
        if (buttons.indexOf("|") > 0) {
          var btnArr = buttons.split("|"), btnLen = btnArr.length;
          for (var j = 0; j < btnLen; j++) {
            if ("clear" === btnArr[j] || "now" === btnArr[j] || "confirm" === btnArr[j]) {
              newBtnArr.push(btnArr[j]);
            }
          }
        } else {
          if ("clear" === buttons || "now" === buttons || "confirm" === buttons) {
            newBtnArr.push(buttons);
          }
        }
      } else {
        newBtnArr = ['clear', 'now', 'confirm'];
      }
      com.render({
        elem: item,
        theme: 'molv',
        trigger: 'click',
        type: type,
        format: format,
        btns: newBtnArr,
        ...
      });
    });
  });
}
```

https://10.132.197.11:9044/js/chunk-vendors.567c62f0.js

```
(self["webpackChunkdataEncryptionServer"]=self["webpackChunkdataEncryptionServer"]||[]).push([[504],[1951:function(e,t){("use strict";function o(e,t){a(e)&&(e=="100%");var n=r(e);return e=360-t?e:Math.min(t,Math.max(0,parseFloat(e))),n&&(e=parseInt(String(e*t),10)/100),Math.abs(e-t)<1e-6?1:(e=360-t?e<0?e&+t:e&-t):parseFloat(String(t)):e&t/parseFloat(String(t)),e)}function l(e){return Math.min(1,Math.max(0,e))}function a(e){return"string"===typeof e&&1===e.indexOf(".")&&1===parseFloat(e)}function r(e){return"string"===typeof e&&1===e.indexOf("%")}function i(e){return e=parseFloat(e),(isNaN(e)||e<0||e>1)&&(e=1),e}function s(e){return e<1?"".concat(100*Number(e),"%"):e}function u(e,t,n){return 1===e.length?0+"e:String(e)}function c(e,t,n){return(r:255*(e,255),g:255*(t,255),b:255*(n,255))}function d(e,t,n){e=o(e,255),t=o(t,255),n=o(n,255);var l=Math.max(e,t,n),a=Math.min(e,t,n),r=0,i=0,s=(l+a)/2;if(l===a)i=0,r=0;else{var u=l-a;switch(i=s>.5?u/(2-l-a):u/(l+a),l){case e:r=(t-n)/u*(t<n?6:0);break;case t:r=(n-e)/u*(n>e?6:0);break;case n:r=(e-t)/u*(e>t?6:0);break;default:break}r/=6}return(h:r,s:i,l:s)}function p(e,t,n){return n<0&&(n=1),n>1&&(n=1),n<1/6?e+6*n*(t-e):n<.5?t-n<3?e+(t-e)*(2/3-n)*6:e}function f(e,t,n){var l,a,r;if(e=o(e,360),t=o(t,100),n=o(n,100),0===t)a=n,r=n,l=n;else{var i=n<.5?n*(l+t):n+t-n*t,s=2*n-i;l=p(s,i,e+1/3),a=p(s,i,e),r=p(s,i,e-1/3)}return(r:255*l,g:255*a,b:255*r)}function v(e,t,n){e=o(e,255),t=o(t,255),n=o(n,255);var l=Math.max(e,t,n),a=Math.min(e,t,n),r=0,i=1,s=l-a,u=0===l?0:s/l;if(l===a)r=0;else{switch(l){case e:r=(t-n)/s*(t<n?6:0);break;case t:r=(n-e)/s*(n>e?6:0);break;case n:r=(e-t)/s*(e>t?6:0);break;default:break}r/=6}return(h:r,s:u,v:i)}function h(e,t,n){e=6*(e,360),t=o(t,100),n=o(n,100);var l=Math.floor(e),a=e-l,r=n*(l-t),i=n*(l-a*t),s=n*(l-(l-a)*t),u=l%6,c=[n,i,r,s,n,i][u],d=[s,n,n,i,r,r][u],p=[r,r,s,n,n,i][u];return(r:255*c,g:255*d,b:255*p)}function m(e,t,n,o){var l=[u(Math.round(e).toString(16)),u(Math.round(t).toString(16)),u(Math.round(n).toString(16))];return o&&l[0].startsWith(l[0].charAt(1))&&l[1].startsWith(l[1].charAt(1))&&l[2].startsWith(l[2].charAt(1))?!l[0].charAt(0)+l[1].charAt(0)+l[2].charAt(0):l.join("")}function g(e,t,n,o,l){var a=[u(Math.round(e).toString(16)),u(Math.round(t).toString(16)),u(Math.round(n).toString(16)),u(o.toString(16))];return l&&a[0].startsWith(a[0].charAt(1))&&a[1].startsWith(a[1].charAt(1))&&a[2].startsWith(a[2].charAt(1))&&a[3].startsWith(a[3].charAt(1))?!a[0].charAt(0)+a[1].charAt(0)+a[2].charAt(0)+a[3].charAt(0):a.join("")}function b(e){return Math.round(255*parseFloat(e)).toString(16)}function y(e){return w(e)/255}function w(e){return parseInt(e,16)}function C(e){return(r:e>16,g:(65280/e)>>8,b:255*e).n.d(t,{q:function(){return W}});var R={aliceblue:"#f0f8ff",antiquewhite:"#faebd7",aqua:"#00ffff",aquamarine:"#7fffd4",azure:"#f0ffff",beige:"#f5f5dc",bisque:"#ffe4c4",black:"#000000",blanchedalmond:"#ffebcd",blue:"#0000ff",bluemediumslateblue:"#4169e1",brown:"#a52a2a",burlywood:"#deb887",cadetblue:"#5f9ea0",chartreuse:"#7fff00",chocolate:"#d2691e",coral:"#ff7f50",cornflowerblue:"#6495ed",cornsilk:"#ffffdc",crimson:"#dc143c",cyan:"#00ffff",darkblue:"#00008b",darkcyan:"#008b8b",darkgoldenrod:"#8b860b",darkgray:"#a9a9a9",darkgreen:"#006400",darkgrey:"#a9a9a9",darkkhaki:"#bdb76b",darkmagenta:"#8b008b",darkolivegreen:"#556b2f",darkorange:"#ff8c00",darkorchid:"#9932cc",darkred:"#8b0000",darksalmon:"#e9967a",darkseagreen:"#8fbc8f",darkslateblue:"#483d8b",darkslategray:"#2f4f4f",darkslategrey:"#2f4f4f",darkturquoise:"#00ced1",darkviolet:"#9400d3",deeppink:"#ff1493",deepskyblue:"#00bfff",dimgray:"#696969",dimgrey:"#696969",dodgerblue:"#1e90ff",firebrick:"#b22222",floralwhite:"#fffaf0",forestgreen:"#228b22",fuchsia:"#ff00ff",gainsboro:"#d3d3d3",ghostwhite:"#f8f8ff",goldenrod:"#daa520",gold:"#ffd700",gray:"#808080",green:"#008000",greenyellow:"#adff2f",grey:"#808080",honeydew:"#f0ffff",hotpink:"#ff69b4",indianred:"#cd5c5c",indigo:"#4b0082",ivory:"#ffff00",khaki:"#f0e68c",lavenderblush:"#fff0f5",lavender:"#e6e6fa",lawngreen:"#7cfc00",lemonchiffon:"#ffff00",lightblue:"#add8e6",lightcoral:"#f08080",lightcyan:"#e0ffff",lightgoldenrodyellow:"#fafad2",lightgray:"#d3d3d3",lightgreen:"#90ee90",lightgrey:"#d3d3d3",lightpink:"#ffb6c1",lightsteelblue:"#3498db",lightslateblue:"#28b2aa",lightskyblue:"#87cefa",lightslategray:"#778899",lightsteelblue:"#3498db",lightyellow:"#ffff00",lime:"#00ff00",limegreen:"#32cd32",linen:"#fafaf0",magenta:"#ff00ff",maroon:"#800000",mediumaquamarine:"#66cdaa",mediumblue:"#0000cd",mediumorchid:"#ba55d3",mediumpurple:"#9370db",mediumseagreen:"#3cb371",mediumslateblue:"#7b68ee",mediumspringgreen:"#00fa9a",mediumturquoise:"#4682b4",mediumvioletred:"#c71585",midnightblue:"#191970",mintcream:"#f5fffa",mistyrose:"#ffe4e1",moccasin:"#ffe4b5",navajowhite:"#f5deb3",navy:"#000080",oldlace:"#f5deb3",olive:"#808000",olivedrab:"#808000",orange:"#ffa500",orangered:"#ff4500",orchid:"#da70d3",palegoldenrod:"#eee8aa",palegreen:"#98fb98",paleturquoise:"#afeeee",palevioletred:...}
```

https://10.132.197.11:9044/reuse/systemplum/js/fast.js

```
var GlobalConfig={
```

```

msg_type:"toastr",//消息提示样式, 可选的有toastr和layer
msg_type toastr:"toastr",
msg_type_layer:"layer",
}
/**
 * 判断非空
 * @param val
 * @returns {Boolean}
 */
function isEmpty(val) {
    val = $.trim(val);
    if (val == null)
        return true;
    if (val == undefined || val == 'undefined')
        return true;
    if (val == "")
        return true;
    if (val.length == 0)
        return true;
    if (!/[^\s*]|(\s*$)]/.test(val))
        return true;
    return false;
}
function isNotEmpty(val) {
    return !isEmpty(val);
}
function isEmail(v) {
    var myreg = /^[a-zA-Z0-9]+[_\|\.|\.]?*[a-zA-Z0-9]+@[a-zA-Z0-9]+[_\|\.|\.]?*[a-zA-Z0-9]+\.[a-zA-Z]{2,3}$/;
    if (!myreg.test(v))//对输入的值进行判断
    {
        return false;
    }
    return true;
}
function isQQ(v){
    if (/^[0-9]{5,10}$/.test(v)){
        return true;
    }else{
        return false;
    }
}
function addFav(title,url) {// 加入收藏夹
    if (document.all)
    {
        window.external.addFavorite(url,title);
    }
    else if (window.sidebar)
    {
        window.sidebar.addPanel(title,url, "");
    }
}

String.prototype.endsWith = function (str){
    return this.slice(-str.length) == str;
};

$(function(){
    baseMethods.init();
});
var baseMethods = function(){
    // lazyLoad
    var lazyLoad = function(){
        try{
            $("img.lazy").lazyload({threshold: 100,effect: "fadeIn"});
        }catch (ex){}
    };
    var imgError = function(){
        document.addEventListener("error", function (e) {
            var elem = e.target;
            if (elem.tagName.toLowerCase() == "img") {
                elem.src = "/resources/myblog/assets/i/f10.jpg";
            }
        }, true);
    };
    var imgNull = function(){
        $("img.lazy").each(function(){
            var _newImg = '/resources/myblog/assets/i/f10.jpg';
            var _thisSrc = $(this).attr('src');
            if( _thisSrc == '' || _thisSrc == undefined){
                $(this).attr('src',_newImg);
            }
        });
        document.addEventListener("error", function (e) {
            var elem = e.target;
            if (elem.tagName.toLowerCase() == "img") {
                elem.src = "/resources/myblog/assets/i/f10.jpg";
            }
        }, true);
    };
    var goTop=function(){// 返回顶部
        $('*.to-top').scrollTop({
            autohide: true,//返回顶部按钮是否自动隐藏。可以设置true或false。默认为true
            offset: 100,//页面滚动到距离顶部多少距离时隐藏返回顶部按钮。默认值为420

```

```

        speed: 500, //滚动和渐隐的持续时间，默认值为500
        right: 25, //返回顶部按钮距离屏幕右边的距离，默认值为15
        bottom: 50 //返回顶部按钮距离屏幕顶部的距离，默认值为30
    });
}
var bubble=function () {
    if ($.bubble) {
        $.bubble.init();
    }
}
var websocket=function(){
    if ($.websocket) {
        var host=window.location.host;
        host="ws://" + host + "/websocket";
        $.websocket.open({
            host: host,
            reconnect: true,
            callback: function (result) {
                var resultJson = JSON.parse(result);
                websocketMsgResolver[resultJson["fun"]](resultJson["msg"]);
            }
        });
    }
}
return{
    init: function(){

        lazyLoad();
        //imgError();
        //imgNull();
        goTop();
        bubble();
        //websocket();
    }
}
})();
/**
 * websocket消息解析器
 *
 * @type {{online: websocketMsgResolver.online}}
 */
var websocketMsgResolver = {
    online: function (value) {
        value && $(".onlineNum").html(value);
    },
    notification: function (value) {
        value && Fast.msg_info(decodeURIComponent(value));
    }
};

// 格式化文件大小
function renderFileSize(value){
    if (null==value||value==''){
        return "0 Bytes";
    }
    var unitArr = new Array("Bytes", "KB", "MB", "GB", "TB", "PB", "EB", "ZB", "YB");
    var index=0,
        srcsize = parseFloat(value);
    index=Math.floor(Math.log(srcsize)/Math.log(1024));
    var size =srcsize/Math.pow(1024, index);
    // 保留的小数位数
    size=size.toFixed(2);
    return size+unitArr[index];
}
function getCookie(name){
    //获取cookie字符串
    var strCookie=document.cookie;
    //将多cookie切割为多个名/值对
    var arrCookie=strCookie.split("; ");
    var value="";
    //遍历cookie数组，处理每个cookie对
    for(var i=0;i<arrCookie.length;i++){
        var arr=arrCookie[i].split("=");
        if(name==arr[0]){
            value=arr[1];
            break;
        }
    }
    return value;
}
function randomInt(min, max){
    return Math.floor((Math.random() * max) + min);
}

(function ($) {
    $.extend({
        layer:{
            msg: function (content, type, options) {
                if (isNotEmpty(options) && isNotEmpty(options.oparent)) {
                    var opts={ icon: type, time: 2000, shift: randomInt(1, 5) };
                    if (isNotEmpty(options)) {
                        opts= $.extend(opts, options);
                    }
                }
            }
        }
    });

```

```

    }
    if (isEmpty(type)) {
    O...

```

https://10.132.197.11:9012/assets/arco.93d87e4a.js

```
/**  
 * @vue/shared v3.5.10  
 * (c) 2018-present Yuxi (Evan) You and Vue contributors  
 * @license MIT  
 */  
  
/*! #__NO_SIDE_EFFECTS__ */  
function e(e){const t=Object.create(null);for(const n of e.split(","))t[n]=1;return e=>e in t)const t={},n=[],l=[]=>{,o={}=>!1,a==>l||==e.charCodeAt(0)&&l||==e.charCodeAt(1)&&(e.charCodeAt(2)>127||e.charCodeAt(2)<97),r=e->.startsWith("unicode")},i=Object.assign,s=(e,t)=>{const n=-indexOf(t);n>-1&&s.slice(n,l)},u=Object.prototype.hasOwnProperty,c=(e,t)=>u.call(e,t),d=Array.isArray,p=>"object Map]"===x(e),f=>"[object Set]"===x(e),v=>"[object Date]"===x(e),h=>"function"!==typeof e,h=>"string"!==typeof e,y=>"symbol"!==typeof e,g=>null!=e&&"object"!==typeof e,b=>(g(e)|h(e))&&(e.then)&&(e.catch),k=Object.prototype.toString,x=>k.call(e),C=>"[object Object]"===x(e),w=>x(m)&&"NaN"!=="",I=="[0]&""+parseInt(e,10)==e,S="(key,ref,ref_for,ref_key,onVnodeBeforeMount,onVnodeMounted,onVnodeBeforeUpdate,onVnodeUpdated,onVnodeBeforeUnmount,onVnodeUnmounted)",$="(bind,cloak,!==e;if,-else,for,html,if,model,on,once,prev,show,list,text,memo"),O=>const t=Object.create(null);return n+=t|t[n]?(t[n]-e(n)),P=(-/(\\w/g,I-O)((e=>e.replace(P,(e,t)=>t.t.toUpperCase():))))],j=/^B([A-Z])$/g,I-O((e=>e.replace(j,"-$1")).toLowerCase()),B(O)((e=>e.charAt(0).toUpperCase()+e.slice(1))),T=O((e=>?on$B(E):":"))],M=E(t)=>Object.is(e,t),N=(e,...t)=>{for(let n=0;n<c.length;n++)e[n](...t)],V=(e,t,n,l)=>{Object.defineProperty(e,t,{configurable:!0,enumerable:!1,writable:l,value:n})},z=>{const t=parseFloat(e);return isNaN(N)t?:t},A=>{const t=m(e)?N:N:return isNaN(N)?e:t};let E;const R=(i)=>E||(E="undefined"!==typeof globalThis?globalThis:"undefined"!==typeof self?self:"undefined"!==typeof window>window?"undefined"!==typeof global?global:{});const D=("Infinity,undefined,Nan,isFinite,isNaN,parseFloat,parseInt,decodeURI,decodeURIComponent,encodeURIComponent,Math,number,date,array,Object,boolean,string,RegExp,map,set,json,intl,BigInt/console/error,symbol");function(e)(if(d(e)){const t={};for(let n=0;n<c.length;n++){const l=[n],o=M(l):(l):(l):(l):(l):if(o(for const e in o)t[e]=o[e]);return t}if(m(e)|g(e))return e)const P=/:(?!\\|^\\+\\/\\\\W\\/\\^[*]?*/V/g:function K(e){const t={};return e.replace(W,"").split(F).forEach((e)=>{if(e){const n=e.split(H);n.length>1&&(t[n[0].trim()]=[n[1].trim()])))}),t,function q(e){let t="";if(m(e))q(e);else if(d(e))for(let n=0;n<c.length;n++){const l=q(e[n]);l&&(t+=l+" ")}}else if(g(e))for(const n in e)e[n]&&(t+=n+" ");return t.trim()}function U(e){if(!e)return null;let{class:t,style:n}=e;return t&&m(t)&&(e.class=g(t)),n&&(e.style=n)}const V("<html,body,base,head,link,meta,style,title,address,article,aside,footer,header,hgroup,h1,h2,h3,h4,h5,h6,nav,section,div,dl,dt,digcaption,image,picture,hr,img,li,main,ol,p,pre,u,li,abbr,bdi,bdo,br,cite,code,data,dfn,em,i,kbd,kmark,g,rp,rt,ruby,s,samp,small,span,strong,sub,sup,time,u,vr,var,video,audio,map,track,video,embed,object,param,source,canvas,script,noscript,t,del,ins,caption,col,colgroup,table,thead,tbody,td,th,tr,button,datalist,fieldset,fom,input,label,legend,meter,optgroup,option,output,progress,select,textarea,details,dialog,menu,summar,y,template,blockquote,iframe,tfoot","Z="(svg,animate,animateMotion,animateTransform,circle,clipPath,color-profile,defs,desc,discard,ellipse,feBlend,feColorMatrix,feComponentTransfer,feComposite,feConvolveMatrix,feDiffuseLighting,feDisplacementMap,feDistantLight,feDropShadow,feFlood,feFuncA,feFuncB,feFuncG,feFuncR,gaussianblur,getImage,feMerge,feMergeNode,feMorphology,feOffset,fePointLight,feSpecularLighting,feSpotLight,feTile,feTurbulence,filter,foreignObject,g,hatch,hatchpath,tag,image,line,linearGradient,marker,mask,mask,meshgradient,meshpatch,meshrow,metadata,mpath,path,pattern,polygon,polyline,radiialGradient,rect,set,solidcolor,stop,switch,symbol,text,textPath,tid,title,tpsan,unknown,view)","X="(annotation-xml,maction,malingroup,malimgmark,math,menclose,merror,mfenced,mfrac,mfraction,mglyph,mi,mlabelexpr,mlongdiv,multiscripts,mn,mo,mover,m padded,mphantom,mprimitives,mroot,mrow,ms,mscarries,s,mscarry,msgroup,msline,mspace,msqrt,msrow,mstack,mstyle,msub,msubsup,msup,mtable,mt,d,mtext,mtr,munder,munderover,none,semantics"),G="(area,base,br,col,embed,hr,img,input,link,meta,param,n,source,track,wbvr"),"J="(itemscope,allowfullscreen,formnovalidate,ismap,nomodule,novalidate,readonly"),Q=(J),eee=(J),"async autofocus autoplay controls default defer disabled hidden inert,loop,open,required,reversed,scoped,seamless,checked,muted,multiple,selected"):function te(e){return!!e||!"accept accept-charset accesskey action align allow alt async autocapitalize autocomplete autofocus autoplay background bgcolor border buffered capture challenge charset checked cite class code codebase color cols colspan content contenteditable contextmenu controls coords crossorigin csp data datetime decoding default defer dir dirname disabled download dragg...
```

https://10.132.197.11:9012/assets/index.35618b0ajs

```

import(d as defineComponent,z as getPrefixCls,c as computed,A as isNumber$1,_ as export_sfc$1,B as openBlock,C as createElementBlock,D as normalizeClass,E as normalizeStyle,F as createBaseNode,G as createStaticNode,I as IconCaretDown,J as IconCaretLeft,K as IconCaretRight,L as IconCaretUp,M as IconDoubleLeft,N as IconDoubleRight,O as IconDown,P as IconMenuFold,Q as IconMenuUnfold,R as IconRight,S as IconRotateLeft,T as IconRotateRight,U as IconToTop,V as IconUp,W as IconCheckCircleFill,X as IconCloseCircleFill,Y as IconExclamationCircleFill,Z as IconInfoCircleFill,$ as IconCheck,a0 as IconClockCircle,a1 as IconClose,a2 as IconExclamation,a3 as IconInfo,a4 as IconMinus,a5 as IconPlus,a6 as IconQuestionCircle,a7 as IconStarFill,a8 as IconEyeInvisible,a9 as IconEye,aa as IconMore,ab as IconSearch,ac as IconUpload,ad as IconCopy,ae as IconDelete,af as IconEdit,ag as IconFilter,ah as IconLink,ai as IconObliqueLine,aj as IconOriginalSize,ak as IconZoomIn,al as IconZoomOut,am as IconPlayArrowFill,an as IconFullscreen,ao as IconPause,ap as IconFaceFrownFill,aq as IconFaceMehFill,ar as IconFaceSmileFill,as as IconCalendar,at as IconDragDotVertical,au as IconDragDot,av as IconEmpty,aw as IconFileAudio,ax as IconFileImage,ay as IconFilePdf,az as IconFileVideo,aa as IconFile,ab as IconImageClose,ac as IconLoading,ad as ref,ae as createBlock,aE as withCtx,u as unref,g as isRef,af as resolveComponent,ag as createTextVNode,aH as toDisplayString,aI as renderSlot,aJ as createVNode,aK as onBeforeMount,w as watch,n as nextTick,al as renderList,aM as Fragment,aN as commonjsGlobal,aO as getDefaultExportFromCjs,aP as getAugmentedNamespace,aQ as vue_esmBundle,AR as getDefaultValidateLocale,as as createCommentVNode,aT as Message,r as reactive,aU as Transition,aV as withDirectives,aW as vShow,ax as lang$1,aY as Modal,aZ as createApp,a_ as ArcoVue$from"/.arco.93d87e4a.js";import(tu as useRouter,d as defineStore,c as createPinia,a as createRouter,b as createWebHashHistory,s as sharedEmbedBrowser,e as coreBaseEmbedBrowser,f as useClipboard,g as useRoute)from"/.vue.0169e201.js";import(tu as use,i as install$1,a as install$2,b as install$3,c as install$4,d as install$5,e as install$6,f as install$7,g as install$8,h as install$9,i as install$9,j as install$9)from"/.chart.79d621fb.js";function(t){const e=document.createElement("link").relList;if(!((e.supports&&e.supports("modulepreload")))){for(const e of document.querySelectorAll(["link[rel='modulepreload']"])){t(e);new MutationObserver(()=>{for(const n of e){if("childList"===n.type){for(const e of n.addedNodes){"LINK"===e.tagName&&"modulepreload"===e.rel&&t(e)}}}).observe(document,{childList:!0,subtree:!0})function(t){if(e.preventDefault()){return e.ep!>0;const t=function(e){const t=();return e.integrity&&(t.integrity=e.integrity),e.referrerPolicy&&(t.referrerPolicy=e.referrerPolicy),"use-credentials"===e.crossorigin?t.credentials="include":"anonymous"===e.crossorigin?t.credentials="omit":t.credentials="same-origin",t)};fetch(e.href,t)};const sfc_main$3J=defineComponent({name:"IconArrowDown",props:{size:(type:Number,String)},strokeWidth:(type:Number,default:4),strokeLinecap:(type:String,default:"butt",validator:e=>["butt","round","square"].includes(e)),strokeLinejoin:(type:String,default:"miter",validator:e=>["arcs","bevel","miter","miter-clip","round"].includes(e)),rotate:Number,spin:Boolean,emits:{click:e=>!0},setup(e,{emit:t}){const n=getPrefixCls("icon");return{cls:computed(()=>=>[n,`${n}-arrow-down`,`{`${n}-spin`}:e.spin])}),innerStyle:computed(()=>=>{return e.size&&(t.fontSize=IconBase$1(e.size)?`${e.size}px`:(e.size)=e.rotate&&(t.transform=`rotate(${e.rotate}deg)`),t}),onClick:e=>(t("click",e))}),_hoisted 1$3H=["stroke-width","stroke-linecap","stroke-linejoin"],_hoisted 2$3G=createBaseNode("path",{d:"m11.27 47.28 12.72 12.72 12.72-12.72m4 25v34.295"},null,!0),_hoisted 3$3B=["hoisted 2$3G",function sfc_render$3z(e,t,n,o,r,i){return openBlock(0),createElementBlock("svg",{viewBox:"0 0 48 48",fill:"none",xmlns:"http://www.w3.org/2000/svg",stroke:"currentColor",class:normalizeClass(e.cls),style:normalizeStyle(e.innerStyle),"stroke-width":e.strokeWidth,"stroke-linecap":e.strokeLinecap,"stroke-linejoin":e.strokeLinejoin,onClick:t[0]}){t[0]=...t=>e.onClick&&e.onClick(...t)},_hoisted 3$3B,14,_hoisted 1$3H)}var IconArrowDown=export_sfc$1_sfc_main$3J,["render",sfc_render$3z];const IconArrowDown=Object.assign(IconArrowDown,{install:(e,t)=>(var n;const o=null!=t?null:t?void 0:t.iconPrefix)?n:""re.component(IconArrowDown.name,IconArrowDown)},sfc_main$3J=defineComponent({name:"IconArrowFall",props:{size:(type:Number,String)},strokeWidth:(type:Number,default:4),strokeLinecap:(type:String,default:"butt",validator:e=>["butt","round","square"].includes(e)),strokeLinejoin:(type:String,default:"miter",validator:e=>["arcs","bevel","miter","miter-clip","round"].includes(e)),rotate:Number,spin:Boolean,emits:{click:e=>!0},setup(e,{emit:t}){const n=getPrefixCls("icon");return{cls:...

```

<https://10.132.197.11:9012/assets/chart.79d621fb.js>

```
import"./arco.93d87e4a.js";
/*! *****
Copyright (c) Microsoft Corporation.
```

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

https://10.132.197.11:9012/pdfJsPreview/web/viewer.js

026/3/3 155

```

/*****/ return module.exports;
/*****/
}
/*****/
/*****/
/*****/ // expose the modules object (__webpack_modules__)
/*****/ __webpack_require__.m = modules;
/*****/
/*****/ // expose the module cache
/*****/ __webpack_require__.c = installedModules;
/*****/
/*****/ // define getter function for harmony exports
/*****/ __webpack_require__.d = function (exports, name, getter) {
/*****/   if (!__webpack_require__.o(exports, name)) {
/*****/     Object.defineProperty(exports, name, { enumerable: true, get: getter });
/*****/   }
/*****/
};
/*****/
/*****/ // define __esModule on exports
/*****/ __webpack_require__.r = function (exports) {
/*****/   if (typeof Symbol !== 'undefined' && Symbol.toStringTag) {
/*****/     Object.defineProperty(exports, Symbol.toStringTag, { value: 'Module' });
/*****/   }
/*****/   Object.defineProperty(exports, '__esModule', { value: true });
/*****/
};
/*****/
/*****/ // create a fake namespace object
/*****/ // mode & 1: value is a module id, require it
/*****/ // mode & 2: merge all properties of value into the ns
/*****/ // mode & 4: return value when already ns object
/*****/ // mode & 8|1: behave like require
/*****/ __webpack_require__.t = function (value, mode) {
/*****/   if (mode & 1) value = __webpack_require__(value);
/*****/   if (mode & 8) return value;
/*****/   if ((mode & 4) && typeof value === 'object' && value.__esModule) return value;
/*****/   var ns = Object.create(null);
/*****/   __webpack_require__.r(ns);
/*****/   Object.defineProperty(ns, 'default', { enumerable: true, value: value });
/*****/   if (mode & 2 && typeof value !== 'string') for (var key in value) __webpack_require__.d(ns, key, function (key) { return value[key]; }).bind(null, key);
/*****/   return ns;
/*****/
};
/*****/
/*****/ // getDefaultExport function for compatibility with non-harmony modules
/*****/ __webpack_require__.n = function (module) {
/*****/   var getter = module && module.__esModule ?
/*****/     function getDefault() { return module['default']; } :
/*****/     function getModuleExports() { return module; };
/*****/   __webpack_require__.d(getter, 'a', getter);
/*****/   return getter;
/*****/
};
/*****/
/*****/ // Object.prototype.hasOwnProperty.call
/*****/ __webpack_require__.o = function (object, property) { return Object.prototype.hasOwnProperty.call(object, property); };
/*****/
/*****/ // __webpack_public_path__
/*****/ __webpack_require__.p = "";
/*****/
/*****/
/*****/ // Load entry module and return exports
/*****/ return __webpack_require__(__webpack_require__.s = 0);
/*****/
})
/*****/
/*****//([
/* 0 */
/***/ (function (module, exports, __webpack_require__) {

    "use strict";

    ;

    let pdfjsWebApp, pdfjsWebAppOptions;
    {
      pdfjsWebApp = __webpack_require__(1);
      pdfjsWebAppOptions = __webpack_require__(3);
    }
    ;
    {
      __webpack_require__(33);
    }
    ;
    {
      __webpack_require__(38);
    }
    ;

    function getViewConfiguration() {
      return {

```

```

appContainer: document.body,
mainContainer: document.getElementById("viewerContainer"),
viewerContainer: document.getElementById("viewer"),
...

```

<https://10.132.197.11:9012/pdfJsPreview/build/pdf.js>

```

/**
 * @licstart The following is the entire license notice for the
 * Javascript code in this page
 *
 * Copyright 2020 Mozilla Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * @licend The above is the entire license notice for the
 * Javascript code in this page
 */

(function webpackUniversalModuleDefinition(root, factory) {
  if(typeof exports === 'object' && typeof module === 'object')
    module.exports = factory();
  else if(typeof define === 'function' && define.amd)
    define("pdfjs-dist/build/pdf", [], factory);
  else if(typeof exports === 'object')
    exports["pdfjs-dist/build/pdf"] = factory();
  else
    root["pdfjs-dist/build/pdf"] = root.pdfjsLib = factory();
})(this, function() {
  return /*****/ (function(modules) { // webpackBootstrap
    /*****/ // The module cache
    /*****/ var installedModules = {};
    /*****/
    /*****/ // The require function
    /*****/ function __w_pdfjs_require__(moduleId) {
    /*****/
    /*****/ // Check if module is in cache
    /*****/ if(installedModules[moduleId]) {
    /*****/ return installedModules[moduleId].exports;
    /*****/ }
    /*****/ // Create a new module (and put it into the cache)
    /*****/ var module = installedModules[moduleId] = {
    /*****/ i: moduleId,
    /*****/ l: false,
    /*****/ exports: {}
    /*****/ };
    /*****/
    /*****/ // Execute the module function
    /*****/ modules[moduleId].call(module.exports, module, module.exports, __w_pdfjs_require__);
    /*****/
    /*****/ // Flag the module as loaded
    /*****/ module.l = true;
    /*****/
    /*****/ // Return the exports of the module
    /*****/ return module.exports;
    /*****/ }
    /*****/
    /*****/ // expose the modules object (__webpack_modules__)
    /*****/ __w_pdfjs_require__.m = modules;
    /*****/
    /*****/ // expose the module cache
    /*****/ __w_pdfjs_require__.c = installedModules;
    /*****/
    /*****/ // define getter function for harmony exports
    /*****/ __w_pdfjs_require__.d = function(exports, name, getter) {
    /*****/ if(!__w_pdfjs_require__.o(exports, name)) {
    /*****/ Object.defineProperty(exports, name, { enumerable: true, get: getter });
    /*****/ }
    /*****/ };
    /*****/
    /*****/ // define __esModule on exports
    /*****/ __w_pdfjs_require__.r = function(exports) {
    /*****/ if(typeof Symbol !== 'undefined' && Symbol.toStringTag) {
    /*****/ Object.defineProperty(exports, Symbol.toStringTag, { value: 'Module' });
    /*****/ }
    /*****/ Object.defineProperty(exports, '__esModule', { value: true });
    /*****/ };
    /*****/
  })(

```

```

/*****/ // create a fake namespace object
/*****/ // mode & 1: value is a module id, require it
/*****/ // mode & 2: merge all properties of value into the ns
/*****/ // mode & 4: return value when already ns object
/*****/ // mode & 8|1: behave like require
/*****/
/*****/ __w_pdfjs_require__.t = function(value, mode) {
/*****/   if(mode & 1) value = __w_pdfjs_require__(value);
/*****/   if(mode & 8) return value;
/*****/   if((mode & 4) && typeof value === 'object' && value && value.__esModule) return value;
/*****/   var ns = Object.create(null);
/*****/   __w_pdfjs_require__.r(ns);
/*****/   Object.defineProperty(ns, 'default', { enumerable: true, value: value });
/*****/   if(mode & 2 && typeof value !== 'string') for(var key in value) __w_pdfjs_require__.d(ns, key, function(key) { return value[key]; }.bind(null, key));
/*****/   return ns;
/*****/ };
/*****/
/*****/ // getDefaultExport function for compatibility with non-harmony modules
/*****/ __w_pdfjs_require__.n = function(module) {
/*****/   var getter = module && module.__esModule ?
/*****/     function getDefault() { return module['default']; } :
/*****/     function getModuleExports() { return module; };
/*****/   __w_pdfjs_require__.d(getter, 'a', getter);
/*****/   return getter;
/*****/ };
/*****/
/*****/ // Object.prototype.hasOwnProperty.call
/*****/ __w_pdfjs_require__.o = function(object, property) { return Object.prototype.hasOwnProperty.call(object, property); };
/*****/
/*****/ // __webpack_public_path__
/*****/ __w_pdfjs_require__.p = "";
/*****/
/*****/
/*****/ // Load entry module and return exports
/*****/ return __w_pdfjs_require__(__w_pdfjs_require__.s = 0);
/*****/ })
/*****/ ([
/*****/   /* 0 */
/*****/   (function(module, exports, __w_pdfjs_require__) {

"use strict";

var pdfjsVersion = '2.4.456';
var pdfjsBuild = '228a591c';

var pdfjsSharedUtil = __w_pdfjs_require__(

```

cookie 3

TOC

名称	首先设置	域	安全	仅 HTTP	同一站点	JS 堆栈跟踪
值	请求的 URL	到期				
JSESSIONID	https://10.132.197.11:9044/api/login/sign-in	10.132.197.11	True	True	Strict	
node01ily89qu9v933u92oh00ps9j13.node0	https://10.132.197.11:9044/api/login/sign-in					
rememberMe	https://10.132.197.11:9044/reuse/meta/etlDatasource?utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABBE399FBC5117FA1522F33B0B5	10.132.197.11	False	False	lax	
		2026/3/2 10:01:38				

sid	https://10.132.197.11:9044/reuse/meta/etlDatasource?utoken=047BFF5EEDAF1138C19F58DE6D3604A8FAE7E91A4B2BFC8E48568D6D193E327224E498C0002EBC24D6F8C2A4C75728F9687637BC52B981B72F00AB78C2FDBAF50D5466959CDBF2BC53447213BA05A3CB25C9A71C98D8CABBE399FBC5117FA1522F33B0B5	10.132.197.11	False	True	LaTeX
1d20f516-00e7-4799-bf31-964a195988b3	https://10.132.197.11:9044/api/conf-rootkey/pagelist?pageSize=10&pageNum=1				

组件 2

TOC

名称	版本	URL
Nginx	1.28.1	https://10.132.197.11:9012/
Nginx	1.24.0	https://10.132.197.11:9044/api/login/imgCode?t=1772532085837