

BOTSv1

Tu peux jouer le "Play now ici <https://bots.splunk.com/>

sinon, y'a aussi, dans la catégorie LEARN, les vidéos associées de solves de ce CTF avec des questions bonus !

- [Investigating Ransomware with Splunk](#)
- [Investigating an APT with Splunk](#)

1 - Web Site Defacement

<https://medium.com/@manivel58/boss-of-the-soc-version-1-2015-website-defacement-walkthrough-6fa5710cc971>

101 - What is the likely IPv4 address of someone from the Po1s0n1vy group scanning imreallynotbatman.com for web application vulnerabilities?

```
index="botsv1" sourcetype=stream:http imreallynotbatman.com
| stats count by src_ip
| sort - count
```

on peut ajouter `site=imreallynotbatman.com`

102 - What company created the web vulnerability scanner used by Po1s0n1vy? Type the company name.

```
index="botsv1" sourcetype=stream:http site=imreallynotbatman.com
| table _time src_headers
```

exemple :

```
POST /joomla/index.php/component/search/ HTTP/1.1
Content-Length: 78
Content-Type: application/x-www-form-urlencoded
Referer: http://imreallynotbatman.com:80/
Cookie: ae72c62a4936b238523950a4f26f67d0=v7ikb3m59romokqmbiet3vphv3
Host: imreallynotbatman.com
Connection: Keep-alive
Accept-Encoding: gzip,deflate
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.21 (KHTML,
like Gecko) Chrome/41.0.2228.0 Safari/537.21
Acunetix-Product: WVS/10.0 (Acunetix Web Vulnerability Scanner - Free
```

Edition)

Acunetix-Scanning-agreement: Third Party Scanning PROHIBITED

Acunetix-User-agreement: <http://www.acunetix.com/wvs/disc.htm>

Accept: */*

103 - What content management system is imreallynotbatman.com likely using?

joomla, c'est écrit au dessus

104 - What is the name of the file that defaced the imreallynotbatman.com website? Please submit only the name of the file with extension?

on sait que dest_ip: 192.168.250.70 c'est l'ip du serveur qui héberge imreallynotbatman.com

Là, on part du principe que le site web a été défiguré, donc on a modifier le contenu de la homepage par exemple pour ajouter ce fichier. Au début je recherchais des POST, des file uploads sur le serveur mais rien de concluant. Donc je recherche des GET provenant du serveur web :

```
index="botsv1" sourcetype=stream:http c_ip=192.168.250.70 http_method=GET  
| stats count by uri
```

uri ↕

/core/extensions/com_joomlaupdate.xml

/core/list.xml

/css?family=Open+Sans

/jed/list.xml

/language/translationlist_3.xml

/msdownload/update/v3/static/trustedr/en/disallowedcertstl.cab?927db53f6e77b785

/poisonivy-is-coming-for-you-batman.jpeg

105 - This attack used dynamic DNS to resolve to the malicious IP. What fully qualified domain name (FQDN) is associated with this attack?

```
index="botsv1" sourcetype=stream:http c_ip=192.168.250.70 http_method=GET  
uri="/poisonivy-is-coming-for-you-batman.jpeg"
```

```
dest_ip: 23.22.63.114
site: prankglassinebracket.jumpingcrab.com:1337
src_headers: GET /poisonivy-is-coming-for-you-batman.jpeg HTTP/1.0
Host: prankglassinebracket.jumpingcrab.com:1337
```

106 - What IPv4 address has Po1s0n1vy tied to domains that are pre-staged to attack Wayne Enterprises?

avec la réponse précédente : 23.22.63.114

108 - What IPv4 address is likely attempting a brute force password attack against imreallynotbatman.com?

```
index="botsv1" sourcetype=stream:http http_method=POST login
form_data="username=" | stats count by c_ip
```

23.22.63.114 : la même ip

109 - What is the name of the executable uploaded by Po1s0n1vy?

quand on upload un fichier, on a une header : Content-Type: multipart/form-data

donc

```
index="botsv1" sourcetype=stream:http http_method=POST multipart/form-data
| table part_filename[]
```

[illegible]

110 - What is the MD5 hash of the executable uploaded?

```
index="botsv1" CommandLine=3791.exe | table MD5
```

AAE3F5A29935E6ABCC2C2754D12A9AF0

111 - GCPD reported that common TTPs (Tactics, Techniques, Procedures) for the Po1s0n1vy APT group, if initial compromise

fails, is to send a spear phishing email with custom malware attached to their intended target. This malware is usually connected to Po1s0n1vys initial attack infrastructure. Using research techniques, provide the SHA256 hash of this malware.

sur VT avec l'IP 23.22.63.114 :

Communicating Files (4)

Scanned	Detections	Type	Name
2022-12-26	54 / 70	Win32 EXE	software.exe
2025-05-01	52 / 72	Win32 EXE	MirandaTateScreensaver.scr.exe
2025-01-27	70 / 72	Win32 EXE	IMDCSC.exe
2025-04-26	67 / 72	Win32 EXE	ab.exe

52 / 72

Community Score -37

52/72 security vendors flagged this file as malicious

9709473ab351387aab9e816eff3910b9f28a7a70202e250ed46dba8f820f34a8

MirandaTateScreensaver.scr.exe

Size 482.50 KB

Last Analysis Date 6 days ago

peexe long-sleeps detect-debug-environment direct-cpu-clock-access checks-user-input

9709473ab351387aab9e816eff3910b9f28a7a70202e250ed46dba8f820f34a8

112 - What special hex code is associated with the customized malware discussed in question 111?

sur vt dans community

53 74 65 76 65 20 42 72 61 6e 74 27 73 20 42 65 61 72 64 20 69 73 20 61 20
70 6f 77 65 72 66 75 6c 20 74 68 69 6e 67 2e 20 46 69 6e 64 20 74 68 69 73
20 6d 65 73 73 61 67 65 20 61 6e 64 20 61 73 6b 20 68 69 6d 20 74 6f 20 62
75 79 20 79 6f 75 20 61 20 62 65 65 72 21 21 21

114 - What was the first brute force password used?

```
index="botsv1" sourcetype=stream:http http_method=POST login
form_data="username=*" | table _time form_data | reverse

| | |
|---|---|
|2016-08-10
21:45:21.226|username=admin&task=login&return=aW5kZXgucGhw&option=com_logi
n&passwd=12345678&9d873c2becd118318849d13cf18b60ff=1|
```

115 - One of the passwords in the brute force attack is James Brodsky's favorite Coldplay song. We are looking for a six character word on this one. Which is it?

```
index="botsv1" sourcetype=stream:http http_method=POST  
| regex form_data="passwd=\w{6}(\b|&)"
```

- passwd= : cherche la clé
- \w{6} : exactement 6 caractères alphanumériques (lettres, chiffres, underscore)
- (\b|&) : assure qu'on s'arrête à la fin du mot ou juste avant le & (dans un champ type key=value&key2=value2)

sinon, à l'inverse. Yellow et Clocks sont deux chansons avec 6 caractères.

```
index="botsv1" sourcetype=stream:http http_method=POST  
| regex form_data="passwd=*yellow*" | table form_data
```

116 - What was the correct password for admin access to the content management system running "imreallynotbatman.com"?

```
index="botsv1" sourcetype=stream:http http_method=POST  
form_data="*passwd=" | stats count by connection_type
```

connection_type	count
Keep-Alive	1
close	412

```
index="botsv1" sourcetype=stream:http http_method=POST  
form_data="*passwd=" connection_type="Keep-Alive" | table form_data
```

username=admin&passwd=batman&option=com_login&task=login&return=aW5kZXgucGhw
&e5ec827a3f67ce0efc546d81f7356acc=1

117 - What was the average password length used in the password brute forcing attempt?

Answer guidance: Round to closest whole integer. For example "5" not "5.23213"

```
index="botsv1" sourcetype=stream:http http_method=POST  
form_data="*passwd=" connection_type="Close" | rex "username=(?  
<username>\w+)&.*?passwd=(?<passwd>\w+)"
```

```
| eval passwd_length = len(passwd)
| stats avg(passwd_length) AS avg_password_length
```

118 - How many seconds elapsed between the time the brute force password scan identified the correct password and the compromised login?

Answer guidance: Round to 2 decimal places.

```
index="botsv1" sourcetype=stream:http http_method=POST
form_data="*passwd=" | rex "username=(?<username>\w+)&.*?passwd=(?
<passwd>\w+)"
| search passwd="batman"
| transaction passwd
| table duration
```

119 - How many unique passwords were attempted in the brute force attempt?

```
index="botsv1" sourcetype=stream:http http_method=POST
form_data="*passwd=" | rex "username=(?<username>\w+)&.*?passwd=(?
<passwd>\w+)"
| table passwd
| dedup passwd
| stats count(passwd)
```

VS

```
index="botsv1" sourcetype=stream:http http_method=POST
form_data="*passwd=" | rex "username=(?<username>\w+)&.*?passwd=(?
<passwd>\w+)"
| table passwd
| stats dc(passwd)
```

Ransomware

https://bots.splunk.com/workshop/6tyhaKn3uc7yAkUrMg2BVI/ransomware-scenario_challenge-question-1-solution_challenge-question-1-summary

solve existant :: <https://securingthewild.medium.com/splunk-botsv1-ransomware-ctf-f2e563deb2fa>

200 - What was the most likely IPv4 address of we8105desk on 24AUG2016?

```
index="botsv1" host=we8105desk
```

```
index=botsv1 we8105desk | stats count by src_ip | sort - count
```

```
index="botsv1" host=we8105desk | stats count by src_ip | sort - count
```

205 - What is the name of the USB key inserted by Bob Smith?

https://lantern.splunk.com/Security/UCE/Foundational_Visibility/Incident_management/Investigating_a_ransomware_attack/Removable_devices_connected_to_a_machine

```
sourcetype=winregistry friendlyname
```

```
sourcetype=winregistry friendlyname | table _time host user object data
```

Identifying the Malicious File

D est après C: donc

```
index=botsv1 "d:\\\"
```

```
> 24/08/2016 16:43:27000 <Event xmlns="http://schemas.microsoft.com/win/2004/08/events/event"><System><Provider Name="Microsoft-Windows-Sysmon" Guid="{577835F-C22A-43E8-BF4C-86F5A8F7B03}" /><EventID>1</EventID><Version>5</Version><Level>4</Level><Task>1</Task><Opcode>0</Opcode><Keywords>0x0000000000000000</Keywords><TimeCreated SystemTime="2016-08-24T16:43:27.028416900Z"><EventRecordID>362988</EventRecordID><Correlation><Execution ProcessID="1210" ThreadID="1768" /><Channel>Microsoft-Windows-Sysmon/Operational</Channel><Computer>we8105desk.waynecorpinc.local</Computer><Security UserID="S-1-5-18" /><SystemTime><EventData><Data Name="UtcTime">2016-08-24 16:43:27.628</Data><Data Name="ProcessGuid">{BF2D7F8F-CEAF-57D0-8000-801802B3888}</Data><Data Name="ProcessId">1420</Data><Data Name="Image">C:\Windows\spwin64.exe</Data><Data Name="CommandLine">C:\Windows\spwin64.exe 8192</Data><Data Name="CurrentDirectory">C:\Windows\</Data><Data Name="User">WAYNECORPINC\bob.smith</Data><Data Name="LogonGuid">{BF2D7F8F-C812-57D0-8000-802015F8068}</Data><Data Name="LogonId">66f815</Data><Data Name="TerminalSessionId">1</Data><Data Name="IntegrityLevel">Medium</Data><Data Name="Hashes">SHA1-A4BC863D21EAF85756B8029843E45284887959_HD5-08162BAF977B3F4158557046FBE6D9_SHA256-232F4854A78CFAB9232C3E8BC7E388755A8CE1A5DC5352112430E1F48096_IPHASH-86588922E1984964287889786341EA97</Data><Data Name="ParentProcessGuid">{BF2D7F8F-CEAF-57D0-8000-801802B3888}</Data><Data Name="ParentProcessId">53756</Data><Data Name="ParentImage">C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE</Data><Data Name="ParentCommandLine">C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n /f "D:\V\randata_unveiled.docx"</Data></EventData></Event>
```

```
index=botsv1 source="WinEventLog:Microsoft-Windows-Sysmon/Operational"
host="we8105desk" (CommandLine="*d:\\*" OR ParentCommandLine="*d://*")
| table _time CommandLine ParentCommandLine
| sort _time
```

Identifying File Server Connections from Infected Host

```
index=botsv1 source="WinEventLog:Microsoft-Windows-Sysmon/Operational"
host="we8105desk" src="we8105desk.waynecorpinc.local"
| stats count by dest_ip
| sort - count
```

```
index=botsv1 sourcetypes=winregistry host="we8105desk" explorer | stats
count by registry_key_name | sort - count
```

puis avec l'ip : dest_host vs dvc_nt_host vs src_host

201 - Amongst the Suricata signatures that detected the Cerber malware, which one alerted the fewest number of times? Submit ONLY the signature ID value as the answer.

```
index=botsv1 sourcetype=suricata Cerber | stats count by alert.signature_id
```

Nouvelle recherche Enregistrer sous Créer une vue de table Fermer

`index=botsv1 sourcetype=suricata Cerber | stats count by alert.signature_id` Tout le temps Q

✓ 5 événements (01/05/2016 00:00:00.000 à 06/05/2025 08:59:01000) Aucun échantillon d'événement

Événements (5) Patterns **Statistiques (5)** Visualisation

20 par page Format Aperçu

alert.signature_id	count
2816163	1
2816164	2
2828156	2

202 - What fully qualified domain name (FQDN) does the Cerber ransomware attempt to direct the user to at the end of its encryption phase?

https://www.splunk.com/en_us/blog/tips-and-tricks/splunking-dns-using-splunk-stream-aka-the-easy-way.html

```
index=botsv1 sourcetype=stream:dns src_ip=192.168.250.100 "query_type{}"=A
```

```
# bytes_in 1
# bytes_out 1
# date_hour 5
# date_mday 2
# date_minute 24
a date_month 1
# date_second 51
a date_wday 1
# date_year 1
# date_zone 1
a dest 2
a dest_ip 2
a dest_mac 2
# dest_port 2
# duration 23
a endtime 100+
a eventtype 2
a index 1
# linecount 1
```

query: [[+]]
query_type: [[+]]

dest ×

2 Valeurs, 100 % des événements Sélectionné Oui Non

Rapports

Top valeurs Top valeurs par heure Valeurs rares

Événements avec ce champ

Valeurs	Nombre	%
192.168.250.20	188	80,342 %
224.0.0.252	46	19,658 %

bytes_in: 44
bytes_out: 0

aussi, dans queries , on a bcp de windows donc :

```
index=botsv1 sourcetype=stream:dns src=192.168.250.100 record_type=A NOT
(query{}=*.microsoft.com OR query{}=*.bing.com OR
query{}.wayneCorpInc.local OR query{}=isatap OR query{}=wpad)
| stats count by query{}
```

```
index=botsv1 sourcetype=stream:dns src=192.168.250.100 record_type=A NOT
(query{}=*.microsoft.com OR query{}=*.bing.com OR
```



```
query{}.waynecorpinc.local OR query{}=isatap OR query{}=wpad)
| table _time query{} src dest
```

- Depuis le 24/08/2016

Nouvelle recherche

indexbotv1.sourcesstream.dns.src=132.168.256.168 record.type=nsf (query)=*microsoft.com (query)=*.bing.com (query)=*.waynescorpinc.local (query)=istap (query)=psd | &lsim _time:query| src:dest

5 événements

24/08/2016 00:00:00.000 à 06/05/2025 09:23:04:000

Aucun échantillon d'événement

Debut 24/08/2016

Mode Verbeux

Événements (5)

Patterns

Statistiques (5)

Visualisation

20 par page

Format

Aperçu

_time 0	query() 1	src 2	dest 3
2016-08-24 17:15:12.668	corberhyedffraq.vofir8.win corberhyedffraq.vofir8.win	132.168.256.100	132.168.256.20
2016-08-24 16:56:54.715	shell.windows.com shell.windows.com	132.168.256.100	132.168.256.20

203 - What was the first suspicious domain visited by we8105desk on 24AUG2016?

solidaritedeproximite.org

avec la question precedente, la première c'est `dns.msftncsi.com` mais c'est legit. donc la 2eme

[illegible]

204 - During the initial Cerber infection a VB script is run. The entire script from this execution, pre-pended by the name of the launching .exe, can be found in a field in Splunk. What is the length of the value of this field?

```
index=botstv1 Miranda_Tate_unveiled.dotm
| eval CommandLineLength = len(CommandLine)
| table CommandLine CommandLineLength
```

206 - Bob Smith's workstation (we8105desk) was connected to a file server during the ransomware outbreak. What is the IPv4 address of the file server?

```
index=botsv1 sourcetype=stream:smb src_ip=192.168.250.100
```

Trie par date possible aussi

```
# date_mday 2
# date_minute 39
a date_month 1
# date_second 60
a date_wday 1
# date_year 1
# date_zone 1
a dest 3
a dest_ip 3
a dest_mac 3
# dest_port 5
# duration 100+
a endtime 100+
a eventtype 1
a index 1
# linecount 1
# nt_status 8
```

dest_ip

3 Valeurs, 100 % des événements

Sélectionné

OuiNon

Rapports

Top valeurs

Top valeurs par heure

Valeurs rares

Événements avec ce champ

Valeurs	Nombre	%
192.168.250.20	39 204	99,746 %
192.168.250.255	76	0,193 %
192.168.2.50	24	0,061 %

207 - How many distinct PDFs did the ransomware encrypt on the remote file server?

```
index=botsv1 sourcetype=*win* pdf
```

✓ 582 événements (avant 06/05/2025 09:53:56,000)
Aucun échantillon d'événement ▼

Événements (582)
Patterns
Statistiques
Visualisation

Mettre en forme la chronologie ▼
– Zoom arrière
+ Zoom sur la sélection
× Annuler la sélection

< Masquer les champs

CHAMPS

☰ Tous les champs

SÉLECTIONNÉS

CommandLine 2
host 2
source 3
sourcetype 3

CHAMPS INTÉRESSANTS

Access_Mask 5
Accesses 3
Account_Domain 1
Account_Name 3
action 4
app 4
AppendData__or_AddSubdirectory__or_CreatePipeInstance_ 1
body 100+
ComputerName 2
DELETE 1
dest 3
dest_nt_domain 1
dest_nt_host 2
dvc 3
dvc_nt_host 2

Liste ▼

✍ Format

20 par page ▼

i	Durée	Événement
>	24/08/2016 17:15:07,000	08/24/2016 10:15:07 AM ... 24 lines omitted ... Share Name: *\fileshare Share Path: \\?\C:\fileshare Relative Target Name: 996\996339.pdf <a>Afficher toutes les 39 lignes
		host = we9041srv source = WinEventLog:Security sourcetype = WinE
>	24/08/2016 17:15:04,000	08/24/2016 10:15:04 AM ... 25 lines omitted ...

ComputerName

2 Valeurs, 90,893 % des événements

Sélectionné

Oui

Non

Rapports

Top valeurs

Top valeurs par heure

Valeurs rares

Événements avec ce champ

Valeurs	Nombre	%
we9041srv.waynecorpinc.local	526	99,433 %
we8105desk.waynecorpinc.local	3	0,567 %

ou sinon, on a déjà l'ip avec le chall d'avant on peut trouver son nom comme ça, car juste avec l'ip on a aucun résultat.

```
index=botsv1 sourcetype=*win* pdf
ComputerName="we9041srv.waynecorpinc.local" | stats
dc(Relative_Target_Name)
```

dc pour distinct count

==> c'est pas ça, faut filtrer sur l'extension après chiffrement

en faisant ça

```
index=botsv1 sourcetype=*Win* pdf | reverse
```

je vois les pdf sur fileshare, donc j'ajoute fileshare à la commande

l'une des outputs à 51 lignes supplémentaire contrairement au 35 des autres :

```
Message=A network share object was checked to see whether client can be granted desired access.

Subject:
  Security ID:      WAYNECORPINC\bob.smith
  Account Name:     bob.smith
  Account Domain:   WAYNECORPINC
  Logon ID:         0x11521DC6

Network Information:
  Object Type:      File
  Source Address:   192.168.250.100
  Source Port:      49479

Share Information:
  Share Name:       \\*\fileshare
  Share Path:       \??\C:\fileshare
  Relative Target Name: 561\561054.pdf

Access Request Information:
  Access Mask:      0x12019F
  Accesses:         READ_CONTROL
                   SYNCHRONIZE
                   ReadData (or ListDirectory)
                   WriteData (or AddFile)
                   AppendData (or AddSubdirectory or CreatePipeInstance)
                   ReadEA
                   WriteEA
                   ReadAttributes
                   WriteAttributes

Access Check Results:
  READ_CONTROL:    Granted by      D:(A;OICI;FA;;;WD)
  SYNCHRONIZE:     Granted by      D:(A;OICI;FA;;;WD)
  ReadData (or ListDirectory): Granted by      D:(A;OICI;FA;;;WD)
  WriteData (or AddFile):   Granted by      D:(A;OICI;FA;;;WD)
  AppendData (or AddSubdirectory or CreatePipeInstance): Granted by      D:(A;OICI;FA;;;WD)
  ReadEA:          Granted by      D:(A;OICI;FA;;;WD)
  WriteEA:         Granted by      D:(A;OICI;FA;;;WD)
  ReadAttributes:  Granted by      D:(A;OICI;FA;;;WD)
  WriteAttributes:  Granted by      D:(A;OICI;FA;;;WD)

Réduire
```

On voit ici un masque qui sert à rechercher si tous les droits ici sont présent ou non.

Ainsi, il y a 257 pdf :

Access_Mask			
3 Valeurs, 100 % des événements		Sélectionné	Oui Non
Rapports Top valeurs Top valeurs par heure Valeurs rares Événements avec ce champ			
Valeurs	Nombre	%	
0x110080	257	48,952 %	
0x12019F	257	48,952 %	
0x80	11	2,095 %	

208 - The VBScript found in question 204 launches 121214.tmp. What is the ParentProcessId of this initial launch?

3968

```
index=botsv1 sourcetype=*Win* (CommandLine="*121214.tmp*" OR
ParentCommandLine="*121214.tmp*")
| table _time CommandLine ProcessId ParentCommandLine ParentProcessId
```

Nouvelle recherche				
index=botsv1 sourcetype=*Win* (CommandLine="*121214.tmp*" OR ParentCommandLine="*121214.tmp*") table _time CommandLine ProcessId ParentCommandLine ParentProcessId				
7 événements (avant 06/05/2025 10:27:21.000) Aucun échantillon d'événement				
Événements (7) Patterns Statistiques Visualisation 100 par page Format Aperçu				
_time	CommandLine	ProcessId	ParentCommandLine	ParentProcessId
2016-08-24 16:48:42	ping -n 1 127.0.0.1	556	/d /c taskkill /f /f /im "121214.tmp" > NUL & ping -n 1 127.0.0.1 > NUL & del "C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp" > NUL	1288
2016-08-24 16:48:41	taskkill /f /f /im "121214.tmp"	1684	/d /c taskkill /f /f /im "121214.tmp" > NUL & ping -n 1 127.0.0.1 > NUL & del "C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp" > NUL	1288
2016-08-24 16:48:41	/d /c taskkill /f /f /im "121214.tmp" > NUL & ping -n 1 127.0.0.1 > NUL & del "C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp" > NUL	1288		3828
2016-08-24 16:48:41	"C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\CISACARF-933F-645D-2778-3580F898322\look.exe"	3836	"C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp"	3828
2016-08-24 16:48:29	"C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp"	3828	"C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp"	2948
2016-08-24 16:48:21	"C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp"	2948	"C:\Windows\System32\cmd.exe" /c START "" "C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp"	1476
2016-08-24 16:48:21	"C:\Windows\System32\cmd.exe" /c START "" "C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\121214.tmp"	1476	"C:\Windows\System32\VBScript.exe" "C:\Users\bob.smith.WINECORP\NC\AppData\Roaming\104429.vbs"	3968

209 - The Cerber ransomware encrypts files located in Bob Smith's Windows profile. How many .txt files does it encrypt?

Hints [2]

- Sysmon to the rescue again. Focus on the infected machine as well as the user profile while searching for the filename extension in question.
- In Sysmon events, EventCode=2 indicates file creation time has changed. Watch out for duplicates!

Sélectionner les champs

Sélectionner tout dans le filtre

Annuler la sélection de tout

Tous les champs

X

+ Extraction de nouveaux champs

Champ :	Nombre de valeurs :	Couverture de l'événement :	Type :
☒ User Rapports Top valeurs Top valeurs par heure Valeurs rates NT AUTHORITY\SYSTEM NT AUTHORITY\NETWORK SERVICE NT AUTHORITY\LOCAL SERVICE WAYNECORP\nc-bob.smith NOT_TRANSLATED IS APPPOOL\joomla Evénements avec ce champ	6	0,9 %	Chaine

```
index=botsv1 C:\\Users\\bob.smith.WAYNECORPINC .txt host=we8105desk
EventID="2"
```

[illegible]

```
index=botsv1 file_path="C:\\Users\\bob.smith.WAYNECORPINC*" .txt
host=we8105desk EventID="2" | dedup file_path | stats count as
unique_count
```

210 - The malware downloads a file that contains the Cerber ransomware cryptor code. What is the name of that file?

Nouvelle recherche

sourceType=stream http url="ssoliditedproximite.org" | table _time url

Sur 1 évènement, 5 B84 qui correspondent Aucun échantillon d'évènement

Tâche Tout le temps

Événements (1) Patterns **Statistiques (1)** Visualisation

100 par page Format Aperçu

_time	url
2016-08-24 16:48:13.285	http://ssoliditedproximite.org/mhr.jpg

Steganography

Steganography