Settings SOP

Owner: Jericho Freight	**Effective Date: 08/25/26**
Version: 1.0	**Department: Brokerage**

General Information

Description / Objective	Teach any teammate how to use the home-page settings cog, why each tool exists, how to connect the shared Google quote counter, and how those tools change every quote without touching the math of a single mode.
Assignee	Santiago Rendon

Glossary

1. Where settings live
2. Change User
3. Quote Counter
4. Customers
5. Terminal Locations
6. SOP's library
7. How settings show up on quotes
8. Maps key in kid words
9. Quote file names across modes
10. Load Previous Quote by mode
11. CRM in the background
12. What never to put in GitHub
13. Common mistakes
14. Definitions

1. Where settings live

1.1 The cog

On the home screen, top right of the logo bar, there is a gear. That is Settings. Click it. A short menu appears: Change User, Quote Counter, Customers, Terminal Locations, SOP's.

There is no Modes menu in that cog. Modes are the big buttons: FTL, LTL, Dray, International.

If you have never saved a representative, the app takes you to Change User before you can quote. That is on purpose. Every PDF needs a human name.

2. Change User

2.1 Your name on the letter

This screen stores Representative name and Representative email on this computer only (a small file named like rep.json in the app data folder).

Those two fields print on every quote: LTL, FTL, Dray, International. The customer calls that person, not a generic inbox, unless you typed a generic email on purpose.

Click Save. You return home. Click Cancel only if a name is already saved.

Switching users on a shared desktop: type the new name and email and Save. The old name is overwritten. There is no password. Do not leave a teammate's email on the box if you are quoting as yourself.

3. Quote Counter

3.1 Why it exists

Every quote gets a number: FTL-Q200, LTL-Q201, and so on. Those numbers must stay in order even when two people quote on two computers. Google holds the next number. This computer only stores the web app URL and the password.

The Quote Counter screen has two boxes only: Web app URL and Password. Setup lives in this SOP, not on that screen. Changing quote_counter.json on a PC does not change the shared number.

3.2 Create the Google Sheet

Open Google Sheets and start a blank spreadsheet. Name it something like Jericho Quote Counter.

The live number lives in cell A2 of the first tab that is not named Log (the tab on the far left). Put the last quote number you already issued there. The next generated quote will be that number plus one. Use 0 if you are starting fresh.

If Google still issues an old number, look at the tab names. An earlier setup may have created a leftover tab named Counter. Put the live number in A2 of the leftmost real tab, or drag that tab all the way left, and delete Counter if you do not need it.

In A1 you can type CurrentNumber. In B1 type LastUpdated. Optional.

Add a second tab named Log with headers When, QuoteNumber, and Mode. Optional, but useful. Keep Log to the right of the number tab.

Share the Sheet as Anyone with the link can view if other people should see the current number in Google Sheets.

3.3 Paste the script and deploy

In that same Sheet, open Extensions, then Apps Script.

At the top left, click the project name (it may say Untitled project) and rename it Jericho Quote Counter.

Delete any sample code. Paste the script at the end of this section. The same file lives in the project as google_quote_counter.gs.

Choose a password and put it in two places: replace PASTE_THE_SAME_PASSWORD_HERE in the script, and type that same password in Quote Counter settings.

Click the disk icon to save the script.

Click Deploy, then New deployment. Type: Web app. Execute as: Me. Who has access: Anyone.

If you already deployed once, do not make a second web app. After you paste an updated script, click Deploy, then Manage deployments, click the pencil, choose New version, then Deploy. Keep using the same URL. Saving the script is not enough. Google keeps serving the old version until you deploy a new one.

Click Deploy, allow the permissions, then copy the web app URL.

```
/**
 * Paste into Extensions > Apps Script on the quote-counter Sheet.
 * Replace PASTE_THE_SAME_PASSWORD_HERE with the same password saved in Settings.
 * After edits: Deploy > Manage deployments > pencil > New version.
 * The number lives in A2 of the first tab that is not named Log.
 */

const SECRET = "PASTE_THE_SAME_PASSWORD_HERE";
const LOG_SHEET = "Log";

function doGet(e) {
  return handle_(e && e.parameter);
}

function doPost(e) {
  const params = (e && e.parameter) || {};
  if (e && e.postData && e.postData.contents) {
    try {
      const body = JSON.parse(e.postData.contents);
      Object.keys(body || {}).forEach(function (key) {
        if (params[key] == null) params[key] = body[key];
      });
    } catch (err) {}
  }
  return handle_(params);
}

function handle_(params) {
  params = params || {};
  if (params.action === "next") {
    return nextNumber_(params.secret, params.mode);
  }
  return json_({ ok: true, quote_number: currentNumber_() });
}

function nextNumber_(secret, mode) {
  if (String(secret || "") !== SECRET) {
    return json_({ ok: false, error: "bad_secret" });
  }
  const lock = LockService.getScriptLock();
  lock.waitLock(30000);
  try {
    const sheet = counterSheet_();
    const cell = sheet.getRange("A2");
    const next = Number(cell.getValue() || 0) + 1;
    cell.setValue(next);
    sheet.getRange("B2").setValue(new Date());
    logSheet_().appendRow([new Date(), next, String(mode || "")]);
```

```
    SpreadsheetApp.flush();
    return json_({ ok: true, quote_number: next });
  } finally {
    lock.releaseLock();
  }
}

function currentNumber_() {
  return Number(counterSheet_().getRange("A2").getValue() || 0);
}

function counterSheet_() {
  const sheets = SpreadsheetApp.getActive().getSheets();
  for (var i = 0; i < sheets.length; i++) {
    if (sheets[i].getName() !== LOG_SHEET) {
      return sheets[i];
    }
  }
  return sheets[0];
}

function logSheet_() {
  const ss = SpreadsheetApp.getActive();
  var sheet = ss.getSheetByName(LOG_SHEET);
  if (!sheet) {
    sheet = ss.insertSheet(LOG_SHEET, ss.getNumSheets());
    sheet.getRange("A1:C1").setValues([["When", "QuoteNumber", "Mode"]]);
  }
  return sheet;
}

function json_(payload) {
  return ContentService.createTextOutput(JSON.stringify(payload))
    .setMimeType(ContentService.MimeType.JSON);
}
```

3.4 Connect this computer

Home screen, click the gear, then Quote Counter.

Paste the web app URL into Web app URL. Type the same password into Password. Click Save.

Every computer in the office uses this same URL and password. After Save, Generate on any mode asks Google for the next number and writes it into A2.

3.5 What happens when you generate

The app asks Google for action next, plus the password, plus the mode (FTL, LTL, DRAY, INTL).

Google adds one to A2, stamps the time, and can append a row on the Log tab. The quote prints with that new number.

If the URL or password is missing, Generate stops and asks you to open Quote Counter settings. Nothing is saved.

If the password does not match the SECRET line in the Google script, Generate stops. Check both places.

4. Customers

4.1 The local phone book

Customers is a list on this computer, not the whole company CRM. Search by name or email. Pick a row to fill the boxes. Add customer saves a new row. If that name already exists, the button becomes Update.

On each quote form, Include customer on quote searches this same list. Generating with the box on can add or update the name here.

Use real spelling. 'Acme' and 'ACME LLC' are two rows if you type them differently. The quote prints whatever you typed.

Deleting or editing here does not change PDFs you already saved. It only changes the next pick.

5. Terminal Locations

5.1 The yard list for dray

Dray quotes need a real terminal name. This screen is where you add yards: name, address, city, state, ZIP.

Search the list to edit an existing yard. For a brand new yard, type in Terminal Name. Google can suggest a place. Address is not the Google search box. Name is.

Save puts the yard into the local list (and can sit beside a shared terminals file). Dray origin search uses this list. If the yard is missing, you will fight the required origin terminal field all day.

Do not invent a ZIP. Chassis and miles tools need a real postal code.

6. SOP's library

6.1 These PDFs

SOP's opens a page that lists the six how-to files, including this one. Open or download a PDF. They live in the app's sops folder so they can ship on GitHub and inside the Windows install.

If a file is missing, copy the official PDF back into the sops folder. Do not replace them with Word drafts that skip the math sections.

7. How settings show up on quotes

7.1 The chain

Change User -> letterhead contact.

Quote Counter -> the Q number on every quote.

Customers -> optional customer name/email on the PDF when the checkbox is on.

Terminal Locations -> dray origin and return search.

SOP's -> training. They do not change prices.

None of these screens change linehaul math. If a total is wrong, fix the quote form, not Settings.

8. Maps key in kid words

8.1 How the app knows miles

Calculate Distance asks Google 'how far does a truck drive?' Google only answers if this computer has a Maps key in config.json. That file is local. It is not committed to GitHub.

If the key is missing, distance buttons explain that. You can still type miles by hand in modes that allow it, or quote dray on dollars only.

Generate does not call Google again. It uses miles already stored. That keeps quoting fast.

9. Quote file names across modes

9.1 The Q rule

Every quote gets a number from the shared Google quote counter. The print name adds letters so you know the mode.

FTL-Q4242, LTL-Q4242 (single or tiered), DRAY-Q4242, INTL-Q4242. Click Print Quote. Chrome Save as PDF should offer that name. If you save as 'quote.pdf' you will lose it on the desktop.

10. Load Previous Quote by mode

10.1 Separate cookie jars

FTL, LTL single, LTL tiered, and Dray each remember their own last quotes on this computer. International does not. A picker never mixes modes, so you cannot spill chassis days into an FTL van quote.

These history files are local. They are not for GitHub.

11. CRM in the background

11.1 Twenty

If a CRM key is saved, the app tries to tell Twenty about the quote after Generate. If Twenty is not running, the quote still prints. You may see a short line that CRM is not running. That is not a failed quote.

Do not wait on CRM to send the PDF to the customer.

12. What never to put in GitHub

12.1 Secrets stay local

Do not commit config.json, API keys, the quote counter password, customer dumps, terminal dumps, quote history JSON, or quote_counter.json. The sops PDFs are allowed. They have no live secrets.

13. Common mistakes

13.1 Watch-outs

Quoting under someone else's saved name.

Adding a terminal with a fake ZIP.

Looking for SOPs under Modes. They are under the cog.

Thinking Customers is the company CRM of record.

Editing A2 on the wrong Google tab, or saving the Apps Script without deploying a New version.

Putting a number in quote_counter.json and expecting Generate to use it. Live quoting reads Google only.

Definitions	
Settings cog	The gear on the home screen. Change User, Quote Counter, Customers, Terminal Locations, SOP's.
Quote Counter	The two-field settings screen plus the Google Sheet that issues the next Q number.
Web app URL	The Google Apps Script address that ends in /exec. Every office computer uses the same one.
Representative	The person whose name and email print on quotes.
Local catalog	A list saved on this computer, not the whole company database.
config.json	Local settings file for Maps and CRM. Not for GitHub.
Q prefix	FTL-Q, LTL-Q, DRAY-Q, INTL-Q printed file names.

Reviewed By:	**Date:**
Approved By:	**Date:**
Last Updated By:	**Date / Time:**