16.1 Normal Newborn*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • Mother says, "The baby feels cold." **Objective** • Axillary temperature 36.2 °C • Born 1 hour ago • Skin still wet	**ACTUAL** Ineffective thermoregulation related to immature temperature control and post-birth heat loss as evidenced by a temperature of 36.2 °C.	• Axillary temperature kept at 36.5–37.5 °C.	• Dry the baby straight away and take away wet towels. • Place the baby skin-to-skin with the mother, covered with a warm blanket and a hat. • Delay the first bath per policy. • Measure temperature per protocol.	• Achieved when temperature is normal.
Subjective • Mother says, "I do not know if the baby is feeding enough." **Objective** • First feed within 1 hour • Mother unsure of feeding cues	**ACTUAL** Inadequate health knowledge [parental] related to newborn feeding cues and care as evidenced by questioning.	• Before discharge, the mother describes feeding cues and signs that the baby is getting enough.	• Teach the early feeding cues: rooting and hand-to-mouth movements. • Teach the signs of enough intake: at least 6 wet diapers a day after day 5, and weight gain. • Teach cord care and safe sleep, on the back in the baby's own cot.	• Outcome reached when the mother describes these signs.
Subjective *No specific complaint* **Objective** • Newborn • Exposed umbilical stump	**RISK** Risk for infection as evidenced by risk factors: immature immune system and umbilical stump.	• No infection.	• Clean hands before handling the baby. • Keep the cord clean and dry. • Give vitamin K and vaccines per the national schedule. • Teach the parents the signs of infection.	• Considered met if no infection develops.

* **References for this care plan:** [35], [38], [47], [143]. Full entries are listed in the References section of the CPMN book.