17.7 Febrile Seizures*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • Mother says, "He shook all over for 2 minutes." **Objective** • Temperature 39.5 °C • Aged 2 years • Alert now	**ACTUAL** Hyperthermia related to infection as evidenced by a temperature of 39.5 °C.	• Temperature below 38 °C within 2 hours.	• Give a weight-based antipyretic as prescribed. • Remove extra clothing. • Look for the source of fever as ordered.	• Achieved once afebrile.
Subjective • Mother says, "I thought he was dying." **Objective** • Mother crying • Asks whether he will get epilepsy	**ACTUAL** Excessive anxiety [parental] related to the child's seizure as evidenced by crying and fear.	• Parent understands that febrile seizures are usually harmless and knows the first aid.	• Explain what febrile seizures are. • Teach first aid: recovery position, nothing in the mouth, time it, call for help if over 5 minutes.	• Outcome reached when the first aid is described.
Subjective *No specific complaint* **Objective** • Fever • Has had a febrile seizure	**RISK** Risk for physical injury as evidenced by risk factors: possible recurrent seizure.	• No injury.	• Put seizure precautions in place. • Keep the parent informed. • Use a safe cot with padded sides.	• Considered met if no injury occurs.

* **References for this care plan:** [35], [38], [87], [121]. Full entries are listed in the References section of the CPMN book.