18.2 Panic Disorder*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My heart races and I feel I am dying." **Objective** • Sudden attacks lasting 10 minutes • Hyperventilating, sweating, trembling • Normal ECG	**ACTUAL** Excessive anxiety related to panic attacks as evidenced by palpitations, hyperventilation and fear of dying.	• Uses breathing techniques to shorten attacks within 1 week.	• Stay with him during an attack; speak calmly in short sentences. • Guide slow breathing. • Reduce noise and activity around him. • Explore the triggers once the attack has passed. • Give medication as prescribed.	• Achieved when he uses the techniques.
Subjective • "I no longer go to the market alone." **Objective** • Avoids crowded places • Rarely leaves the house	**ACTUAL** Maladaptive coping related to fear of attacks as evidenced by avoidance of public places.	• Returns step by step to the situations he avoids.	• Support graded exposure as planned by the therapist. • Acknowledge each step forward.	• Outcome reached once activities are resumed.
Subjective *No specific complaint* **Objective** • Frequent attacks • Avoids situations	**RISK** Risk for excessive loneliness as evidenced by risk factors: avoidance of social situations.	• Keeps in regular contact with family and friends.	• Encourage contact with family and friends. • Involve the family in support. • Suggest a support group.	• Considered met while contact is maintained.

*References for this care plan: [31], [35], [59]. Full entries are listed in the References section of the CPMN book.