4.1 Hypertension*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I stop my tablets when I feel well." • Occasional headache **Objective** • BP 168/102 mmHg on two readings • BMI 31 kg/m² • High salt intake	**ACTUAL** Ineffective health self-management related to insufficient knowledge of the disease and its treatment as evidenced by discontinuation of medication and uncontrolled BP.	• Explains why treatment is needed and takes it daily; BP nearing target within 4 weeks.	• Explain that hypertension seldom causes symptoms and that treatment is long term. • Teach when to take each tablet and why none should be stopped without advice. • Discuss cutting salt, losing weight and staying active. • Show him how to measure and record BP at home. • Book follow-up.	• Achieved when he can explain his treatment and BP is coming down.
Subjective • "I do not know what foods have salt." **Objective** • Diet history: pickles, processed foods, salted bread • Adds salt at the table	**ACTUAL** Inadequate health knowledge related to dietary sodium as evidenced by a high-sodium diet and questioning.	• Before discharge, picks out high-sodium foods and plans a low-sodium diet.	• Point out where hidden sodium comes from. • Give a list of low-sodium alternatives. • Refer to the dietitian.	• Outcome reached when he plans a low-sodium menu.
Subjective *No specific complaint* **Objective** • BP not controlled • Smoker • Diabetes mellitus	**RISK** Risk for ineffective cerebral tissue perfusion as evidenced by risk factors: uncontrolled hypertension and smoking.	• BP controlled with no neurological deficit.	• Teach the warning signs of stroke and the need to seek help immediately. • Support him to stop smoking. • Check BP at every visit.	• Considered met once he can state the warning signs.

*References for this care plan: [32], [35], [88], [119], [132]. Full entries are listed in the References section of the CPMN book.