6.14 Colostomy and Ileostomy*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I do not want to look at it." • "My wife will be disgusted." **Objective** • Looks away during stoma care • Will not touch the appliance	**ACTUAL** Disrupted body image related to stoma formation as evidenced by refusal to look at or touch the stoma.	• Before discharge, looks at the stoma and joins in its care.	• Encourage him to talk about his feelings. • Involve him in care step by step. • With his consent, involve his wife. • Offer contact with a stoma support group or an experienced ostomate.	• Outcome reached when he looks at and handles the stoma.
Subjective • "How do I change the bag?" **Objective** • New stoma • Cannot describe an appliance change	**ACTUAL** Inadequate health knowledge related to stoma care as evidenced by questioning and inability to describe care.	• Changes the appliance correctly on his own before discharge.	• Teach him to measure the stoma and cut the flange to size. • Teach washing the skin with water and drying it before applying. • Teach emptying the pouch when one-third full. • With an ileostomy, teach fluid intake and the signs of dehydration. • Teach him to report a dark stoma, no output or bleeding.	• Considered met when he demonstrates the change correctly.
Subjective *No specific complaint* **Objective** • Liquid output (ileostomy) • Appliance fits poorly	**RISK** Risk for impaired skin integrity as evidenced by risk factors: contact of stomal effluent with skin.	• Skin around the stoma stays intact.	• Check the flange fit at every change. • Inspect the peristomal skin. • Use barrier products as recommended.	• Goal reached if the skin remains intact.

* **References for this care plan:** [17], [32], [35], [37]. Full entries are listed in the References section of the CPMN book.