7.3 Acute Glomerulonephritis*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My face is puffy in the morning and my urine looks like cola." **Objective** • Puffy eyelids • Blood and protein in the urine • BP 160/100 mmHg • Low urine output	**ACTUAL** Excessive fluid volume related to reduced glomerular filtration as evidenced by edema, oliguria and hypertension.	• Less edema and BP on target within 1 week.	• Weigh daily. • Keep a strict intake and output chart. • Restrict sodium and fluid as prescribed. • Give antihypertensives and diuretics as prescribed. • Follow urea, creatinine and potassium.	• Achieved when edema decreases and BP is controlled.
Subjective • "I feel tired." **Objective** • Fatigue • Less active	**ACTUAL** Excessive fatigue burden related to the disease process as evidenced by tiredness.	• More energy within 1 week.	• Encourage rest in the acute phase. • Increase activity as the edema settles. • Plan care around rest.	• Outcome reached as energy improves.
Subjective *No specific complaint* **Objective** • Hypertension • Fluid overload	**RISK** Risk for ineffective cerebral tissue perfusion as evidenced by risk factors: severe hypertension.	• No neurological complications.	• Measure BP every 4 hours. • Report headache, visual change or seizures. • Give antihypertensives as prescribed.	• Considered met if no complication occurs.

* **References for this care plan:** [32], [35], [37], [43]. Full entries are listed in the References section of the CPMN book.