7.9 Arteriovenous Fistula Care*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "What should I do to protect my fistula?" **Objective** • New left-arm AV fistula • Tight watch on the access arm	**ACTUAL** Inadequate health knowledge related to fistula care as evidenced by questioning.	• Describes how to protect the fistula.	• Teach him to feel for the thrill every day. • Explain that BP measurement, blood tests and tight clothing on that arm are not allowed. • Advise against sleeping on the arm or carrying heavy bags with it.	• Goal reached when he describes the measures.
Subjective • Rates site pain 4/10 **Objective** • Swelling after surgery • Guards the arm	**ACTUAL** Acute pain related to surgical fistula creation as evidenced by reported pain.	• Pain at or below 3/10.	• Rest the arm on a pillow. • Give analgesia as prescribed. • Check the thrill and the circulation in the hand.	• Met when pain is controlled.
Subjective *No specific complaint* **Objective** • Arterialized vein • Cannulated repeatedly	**RISK** Risk for excessive bleeding as evidenced by risk factors: arterialized vein and cannulation.	• No bleeding or thrombosis of the fistula.	• Teach firm pressure after the needle is removed. • Ask him to report a missing thrill or bleeding. • Check thrill and bruit every shift.	• Achieved if no bleeding occurs.

*References for this care plan: [32], [35], [37], [43]. Full entries are listed in the References section of the CPMN book.