11.3 Pressure Injury Management*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My lower back is sore." **Objective** • Stage 3 sacral pressure injury, 4 × 3 cm • Slough in the wound bed • Immobile	**ACTUAL** Impaired tissue integrity related to unrelieved pressure as evidenced by a stage 3 sacral pressure injury.	• Wound smaller, with healthy granulation, within 2 weeks.	• Measure and document the wound weekly. • Dress the wound according to the wound care plan. • Offload pressure: turn every 2 hours and keep her off the wound. • Use a pressure-redistributing mattress. • Refer to the tissue viability nurse.	• Outcome reached as the wound gets smaller.
Subjective • "I am not hungry." **Objective** • Low albumin • Eats less than half of each meal	**ACTUAL** Inadequate nutritional intake related to poor intake as evidenced by hypoalbuminemia and reduced intake.	• Eats at least three-quarters of meals and supplements, to support healing.	• Refer to the dietitian. • Offer protein supplements. • Chart her intake.	• Considered met as intake increases.
Subjective *No specific complaint* **Objective** • Open wound near the anus • Incontinent	**RISK** Risk for infection as evidenced by risk factors: open wound and fecal contamination.	• Wound free of infection.	• Keep the wound covered and clean it after each episode of incontinence. • Watch for odor, more exudate and fever.	• Goal reached if no infection develops.

*References for this care plan: [19], [32], [35], [68]. Full entries are listed in the References section of the CPMN book.