15.19 Puerperal Infection*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I have fever and the discharge smells bad." **Objective** • Temperature 38.8 °C • Offensive lochia • Tender uterus	**ACTUAL** Hyperthermia related to uterine infection as evidenced by a temperature of 38.8 °C and offensive lochia.	• Temperature below 38 °C within 48 hours of antibiotics.	• Send cultures as ordered. • Give IV antibiotics on time. • Give antipyretics. • Encourage fluids.	• Goal reached once afebrile.
Subjective • Rates lower abdominal pain 6/10 **Objective** • Tender uterus • Guarding	**ACTUAL** Acute pain related to uterine inflammation as evidenced by pain and tenderness.	• Pain at or below 3/10.	• Give analgesia. • Sit her semi-Fowler to help drainage. • Assess pain regularly.	• Met when pain is controlled.
Subjective *No specific complaint* **Objective** • Postpartum infection • HR 110/min	**RISK** Risk for shock as evidenced by risk factors: sepsis.	• Vital signs stay stable.	• Take vital signs every 4 hours or more often. • Report hypotension, tachycardia or confusion.	• Achieved while she remains stable.

* **References for this care plan:** [20], [35], [47], [96]. Full entries are listed in the References section of the CPMN book.