15.3 Miscarriage (Spontaneous Abortion)*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I lost my baby. Was it my fault?" **Objective** • Crying • Incomplete miscarriage at 10 weeks	**ACTUAL** Impaired psychological comfort related to pregnancy loss as evidenced by crying and self-blame.	• Talks about her feelings and accepts that she did not cause the loss.	• Give her privacy and time. • Explain that most early miscarriages have nothing to do with what the mother did. • Involve her husband and family as she wishes. • Offer follow-up and counseling.	• Achieved when she shares her feelings.
Subjective • Rates cramping pain 6/10 **Objective** • Vaginal bleeding with clots • Lower abdominal cramps	**ACTUAL** Acute pain related to uterine contractions as evidenced by a cramping pain score of 6/10.	• Pain at or below 3/10.	• Give analgesia as prescribed. • Prepare for medical or surgical management as ordered.	• Outcome reached when pain is controlled.
Subjective *No specific complaint* **Objective** • Retained products of conception	**RISK** Risk for excessive bleeding as evidenced by risk factors: retained products of conception.	• Vital signs stable and bleeding lessening.	• Count pads and follow vital signs. • Give a uterotonic as ordered. • Give anti-D immunoglobulin if she is Rh-negative, as prescribed.	• Considered met as bleeding decreases.

* **References for this care plan:** [35], [47], [95]. Full entries are listed in the References section of the CPMN book.