15.5 Placenta Previa*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I am bleeding but there is no pain." **Objective** • Painless bright-red bleeding at 32 weeks • Placenta covering the cervix on ultrasound • HR 104/min	**ACTUAL** Inadequate fluid volume related to placental bleeding as evidenced by vaginal bleeding and tachycardia.	• Vital signs stable and bleeding less.	• No vaginal examination. • Secure IV access and send blood for cross-match. • Follow bleeding, vital signs and fetal heart rate. • Bed rest lying on her side.	• Outcome reached when bleeding settles.
Subjective • "Will my baby be all right?" **Objective** • Anxious and tearful	**ACTUAL** Excessive anxiety related to bleeding and concern for the fetus as evidenced by worry and tearfulness.	• Less anxious within 24 hours.	• Explain the monitoring and the plan of care. • Share the fetal heart findings with her. • Let a support person stay.	• Considered met when she is calmer.
Subjective *No specific complaint* **Objective** • Preterm pregnancy with bleeding	**RISK** Risk for impaired maternal-fetal dyad as evidenced by risk factors: placental bleeding and possible preterm birth.	• Fetal well-being maintained.	• Follow the fetal heart rate. • Give antenatal corticosteroids as prescribed. • Prepare for cesarean birth as ordered.	• Goal reached while the fetal heart is normal.

* **References for this care plan:** [35], [47], [72], [95]. Full entries are listed in the References section of the CPMN book.