17.21 Hirschsprung's Disease*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • Mother says, "He has never opened his bowels without help." **Objective** • Chronic constipation • Distended abdomen	**ACTUAL** Impaired intestinal elimination related to an aganglionic bowel segment as evidenced by absent spontaneous stools and distension.	• Bowel emptied regularly before surgery.	• Carry out rectal washouts as ordered. • Measure abdominal girth. • Prepare for surgery.	• Considered met when he empties regularly.
Subjective • Mother says, "He does not eat well." **Objective** • Poor weight gain • Distended abdomen	**ACTUAL** Inadequate nutritional intake related to poor intake as evidenced by poor weight gain.	• Steady weight gain.	• Offer small, frequent feeds. • Weigh regularly. • Refer to the dietitian.	• Goal reached as he gains weight.
Subjective *No specific complaint* **Objective** • Fecal stasis • Distended abdomen	**RISK** Risk for infection as evidenced by risk factors: fecal stasis (enterocolitis).	• No enterocolitis.	• Report fever, explosive diarrhea or distension. • Carry out rectal washouts as ordered. • Follow temperature.	• Met if no infection develops.

*References for this care plan: [17], [35], [38]. Full entries are listed in the References section of the CPMN book.