2.25 Palliative Care*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I am afraid of dying in pain." **Objective** • Advanced illness • Withdrawn, tearful	**ACTUAL** Excessive death anxiety related to awareness of terminal illness as evidenced by expressed fear of dying.	• Expresses his feelings and reports less fear.	• Give him space to talk about his fears. • Reassure him that symptoms will be controlled. • Involve family and spiritual support as he wishes.	• Goal reached when he says he feels calmer.
Subjective • "I feel short of breath and uncomfortable." **Objective** • Breathless • Restless	**ACTUAL** Impaired physical comfort related to disease-related symptoms as evidenced by dyspnea and restlessness.	• More comfortable within 24 hours.	• Give prescribed symptom-relief medication. • Sit him upright and use a fan. • Provide mouth and skin care.	• Met if he looks comfortable.
Subjective • "Why is this happening to me?" **Objective** • Terminal illness	**RISK** Risk for impaired spiritual well-being as evidenced by risk factors: terminal illness.	• Expresses a sense of peace.	• Respect his religious practices. • Arrange a visit from a religious leader if requested. • Listen without judging.	• Achieved when he says he feels at peace.

* **References for this care plan:** [17], [35], [48], [110]. Full entries are listed in the References section of the CPMN book.