7.11 Benign Prostatic Hyperplasia and TURP*

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I wake up 4 times at night to pass urine and the stream is weak." **Objective** • Weak stream; hesitancy • Residual urine on bladder scan	**ACTUAL** Impaired urinary elimination related to bladder outlet obstruction as evidenced by hesitancy, a weak stream and nocturia.	• Empties the bladder well after treatment.	• Record his voiding pattern. • Give the alpha-blocker as prescribed. • Prepare for TURP as ordered.	• Met as voiding improves.
Subjective • Reports bladder spasms since surgery **Objective** • Three-way catheter with continuous irrigation • Clots in the drainage	**ACTUAL** Acute pain related to bladder spasm after TURP as evidenced by reported spasms.	• Spasms relieved.	• Adjust the irrigation so that urine stays light pink. • Keep the catheter patent; wash out clots as ordered. • Give the prescribed antispasmodic. • Work out true urine output: total output minus irrigant.	• Achieved when spasms stop and the catheter drains freely.
Subjective *No specific complaint* **Objective** • Prostatic resection • Light pink drainage	**RISK** Risk for excessive bleeding as evidenced by risk factors: prostatic surgery.	• No significant bleeding.	• Watch the color of the drainage. • Follow vital signs and hemoglobin. • Advise him not to strain.	• Outcome reached if no bleeding occurs.

*References for this care plan: [28], [32], [35], [37]. Full entries are listed in the References section of the CPMN book.