11.3 Pressure Injury Management

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My lower back is sore." **Objective** • Stage 3 pressure injury on the sacrum, 4 × 3 cm • Slough in the wound bed • Immobile	**ACTUAL** **Impaired tissue integrity** related to unrelieved pressure as evidenced by stage 3 sacral pressure injury.	Within 2 weeks the wound is smaller and the granulation looks healthy.	• Measure the wound and record it every week. • Do wound care according to the wound care plan. • Take the pressure off: turn every 2 hours and never let him lie on the wound. • Nurse him on a pressure-redistributing mattress. • Refer to the tissue viability nurse.	Wound smaller: **goal met**.
Subjective • "I am not hungry." **Objective** • Albumin low • Eats less than half of each meal	**ACTUAL** **Imbalanced nutrition: less than body requirements** related to poor intake as evidenced by low albumin and reduced intake.	Eats at least three-quarters of his meals and supplements, to help healing.	• Refer to the dietitian. • Offer protein supplements. • Chart what he eats.	Eating more: **goal met**.
Subjective • *No specific complaint* **Objective** • Open wound close to the anus • Incontinent	**RISK** **Risk for infection** as evidenced by risk factors: open wound and fecal contamination.	Wound stays free of infection.	• Keep the wound covered, and clean it after every episode of incontinence. • Watch for a smell, more exudate, and fever.	No infection: **goal met**.