12.2 Glaucoma

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I did not know I was losing side vision." **Objective** • Pressure inside the eye raised • Losing peripheral vision	**ACTUAL** **Deficient knowledge** related to chronic eye disease and lifelong treatment as evidenced by unawareness of condition.	Can explain what the eye drops are for and that they are for life.	• Explain that vision already lost will not come back, but further loss can be prevented. • Teach how to put the drops in and to press on the inner corner of the eye afterwards. • Stress regular checks of the eye pressure. • Before starting any new medicine, he should tell the doctor he has glaucoma.	Describes his plan: **goal met**.
Subjective • Acute angle closure: "My eye hurts badly and I see halos." **Objective** • Eye red and painful • Vomiting • Pressure inside the eye very high	**ACTUAL** **Acute pain** related to sudden rise in intraocular pressure as evidenced by severe eye pain, halos and vomiting.	Within hours, pain relieved and pressure down.	• Treat it as an emergency and call the ophthalmologist. • Give the prescribed drugs (drops, acetazolamide) without delay. • Give an antiemetic and analgesia. • Lay him flat as advised.	Pain relieved: **goal met**.
Subjective • *No specific complaint* **Objective** • Has lost part of his visual field	**RISK** **Risk for injury** as evidenced by risk factors: reduced peripheral vision.	No injury.	• Teach him to turn his head to scan around him. • Clear hazards at home.	No injury: **goal met**.