14.3 Cardiogenic Shock

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I cannot breathe and feel faint." **Objective** • BP 78/50 mmHg after a large • MI • Crackles, SpO_2 88% • Skin cold and mottled • Urine output 10 mL/hour	**ACTUAL** **Decreased cardiac output** related to impaired myocardial contractility as evidenced by hypotension, pulmonary congestion and oliguria.	Within 6 hours, MAP 65 mmHg or more and urine output at least 0.5 mL/kg/hour.	• Continuous monitoring of ECG, BP (arterial line if ordered) and urine output. • Give inotropes and vasopressors through an infusion pump as prescribed. • Get ready for coronary reperfusion or mechanical support as ordered. • Give fluids only if ordered, and carefully.	Hemodynamics improving: **goal met**.
Subjective • *No specific complaint* **Objective** • Crackles all through the lungs • SpO_2 88%	**ACTUAL** **Impaired gas exchange** related to pulmonary congestion as evidenced by crackles and hypoxemia.	SpO_2 94% or more within 6 hours.	• If BP allows, sit him up. • Give oxygen and be ready for non-invasive or mechanical ventilation. • Give diuretics if ordered.	SpO_2 on target: **goal met**.
Subjective • *No specific complaint* **Objective** • Cardiac output low	**RISK** **Risk for electrolyte imbalance** as evidenced by risk factors: renal hypoperfusion and diuretic therapy.	Electrolytes normal and creatinine stable.	• Follow electrolytes and creatinine. • Replace as ordered.	Values normal: **goal met**.