14.8 Abdominal Trauma

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "My abdomen hurts after the accident." **Objective** • Abdomen distended and bruised • BP 90/56 mmHg, HR 122/min • Ultrasound shows free fluid	**ACTUAL** **Deficient fluid volume** related to internal bleeding as evidenced by hypotension, tachycardia and free intraperitoneal fluid.	Vital signs stable before and after surgery.	• Put in two large-bore IV cannulas. • Give fluids and blood as prescribed. • Nothing by mouth; get him ready for laparotomy. • Follow vital signs, abdominal girth and urine output.	Hemodynamics stable: **goal met**.
Subjective • Gives the pain 8/10 **Objective** • Guarding and rebound tenderness	**ACTUAL** **Acute pain** related to abdominal injury as evidenced by pain score 8/10 and guarding.	Pain bearable (4/10 or less) once he has been assessed and treated.	• Once the surgeon has assessed him, give analgesia as prescribed. • Let him lie with his knees bent. • Reassess often.	Pain bearable: **goal met**.
Subjective • *No specific complaint* **Objective** • Bowel may be injured	**RISK** **Risk for infection** as evidenced by risk factors: possible bowel perforation and peritoneal contamination.	No peritonitis and no wound infection.	• Give antibiotics as prescribed. • Watch his temperature and abdominal signs. • Report pain that is getting worse, or rigidity.	No infection: **goal met**.