15.11 Anemia in Pregnancy

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I feel tired and dizzy." **Objective** • Hb 9 g/dL • Pale	**ACTUAL** **Fatigue** related to anemia as evidenced by tiredness and dizziness.	Within 4 weeks of treatment, says she has more energy.	• Give iron as prescribed. • Plan rest periods. • Follow the Hb. • Teach which foods are rich in iron.	Better: **goal met**.
Subjective • "I stopped iron because of constipation." **Objective** • Not taking her iron • Hb not going up	**ACTUAL** **Ineffective health self-management** related to side effects of iron as evidenced by stopping treatment.	Starts taking her iron again as prescribed.	• Deal with the side effects using fluids and fibre. • Explain why iron matters for her and the baby. • Ask the doctor about a different preparation.	Taking it: **goal met**.
Subjective • *No specific complaint* **Objective** • Hb 9 g/dL at 36 weeks	**RISK** **Risk for bleeding** as evidenced by risk factors: reduced reserve to tolerate blood loss at birth.	Hb better before delivery.	• Follow the Hb. • Plan the delivery care with the obstetric team. • Make sure blood is available at delivery if needed.	Better: **goal met**.