15.2 Hyperemesis Gravidarum

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I cannot keep even water down." **Objective** • Vomiting more than 5 times a day • Ketones in the urine • HR 110/min, mouth dry	**ACTUAL** **Deficient fluid volume** related to persistent vomiting as evidenced by ketonuria, tachycardia and dry mucosa.	Within 24–48 hours, no ketones in the urine and urine output adequate.	• Give IV fluids with electrolytes as prescribed. • Give antiemetics as prescribed. • Keep an I&O chart and test urine for ketones every day. • Before any dextrose-containing fluid, give thiamine as ordered.	Hydrated, no ketones: **goal met**.
Subjective • "I have lost weight." **Objective** • Lost 4 kg • Has hardly eaten for 1 week	**ACTUAL** **Imbalanced nutrition: less than body requirements** related to vomiting and reduced intake as evidenced by weight loss.	Tolerates food by mouth and stops losing weight.	• Bring back small, dry meals bit by bit. • Refer to the dietitian. • Weigh twice a week.	Weight steady: **goal met**.
Subjective • *No specific complaint* **Objective** • Has been vomiting for a long time	**RISK** **Risk for electrolyte imbalance** as evidenced by risk factors: loss of gastric fluids.	Potassium and sodium stay normal.	• Check electrolytes every day. • Add replacement to the IV fluids as prescribed. • Report muscle weakness or palpitations.	Values normal: **goal met**.