15.5 Placenta Previa

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • "I am bleeding but there is no pain." **Objective** • Bright red vaginal bleeding with no pain, at 32 weeks • Scan shows the placenta covering the cervix • HR 104/min	**ACTUAL** **Deficient fluid volume** related to placental bleeding as evidenced by vaginal bleeding and tachycardia.	Vital signs stable and bleeding less.	• Never do a vaginal examination. • Put in IV access and send blood for crossmatch. • Watch the bleeding, her vital signs and the fetal heart. • Bed rest, lying on her side.	Bleeding settled: **goal met**.
Subjective • "Will my baby be all right?" **Objective** • Anxious and tearful	**ACTUAL** **Anxiety** related to bleeding and concern for the fetus as evidenced by worry and tearfulness.	Within 24 hours, says she feels less anxious.	• Explain the monitoring and the plan. • Tell her what the fetal heart shows. • Let a support person stay with her.	Calmer: **goal met**.
Subjective • *No specific complaint* **Objective** • Preterm and bleeding	**RISK** **Risk for disturbed maternal-fetal dyad** as evidenced by risk factors: placental bleeding and possible preterm birth.	Baby stays well.	• Monitor the fetal heart rate. • Give corticosteroids for the baby's lungs as prescribed. • Get her ready for cesarean birth as ordered.	Fetal heart normal: **goal met**.