16.1 Normal Newborn

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • Mother says • "The baby feels cold." **Objective** • Axillary temperature 36.2 °C • Born 1 hour ago • Skin still wet from birth	**ACTUAL** **Ineffective thermoregulation** related to immature temperature control and heat loss after birth as evidenced by temperature 36.2 °C.	Axillary temperature kept at 36.5–37.5 °C.	• Dry the baby straight away and take the wet towels off. • Put the baby skin-to-skin on the mother and cover with a warm blanket and a hat. • Hold off the first bath as policy says. • Check the temperature as the protocol says.	Temperature normal: **goal met**.
Subjective • Mother says • "I do not know if the baby is feeding enough." **Objective** • Had first feed within 1 hour • Mother not sure of the feeding cues	**ACTUAL** **Deficient knowledge (parent)** related to newborn feeding cues and care as evidenced by questions.	Before discharge, the mother can describe feeding cues and how to tell the baby is getting enough.	• Teach the early feeding cues: rooting, hand to mouth. • Teach the signs of enough intake: 6 or more wet diapers a day after day 5, and weight gain. • Teach cord care and safe sleep (on the back, in the baby's own cot).	Describes the signs: **goal met**.
Subjective • *No specific complaint* **Objective** • Newborn • Umbilical stump exposed	**RISK** **Risk for infection** as evidenced by risk factors: immature immune system and umbilical stump.	Baby stays free of infection.	• Hand hygiene before touching the baby. • Keep the cord clean and dry. • Give vitamin K and vaccines on the national schedule. • Teach the parents the signs of infection.	No infection: **goal met**.