16.8 Neonatal Hypothermia

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • *No specific complaint* **Objective** • Temperature 35.5 °C • Hands and feet cool • Feeding poorly	**ACTUAL** **Hypothermia** related to heat loss and immature thermoregulation as evidenced by temperature 35.5 °C.	Temperature 36.5–37.5 °C within 2 hours.	• Warm the baby up skin-to-skin or in an incubator. • Take off any wet clothes. • Check the temperature every 30 minutes until it is normal. • Check blood glucose.	Temperature normal: **goal met**.
Subjective • *No specific complaint* **Objective** • Lethargic • Sucks weakly	**ACTUAL** **Ineffective infant feeding dynamics** related to cold stress as evidenced by poor feeding.	Feeds well again once warm.	• Feed once the temperature is normal. • Help with breastfeeding or give expressed milk. • Chart intake.	Feeding: **goal met**.
Subjective • *No specific complaint* **Objective** • Cold-stressed • Lethargic	**RISK** **Risk for unstable blood glucose level** as evidenced by risk factors: increased glucose use in cold stress.	Blood glucose stays normal.	• Check glucose. • Feed early. • Give IV dextrose if ordered.	Normal: **goal met**.