17.12 Nephrotic Syndrome in Children

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • Mother says • "His eyes and belly are swollen." **Objective** • Swollen around the eyes and all over A lot of protein in the urine • Albumin low	**ACTUAL** **Excess fluid volume** related to protein loss and low plasma oncotic pressure as evidenced by edema and proteinuria.	Within 2–4 weeks of steroids, less edema and no protein in the urine.	• Weigh every day and measure abdominal girth. • Test the urine for protein every day. • Give steroids as prescribed. • Limit salt as ordered.	Less edema: **goal met**.
Subjective • Child says • "Other children laugh at my face." **Objective** • Round • "moon" face from the steroids • Will not go to school	**ACTUAL** **Disturbed body image** related to edema and steroid effects as evidenced by distress about appearance.	Talks about how he feels and keeps up his social activities.	• Explain that the changes will not last. • When he is well, encourage him to go to school.	Coping: **goal met**.
Subjective • *No specific complaint* **Objective** • On steroids • Losing immunoglobulins	**RISK** **Risk for infection** as evidenced by risk factors: steroid therapy and protein loss.	No infection.	• Tell the parents to report fever and abdominal pain (peritonitis). • Keep him away from chickenpox and measles. • Hand hygiene.	No infection: **goal met**.