17.7 Febrile Seizures

Assessment	Nursing Diagnosis	Plan / Expected Outcome	Nursing Interventions	Evaluation
Subjective • Mother says • "He shook all over for 2 minutes." **Objective** • Temperature 39.5 °C 2 years old • Alert now	**ACTUAL** **Hyperthermia** related to infection as evidenced by temperature 39.5 °C.	Temperature below 38 °C within 2 hours.	• Give the antipyretic by weight, as prescribed. • Take off extra clothes. • Look for the cause of the fever as ordered.	Afebrile: **goal met**.
Subjective • Mother says • "I thought he was dying." **Objective** • Mother crying • Asks whether he will have epilepsy	**ACTUAL** **Anxiety (parent)** related to child's seizure as evidenced by crying and fear.	Parent understands that febrile seizures are usually harmless and knows the first aid.	• Explain what a febrile seizure is. • Teach first aid: lay him on his side, put nothing in his mouth, time it, get help if it lasts more than 5 minutes.	Describes first aid: **goal met**.
Subjective • *No specific complaint* **Objective** • Fever • Has had a febrile seizure before	**RISK** **Risk for injury** as evidenced by risk factors: possible further seizure.	No injury.	• Seizure precautions in place. • Keep the parent informed. • Keep him in a safe cot with padded sides.	No injury: **goal met**.