# 19.12 Caregiver Role Strain

| Assessment | Nursing Diagnosis | Plan / Expected Outcome | Nursing Interventions | Evaluation |
|---|---|---|---|---|
| **Subjective**<br>• "I have not slept well for months caring for my father."<br>**Objective**<br>• Caregiver worn out<br>• Not looking after her own health | **ACTUAL**<br>**Caregiver role strain** related to continuous care demands as evidenced by exhaustion and neglect of own health. | Caregiver finds one respite option and uses it. | • Ask about the caregiver's stress.<br>• Share the caring among the family.<br>• Put her in touch with respite and community services.<br>• Encourage her to look after her own health. | Using respite: **goal met**. |
| **Subjective**<br>• "I feel guilty when I get angry."<br>**Objective**<br>• Tearful<br>• Irritable | **ACTUAL**<br>**Ineffective coping** related to prolonged caregiving stress as evidenced by guilt and tearfulness. | Caregiver uses two healthy ways of coping. | • Listen and let her know her feelings are normal.<br>• Suggest support groups.<br>• Teach ways to reduce stress. | Coping: **goal met**. |
| **Subjective**<br>• *No specific complaint*<br>**Objective**<br>• Cut off from others<br>• Has stopped visiting friends | **RISK**<br>**Risk for loneliness** as evidenced by risk factors: social isolation of the caregiver. | Keeps in regular touch with other people. | • Encourage her to see her friends.<br>• Plan regular breaks.<br>• Put her in touch with caregiver support services. | Keeps in touch: **goal met**. |